

# SUPPORTING DOCUMENTATION

QUESTION 6(a)

# PASSAIC VILLEY SEVERAGE COMMISSIONERS

#### . SEWER CONNECTION PERMIT

Permit	•_	20406320	_

(Please use the Peruit Number on any correspondence with PVSC)
In compliance with the provisions of the Pederal Water Pollution Control
Act, its amendments, the Clean Water Act and the Rules and Regulations
of the Passaic Valley Severage Commissioners:

Reichhold Chemicals, Inc.

(herein, after referred to as the Permittee)

is authorized to discharge from a facility located at

Newark, New Jersey 07105

to the Passaic Valley Severage Commissioners Treatment Norts in accordance with discharge limitations, monitoring requirements and other conditions set forth herein.

Effective Date

10/16/89

Expiration Date

10/16/94 -

PASSAIC VALLEY SEWERAGE COMMISSIONERS

Executive Director

- (F) Radioactive Wastes. Radioactive wastes or isotones of such half life or concentration that they do not comply with regulations or orders issued by the appropriate authority having control over their use and which will, or may, cause damage or hazards to the treatment works or personnel operating the system.
- of such volume or strength so as to cause a treatment process upset and subsequent loss of treatment efficiency.
- (H) Heat. (a) any discharge in excess of 150°F (65°C) (b) Reat in amounts which would inhibit biological activity in the PVSC treatment works resulting in a treatment process upset and subsequent loss of treatment efficiency, but in no case shall heat be introduced into the PVSC treatment works in such quantities that the temperature of the influent waters at the treatment plant exceed 40°C (104°).
- (I) Unpolluted Waters. Any unpolluted water including, but not limited to, cooling water or uncontaminated storm water, which will increase the hydraulic load on the treatment system, except as approved by PVSC.
- (J) Water. Any water added for the purpose of diluting wastes which would otherwise exceed applicable maximum concentration limits.
- (2) No person shall discharge or convey, or permit to be discharged or conveyed, to the treatment works any wastes containing pollutants of such character or quantity that will:
- (A) Not be susceptible to treatment or interfere with the process or efficiency of the treatment system.
- (B) Violate pretreatment standards. As pretreatment standards for toxic or other hazardous pollutants are promulgated by USEPA for a given industrial category, all industrial users within that category must immediately conform

842893669

FPLUENT LIMITATIONS, MONITORING AND COMPLIANCE REQUIREMENTS

During the period beginning (10/16/89) and lasting through (10/16/94) the permittee is authorized to discharge from

outlet(s) number(ed) (20406320-44100-0201). Such discharge shall be monitored by the permittee as specified below.

Volume to be determined from water consumption data less 5% credit for evaporation.

EFFLUENT CHARACTERISTIC	DISCHARGE LID	ATTATIONS	MONITORING REQU	JIREMENTS		
	X <b>DAY</b> X X <b>AYERAGE</b> X	DAILY MAX	MEASUREMENT FREQUENCY	SAMPLE TYPE	REPORTING PERIOD	
BOD (0310)	XXXXXXX	XXXXXXXXX	Monthly	24 hr. comp.	Quarterly	
TSS (0530)	-XXXXXXXX	XXXXXXXX	Monthly — -	24 hr. comp.	Quarterly	
рН (9000)	XXXXXXX	5 to 10.5	Continuous	Recorder	*	
LEL	xxxxxxx	40%	Continuous	Recorder	*	
Volume	xxxxxxx	xxxxxxxx	xxxxxxxx	XXXXXXX	Quarterly	
* Permittee to store pH and	LEL Recorder C	narts and have av	ilable for review by	PVSC personnel o	demand.	
					,	U
					1	() F1
		Ì				j

#### C. EFFLUENT LIMITATIONS, MONITORING AND COMPLIANCE REQUIREMENTS

During the period beginning (10/16/89) and lasting through (10/16/94) the permittee is authorized to discharge from outlet(s) numbered (20406320-44100-0201). Such discharge shall be monitored by the permittee as specified below. Volume to be determined from water consumption data less 5% credit for evaporation. Permittee to submit volume in accordance with PVSC Pretreatment Monitoring Report Form MR-1.

40 CFR 414.55, Subpart E

EFFLUENT CHARACTERISTIC

DISCHARGE LIMITATIONS

MONITORING REQUIREMENTS

	All units are in Micrograms per liter DAILY MONTHLY MAX. AVG.		Measurement Sample Frequency Type		Reporting Period	
VOLUME	xxxxxxxxx	xxxxxxxxxx	******	«xxxxxxxxxxx	Semi-Annually	
(a)	(a)	(a)	Twice/Year	(a)	Semi-Annually	

(a) See Page 8 of 15, Section 2 D of this Permit for Effluent Characteristics, Daily and Monthly Discharge Limitations, and Sample Type.

- 2. In addition to the monitoring required in Section C.1. the Permittee is required to meet the following schedule of compliance:
  - A. Analysis of wastewater parameters shall be performed by a laboratory that has been certified by the State of New Jersey.
  - B. N.J.P.D.E.S.

Direct Discharge outlet monitored by N.J.D.E.P. Permit #NJ0063738.

- C. | Pretreatment Compliance Requirements Organic Chemicals Categorical | Pretreatment Standards 40 CFR 414.
  - 11/05/90 Permittee to be in compliance with Organic Chemicals Categorical Pretreatment Standards 40 CFR 414.55 Subpart E.
  - 02/05/91 Permittee to submit a Compliance Report to PVSC demonstrating compliance with Organic Chemicals Pretreatment Standards. The report shall be in accordance with General Pretreatment Regulations 40 CFR 403.12 section (d).
  - 97/21/91 First Periodic Compliance Monitoring Report due. Permittee to submit a Periodic Compliance Monitoring Report Semi-Annually January 21 and Juy 21 in accordance with General Pretreatment Regulations 40 CFR 403.12 section (e).

#### ADDITIONAL REQUIREMENTS SECTION C2 CONTINUED:

D.	Effluent Characteristics	Maximum for any one day	Maximum for monthly average	Sample Type
			•	
	Acenaphthene	47	19	Composite
	Benzene	.34	57	Grab
	Carbon Tetrachloride	380	142	Grab
	Chloropenzene	380	142	Grab
	1,2,4-Trichlorobenzene	794	196	Composite
	Hexachlorobenzene	94	196	Composite
	1,2-Dichloroethane	574	180	Grab
	1,1,1-Trichloroethane	59	22	Grab
	Hexachloroethane	. 9 <b>4</b>	196	Composite
	1,1-Dichloroethane	59	22	Grab
	1,1,2-Trichloroethane	27	32	Grab
	Chloroethane	2 <b>95</b>	110	Grab
	Chloroform	3 <b>25</b>	111	Grab
	1,2-Dichlorobenzene	794	196	Composite
	1,3-Dichlorobenzene	380	142	Composite
	1,4-Dichlorobenzene	380	142	Composite
	1,1-Dichloroethylene	6 <b>0</b>	22	Grab
	1,2-Trans-Dichloroethylene	6 <b>6</b>	25	Grab
	1,2-Dichloropropane	₹ <b>94</b>	196	Grab
	1,3-Dichloropropylene	. 9 <b>4</b>	196	Grab
	2,4-Dimethylphenol	47	19	Composite
	Ethylbenzene	3 <b>80</b>	142	Grab
	Fluoranthene	54	22	Composite
	Methylene Chloride	170	36	Grab
	Methylene Chloride  Methyl Chloride	2 <b>95</b>	110	Grab
	Hexachlorobutadiene	380	142	Composite
	<i>i</i> 1	47	19	
	Naphthalene Nitrobenzene	6402	2237	Composite Composite
		2 <b>31</b>	65.	Composite
	2-Nitrophenol 4-Nitrophenol	37 <b>6</b>	162	Composite
	4,6-Dinitro-O-Cresol	2 <b>77</b>	78	Composite
	Phenoi	47	19	Composite
	Bis(2-Ethylhexyl)Phthalate	2 <b>58</b>	95	Composite
	Di-N Butyl Phthalate	43	20	Composite
	Diethyl Phthalate	113	46	Composite
	Dimethyl Phthalate	47	19	Composite
	Anthracene	47	19	Composite
	Fluorene	47	19	Composite
	Phenanthrene	47	19	Composite
	4.1	48	20	Composite
	Pyrene Tetrachloroethylene	164	52	Grab
	Toluene	74	28	Grab
	1.1	6 <b>9</b>	26	Grab
	Trichloroethylene	1 <b>72</b>	97	Grab
	Vinyl Chloride Total Cyanida	1200	420	Grab
	Total Cyanide	69 <b>0</b>	320	Composite
	Total Lead	2610	1050	Composite
	Total Zinc	7010	1030	Composite

#### 6. ADDITIONAL MONITORING BY PERMITTEE

If the permittee monitors any pollutant at the location (s) designated herein more frequently than required by this permit, using the approved analytical methods as specified above, the results of such monitoring shall be included in the calculation and reporting of the values required in the Discharge Monitoring Report Forms (PVSC Form MR-1 or MR-2). Such increased frequency shall also be indicated.

#### 7. RECORDS RETENTION

All records and information resulting from the monitoring activities required by this permit including all records of analyses performed, calibration and maintenance of instrumentation and recordings from continuous monitoring instrumentation shall be retained for a minimum of (5) years.

#### 8. | DEFINITIONS

- a) The "30 day average" discharge means the average of daily values for 30 consecutive monitoring days. For the purpose of enforcement of Pretreatment Standards, consecutive samples taken and analyzed shall be considered as being taken on consecutive days even though one or more non-sampling days intervene. In applying the Pretreatment Standards where more than one but less than 30 samples have been taken and analyzed during any month, a formula, specified by USEPA, will be used to calculate the "30 day average".
- b) The "daily maximum" discharge means the highest discharge by weight or other appropriate units, as specified herein, during any calendar day.
- c) "Daily" each operating day.
- d) "Weekly" one day each week during a normal operating day.
- e) "Monthly" one day each month during a normal operating day.
- f) "Composite" a combination of individual samples obtained at regular intervals over the entire discharge day.

The volume of each sample shall be proportional to the discharge flow rate unless specifically modified by PVSC. For a 24 hour continuous discharge, a mininum of 24 individual samples shall be collected at equal intervals and at least once per hour. For continuous discharges of less than 12 hours, individual samples shall be taken at least once every 30 minutes. For discharges which are not continuous, individual samples shall be taken such that they will be representative of plant waste.

- g. "Grab" an individual sample collected in less that 15 minutes.
- h. "Quarterly" every three (3) months.
- i. "N/A" not applicable.

#### E. MANAGEMENT REQUIREMENTS

1. Change in Discharge

All discharges authorized herein shall be consistent with the terms and conditions of this permit. The discharge of any pollutant identified in this permit more frequently than or at a level in excess of that authorized shall constitute a violation of the permit. Any anticipated facility expansions, production increases, or modification which will result in new, different, or increased discharges of pollutants must be reported by submission of a new PVSC Sever Connection Application or, if such changes will not violate the effluent limitations specified in this permit, by notices to PVSC of such changes. Following such notices, the permit may be modified to specify and limit any pollutants not previously limited.

2. Noncompliance Notification

If, for any reason, the permittee does not comply with, or will be unable to comply with any effluent limitation specified in this permit, the permittee shall notify PVSC within 24 hours of the occurrence. If this

Federal, State and local laws and regulations. Records documenting such disposal shall be made available to PVSC for review upon request.

#### F. MANAGEMENT RESPONSIBILITIES

1. Right of Entry

The permittee shall allow the authorized representatives of PVSC, upon the presentation of credentials:

- a) To enter upon the permittee's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this permit; and
- b) At reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit; to inspect any monitoring equipment or monitoring methods required in this permit; and to sample any discharge of pollutants.
- 2. Transfer of Ownership or Control

In the event of any change in control or ownership of facilities from which the authorized discharges emanate, the permittee shall, in writing, notify the succeeding owner or controller of the existence of this permit, and the need to apply for a new permit, a copy of which shall be forwarded to PVSC.

3. Permit Modification

After notice and opportunity for a hearing, this permit may be modified, or revoked in whole or in part during its terms for cause including, but not limited to, the following:

- a) Violation of any terms or conditions of this permit;
- b) Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
- c) A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.

3. |Severability

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstances, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

Passaic Valley
Sewerage Commissioners

RECEIVED MAY 2 9 1990

CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

JAMES M. PIRO CHIEF COUNSEL

NORMAN E. DARMSTATTER

CHIEF COUNSEL

DONALD TUCKER
COMMISSIONERS

FRANK ORECHIO

CHARLES A. LAGOS

RAYMOND LUCHKO

ROBERT M. BURKE, JR.

KENNETH W. HAYDEN

THOMAS J. CIFELLI

VICE CHAIRMAN

CHAIRMAN

600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951

May 21, 1990

Reichhold Chemicals, Inc. 300-400 Doremus Avenue Newark, New Jersey 07105

Attn: Arthur Dieffenbach

RE: REVISIONS TO SEWER CONNECTION PERMIT

Dear Mr. Dieffenbach:

Enclosed are the revisions to your Industrial Sewer Connection Permit. Please review and attach these changes to your existing Permit accordingly.

Very truly yours,

PASSAIC YALLEY SEWERAGE COMMISSIONERS

Frank P. D'Ascensio,

Manager of Industrial & Pollution Control

FPD/mc

Enclosures

cc: City of Newark

#### PASSAIC VALLEY SIVERAGE CONCISSIONERS

#### . SEVER CONNECTION PERMIT

PERCIT	•	20406320	

(Please use the Permit Number on any correspondence with PVSC)

In compliance with the provisions of the Pederal Mater Pollution Control

Act, its amendments, the Clean Water Act and the Rules and Regulations

of the Passaic Valley Severage Commissioners:

Reichhold Chemicals, Inc.

(herein, after referred to as the Permittee)

is authorised to discharge from a facility located at

390-400 Doremus Avenue


Newark New Jersey 07105

to the Passaic Valley Severage Commissioners Treatment Norths in accordance with discharge limitations, somitoring requirements and other conditions set forth herein.

Effective Data 10/16/89

Topiration Data 10/16/94

PASSAIC VALLEY SEMERAGE COMMISSIONERS



#### COMDITIONS

#### A. General Prohibitions

- (1) No person shall discharge or deposit or cause or allow to be discharged or deposited into the treatment works or public sewer any waste which contains the following:
- (A) Explosive Mixtures. Pollutants which create a fire or explosion hazard to the treatment works, collection system or to the operation of the system. Prohibited materials include, but are not limited to, gasoline, kerosene, naphta, bensene, toluene, xylene, ethers, etc.
- (8) Corrosive Wastes. Any waste which will cause corrosion or deterioration of the treatment works. All wastes must have a pf not less than 5. Unless otherwise stated in the Sewer Connection Permit, all waste shall have a pf not more than 10.5. Prohibited materials include, but are not limited to, acids, sulfides, concentrated chloride or flouride compounds, etc.
- (C) Solid or Viscous Mastes. Solid or Viscous vastes which would cause obstruction to the flow in a sewer, or otherwise interfere with the proper operation of the treatment works. Prohibited materials include, but are not limited to, uncomminuted garbage, bones, hides or fleshings, cinders, sand, stove or marble dust, glass, etc.
- (3) Oils and Greese. (a) any industrial vestes containing floatable fats, war, greese or oils. (b) any industrial vestes containing more than 100 mg/l of emulsified mineral oil or grease.
- (2) <u>Moxious Material</u>. Moxious or malodorous solids, liquids or gases, which, either singly or by interaction with other wastes, are capable of creating a public muisance or hazard to life, or are or may be sufficient to prevent entry into a sewer for its maintenance and repair.

#### ADDITIONAL REQUIREMENTS SECTION C2 CONTINUED:

D.	Effluent Characteristics	Maximum for any one day	Maximum for monthly average	Sample Type
		·		
	Benzene	134	57	Grab
	Carbon Tetrachloride	380	142	Grab
	Chlorobenzene	380	142	Grab
	1,2,4-Trichlorobenzene	794 ·	196	Composite
	Hexachlorobenzene	794	196	Composite
	1,2-Dichloroethane	574	180	Grab
	1,1,1-Trichloroethane	59	22	Grab
	Hexachloroethane	794	196	Composite
	1,1-Dichloroethane	59	22	Grab
	1,1,2 Trichloroethane	127	32	Grab
	Chloroethane	295	- <b>110</b>	Grab
	Chloroform	325	111	Grab
	1,2-Dichlorobenzene	794	196	Composite
	1,3-Dichlorobenzene	380 .	142	Composite
	1,4-Dichlorobenzene	380	142	Composite
	1,1-Dichloroethylene	60	22	Grab"
	1,2-Trans-Dichloroethylene	66	25	Grab
	1,2-Dichloropropane	794	196	Grab
	1,3-Dichloropropylene	794	196	Grab
	<b>&gt;</b> Ethylbenzene	380	. 142	Grab
	Methylene Chloride	170	36	Grab
	Methyl Chloride	295	110	Grab
	Hexachlorobutadiene	380	142	Composite
	Nitrobenzene	6402	2237	Composite
	2-Nitrophénol	231	65	Composite
	4-Nitrophenol	576 ,	162	Composite
	4,6-Dinitro-O-Cresol	277	78	Composite
	Tetrachloroethylene	164	52	Grab
	→ Toluene	74	28	Grab
	Trichloroethylene	69	26	Grab
	Vinyl Chloride	172	97	Grab
	Total Cyanide	1200	420	Grab -
	Total Lead	690	320	Composite
	Total Zinc	2610	1050	Composite

Rev: 5/90

Dimethy Phenol Bus (r Eath Hex) +

Thouran Hane De NButy Philip

Magh thalane Du huthy Ohthe

Manch Shanol

842893680

#### MR-1 INSTRUCTION SHEET

- 1. Name and mailing address of Company
- 2. Address of facility
- 3. Fill in categorical number and subpart
- for appropriate outlet number. Use separate MR-1 form for each categorical outlet.
- 5. Person & phone number to be contacted for information
- Monitoring period will be either from January 1 to June 30 or from July 1 to December 31. Reports covering these periods are due no later than July 21 or January 21 depending upon the monitoring period
- 7. Give regulated daily average and maxumum water values for six month testing period.
- 8. Give total daily average and maximum water values for the six month testing period. During periods of maximum water use, the user must read water meters daily in order to provide the required data.
- 9. Explain method used for calculation: For example: To find the Daily Average take the total of City meters, Flowmeters, Well meters or all Additional meters then divide by the days worked during the 6 Month Period.
- 10. If applicable give production rate. To be used to calculate mass limits.
- 11. Under your catagorical designation, list parameter. For example: lead, cyanide etc.
- 12. Average values based on the following:
  - (a) For concentration requirement use average of all the actual test result values for that Monitoring Period.

- (b) For Mass limit requirement, use comparison of the average amount of the regulated substance discharged to the average production rate as defined in the covered regulation.
- (c) Attach all lab results for testing period on NJDEP certified lab stationery.
- 13. Give maximum value from #12
- 14. Give required unit of measurement. For example: mg/l, lbs/1,000,000 off lbs.
- 15. Use value stated in covered regulation or calculation based on combined waste stream formula where applicable.
- 16. Number of samples taken during period
- 17. State whether sample was composite or grab.
- 18. List parameters not used. For example: We neither use or discharge any cadimum.
- 19. (a) Print appropriate statement, including compliance schedule if applicable.
  - (b) Submit appropriate monitoring plans for TTO's if applicable.
- 20. State how samples were preserved, i.e. with nitric acid to a pH of 1.0 or below for metals. With caustic to a pH of 12.0 or above for cyanide.
- 21. Signature of principal or authorized "line" person.
- 22. Type Name and Title of authorized "line" person.
- 23. Date the form is completed.
- 24. Attach updated flow diagram including volumes. Indicate user charge and pretreatment sample points. Sign and Date Drawing.

.:	PRETREA	TMENT MO	ONITORING S	REPORT		3
Name	<i>O</i> ABC	Company			<u>.</u>	
Mailing Add	dress O P.O.	Box 123 N	Newark, New	Jersey 0	7105	
i'		rst Street	Newark, Ne	w Jersey	07105	
Category &	Subpart 3		Outle	et#	$\overline{\mathscr{Y}}$	
Contact Of			Teleph	one#	<u>(5</u> )	
Monito  Monito  Day Y	r. Mo. Day Yr.	. 1	For : Regulated flo Total Flow-ga Method used_	l/day	$\frac{AVG}{(7)}$	MAX (7) (8)
(IO)	T	luan tini	<b>.</b>			
		Average	t o <u>r Concent</u> Maximum	Units	No. of Samples	Sample t Comp./g
$\Xi$	Sample measurement Permit requirement	(3)	(5)	(3)	(6)	(17)
	Sample measurement Permit requirement				·	
The state of the s	Sample measurement Permit requirement					
	Sample measurement Permit requirement	,				
A Company Community of the Community of	Sample measurement Permit requirement		·			
	Sample measurement Permit requirement		1		-	
	Sample measurement  Family requirement  Sample measurement					
-	Permit requirement	1, 1	,		1	•

PVSC Form MR-1 Rev. 4 6/87 P1

Sample measurement Permit requirement

-	TTO's etc.
1	
<u>;</u>	
the second secon	
1	
Compliand	e or non compliance statement with compliance schedule (use additional st
if necessar	y) for every parameter used.
Example:	We use nickel in our plating operation and are meeting the
	pretreatment requirements as expressed in 40 CFR xxx (see item )
•	We use cyanide in our operation and are out of compliance - we
1 1	expect delivery of the required equipment by 3/15/84 expect
	expect delivery of the required equipment by 3/15/84 expect
The state of the s	expect delivery of the required equipment by 3/15/84 expect completion of installation 4/1/84 start up 4/3/84 full compliance
Explain Me	
	completion of installation 4/1/84 start up 4/3/84 full compliance
	completion of installation 4/1/84 start up 4/3/84 full compliance
	completion of installation 4/1/84 start up 4/3/84 full compliance
Explain Mo	completion of installation 4/1/84 start up 4/3/84 full compliance
	completion of installation 4/1/84 start up 4/3/84 full compliance thod for preserving samples
	completion of installation 4/1/84 start up 4/3/84 full compliance that for preserving samples
	completion of installation 4/1/84 start up 4/3/84 full compliance thod for preserving samples
	ethod for preserving samples  The Dol Signature of Principal
	completion of installation 4/1/84 start up 4/3/84 full compliance thod for preserving samples  (3) What Dol
	completion of installation 4/1/84 start up 4/3/84 full compliance thod for preserving samples  2) John Dol Signature of Principal Executive or Authorized Agent
	ethod for preserving samples  The Dol Signature of Principal
	completion of installation 4/1/84 start up 4/3/84 full compliance athod for preserving samples  The Dol  Signature of Principal Executive or Authorized Agent  2 John Doe, V.P. of Mfg.
	completion of installation 4/1/84 start up 4/3/84 full compliance thod for preserving samples  2) John Dol Signature of Principal Executive or Authorized Agent

#### Reichhold Chemicals, Inc. Coating Polymers & Resins Division 400 Doremus Avenue Newark, NJ 07105

#### REICHHOLD

January 15, 1992

Passaic Valley Sewerage Commission 600 Wilson Avenue Newark, New Jersey 07105

ATTENTION: Industrial Department

Gentlemen:

This is to inform you that due to fire on January 10, 1991 at the Doremus Avenue facility, the production at that location is shut down completely. We will not be able to treat any OCPSF regulated water, either from Albert Avenue or Doremus Avenue, at this facility. Only sanitary and limited boiler blow down water will be discharged from Doremus Avenue.

We have contacted Chemical Waste Management on Lister Avenue in Newark for the treatment of our OCPSF regulated water from both plants. All water generated and regulated under OCPSF regulation will be sent to Chem Wast Management for treatment and disposal.


If you have any questions, please contact me at the number listed below.

Very truly yours,

REICHHOLD CHEMICALS, INC.

Environmental Engineer

RN:c1



#### Reichhold Chemicals, Inc.

Coating Polymers & Resins Division 400 Doremus Avenue Newark, NJ 07105

#### REICHHOLD

January 15, 1992

Passaic Valley Sewerage Commission 600 Wilson Avenue Newark, New Jersey 07105

ATTENTION: Ms. Nadine Peace

Dear Ms. Peace:

This is to inform you that due to fire on January 10, 1991 at the Doremus Avenue facility, the production at that location is shut down completely.

We will not be able to prepare the MR-1 and MR-2 reports on time for the coming month for either Albert Avenue or Doremus Avenue. We would like to have a 30 day extension for filing these reports for both facilities.

If you require any additional information, please call me at the number listed below.

Very truly yours,

REICHHOLD CHEMICALS, INC.

Robert Naujelis

Environmental Engineer

RN:cl



Reichhold Chemicals, Inc.
Coating Polymers & Resins Division
400 Doremus Avenue
Newark, NJ 07105



#### REICHHOLD

April 15, 1994.

Passaic Valley Sewerage Commissioners

600 Wilson Avenue Newark, NJ 07105

ATTN: Industrial Department.

RE:

Reichhold Chemicals, Inc.

400 Doremus Avenue

Newark, New Jersey 07105

Renewal of Sewer Connection Permit # 20406320

Dear Department Member:

Enclosed you will find a completed Sewer Connection Permit Application from the subject facility, submitted at least six months prior to the 10/16/94 expiration date of the permit. Given the turnaround period required by our outside laboratory, analytical information required as part of this application will be submitted to your attention upon receipt under separate cover.

PLease call me or Mr. Ken May if you have any questions regarding the application.

Sincerely

Mike Baxi

Environmental Engineer

Encl.

CC : P. Brustofski

- RCI/RTP

K. May

- Reichhold/Doremus

#### INSTRUCTIONS FOR COMPLETING SEWER CONNECTION APPLICATION

Users who receive an application must return the completed application within required time frame in cover letter, to the Passaic Valley Sewerage Commissioners, 600 Wilson Avenue, Newark, NJ 07105 Attention of the Industrial Department. New applicants will be advised if a Sewer Connection Permit is required upon the completion of their application evaluation.

Questions concerning the completion of the application may be answered by contacting the Industrial Department at 817-5715. Answer all questions, if one does not apply write in N/A or None.

- 1. Be certain to indicate if Company is incorporated.
- 2. To be filled in only for Permit renewals.
- 4. To be filled in only if mailing address is different from the location; otherwise write "Same".
- 5. This is the person PVSC will contact to answer questions and provide information as necessary. Fill in address only if it is different from the Facility Location.
- 6. Use annual average numbers.
- 7. Self explanatory. Entire property must be listed. If property lies in more than one municipality, indicate which ones lies within the respected municipalities.
- 8. Self explanatory. Be certain to list the total amount of square feet rented.
- 9. Self explanatory. If none, so state.
- 10. Circle Y if well water or river water is consumed regardless of how it is used.
- 11. Self explanatory. Be certain to list all account numbers.
- 12. Report consumption for most recent 12 months; i.e., from Mo. 3/1 Yr. 83 through Mo. 2/28 Yr. 84. Total up the quarterly volumes from all sources. Be certain to convert to gallons. Most water utilities report consumption in hundreds of cubic feet (100 cu.ft.) If this is the case, it will be necessary to add two zeros to the figure in order to convert it to cubic feet, then multiply it by 7.48 to convert the figure to gallons. Check the unit of measure on the meters used to measure river or well water volumes, convert them also if necessary. Please note, an asterisk means the figure is estimated.
- 13. Total amount of water received must equal the total amount of water used and disposed of. Fill in the quantity of each that applies. Be certain to use an asterisk for estimated figures.

- 14. This item applies only to process wastewater and explains how it is disposed of. There are only a few communities that have combined sewers. If you are in doubt contact the municipal sewer or engineering department. The last two items describe a direct discharge. If the discharge is either connected to a storm sewer which drains ultimately to a stream or a river, or discharges to a stream or river by some other means, an NJPDES Permit may be required.
- 15. Self explanatory. If none, so state.
- 17. Self explanatory, i.e., manufacturing, condensation, oxidation/reduction, non-aqueous extraction, etc.
- 18. Self explanatory. It is not necessary to list all chemicals used. Avoid using trade names which do not identify the chemical.
- 19. Self explanatory, i.e., water soluble dyes for the paper industry.
- 20. Include only significant variations, i.e., during March, April and May of each year an additional product is manufactured which increases the TSS and volume discharged to the sanitary sewer by 25%. If there are no seasonal variations, so state.
- 21. Include pH control, oil and grease removal systems or recorders for pH, LEL etc. Indicate type of sensing element for LEL instruments. New applicants, number all outlets starting with number 1. Use this number throughout. Renewal applicants, use the first 8 digits of the outlet designation found in Section C1 of the expiring Sewer Connection Permit.
- 22. Identify outlet as in item 21. Second column, answer Y or N depending on characteristics of discharge. Third column, describe type of sampler used, i.e., filled chamber composite, peristaltic composite etc. If none, so state. Fourth column, answer Y or N depending on whether sample is refrigerated to maintain temperature at 4°C during and after collection.
- 23. Identify outlet as in item 21. Second column, average volume is satisfactory unless there are significant seasonal changes. In the latter case report both averages to coincide with answer for item 20. Third column, answer Y or N depending on whether a flow measuring device is installed. Fourth column, describe type of instrument installed, i.e., parshall flume, magnetic meter, etc. Also state if totalizer is resettable or not. Fifth column, provide date of last calibration.

NOTEs in those cases where incoming water meters are used to measure the volume or a different method is used than a meter on the outlet, attach a separate sheet with an explanation. Also if more than one sanitary connection has been combined into one outlet in the Sewer Connection Permit, explain on a separate sheet.

24. Self explanatory. Identify meters if necessary. Omit those meters maintained by the water utility.

- 25. Identify outlets as in item 21. Internal building sewer lines need not be shown, but all external lines must be shown.
- An applicant who is regulated by a Federal Category must analyze for those parameters listed in accordance with the regulation. Also, all other parameters listed in Section E must be analyzed in accordance with the instructions. The sample that is analyzed should be a composite collected over the operating day and should be representative of the normal discharge. Some parameters require grab samples in place of composite samples. Samples must be properly preserved as required. All analyses must be conducted in accordance with the 1974 EPA Standard Methods Manual, the Fourteenth Edition of Standards Methods or the 1975 ASTM, as outlined in 40 CFR Part 136 12/1/76 and its revisions. In particular, analyses for Heavy Metals must be conducted by Atomic Absorption. Those analyses for Toxic Organics or Pesticides must be conducted by Gas Chromatography. All analyses must be conducted by a Lab certified by NJDEP to perform the analyses reported. Results must be submitted on Lab certified forms in addition to being entered in Section E.

Renewal applicants do not have to analyze for those parameters currently being monitored and periodically reported. Results from samples taken during the past six months are acceptable for submittal to PVSC provided results are so noted.

The results of the analyses must be reported to the decimal points indicated. The parameters marked with (1) must be reported to the nearest tenth; ie., 1.6 mg/l. The parameters marked with an asterisk (\*) need only be analyzed for if reasonably expected to be present in the discharge, unless othewise exempted. All other parameters must be analyzed. Concentration values are to be reported in mg/l unless otherwise specified. Identify the outlets as in item 21, also identify name and employer of person collecting and analyzing the samples. If submitting an analysis for more than 1 outlet use separate sheets.

- 27. Self explanatory. Identify employer also.
- 31. Applicant is required only to check the box that best describes the potential for The Priority Pollutants listed on Tables 1, 2, & 3 to be present in his discharge.
- 32. Identify EPA industrial categories that apply. Also give alphabetical subpart listings and names that identify specific subparts.
- 33. If more than one compliance date applies, list separately.
- 35. If no schedule is required answer N/A.

Revised 1/87 Revised 7/90

# PASSAIC VALLEY SEWERAGE COMMISSIONERS APPLICATION FOR A SEWER CONNECTION PERMIT

### SECTION A

1.	Company Name: - Reichhold Chem	icals, Inc.
2.	Permit number if applicable, 20406320	
3.	Location: 400 Doremus Avenue	
	Newark N.T Zip Code: 07	105
4.	Mailing Address: Same	
	Zip Code:	<del></del>
5.	Person to contact concerning information pro-	vided in this application:
	Name of Contact Official: Mr. Ken May	· · · · · · · · · · · · · · · · · · ·
	Title: Sr. Process Engineer	Phone No. 201 / 589-3709
	Address:	Zip Code
6.	Number of Employees - Full Time: 22  Number of Work Days Per Year: 260  Number of Shifts Per Day: 3	<del></del>
7.	If property is owned indicate block and lot nur Block 5070 Lots 9,9A,11 and	mbers:
8.	Assessed Value: \$ 837,400.00  If property is rented indicate name and address  N/A	
	Total square feet rented:	
9.	List NJPDES Permit number if applicable,	NJ0063738 and
	name of receiving body of water entered	Newark Bay

#### WATER DATA

Water Source: (Circle all appropriate answers)

Pileo	hased
rurc	i labeu

Well .. 11.

If Y, is it metered

River:

If Y, is it metered

11. Name of purchased water supplier: City of Newark

List all Acct #s:

107887321000

10788732700

12. Water Received: From Mo. 1 Yr. 93 Through Mo. 12 Yr. 93

(\* Next to a figure means it is estimated).

:	PURCHASED	WELL	RIVER	TOTAL
lst Qtr.	4,255,080	0	0	4,255,080
2nd Qtr.	2,184,137	0	0	2,184,137
3rd Qtr.	3,150,970	0	0	3,150,970
4th Qtr.	1,323,189	0	0	1,323,189
1				

**GRAND TOTAL** 10,913,376

Report in gallons

13. Water Use and Disposition (\* Next to a figure means it is estimated).

	Galions Sanitary/Combined Sewer	Discharged Stormsewer/ River/Ditch	Gallons Used Other
Sanitary Service Only	390 930*	Mono	
Process Waste Water	9,976,780*	None	
Cooling Water	None	None	
Evaporation			451,750*
Contained in the product		$\times$	93,916*
Other (Describe)			
	·		

GRAND TOTAL 10,913,376

#### SECTION B (CONTINUED)

14. Process wastewater which is discharged as above is metered as follows:

	to the Separate Sani	tary Sewer	(M)- X	
	to the Combined Sev	ver .	v -₩	
	to a storm sewer	•	( -(B)	
	river or ditch	•	(A)	•
	• •			
15.	Waste Hauler Information	on: List all firms and/or i	ndependent con	tractors used to
	remove process waste or	sludge from this facility.		
	Contractor	Address	Ice#	Waste type handled
	See Attach	ed List.		
		· · · · · · · · · · · · · · · · · · ·		
	<u> </u>			
		SECTION C	_	, i
OPE	RATIONAL CHARACTER	STICS		· · · · · · · · · · · · · · · · · · ·
16.	Discharge of Industrial W	aste is continuous Yes		
	or intermittent	each operat	ing day.	:
	If the discharge is interm	ittent, it occurs between t	he following hou	lrs:
17.	Brief description of Manu	facturing or other activity	performed:B	esin Manufacturing/
	Polymerization Re	actions.		
	:	· · · · · · · · · · · · · · · · · · ·		
	List SIC CODE 1: 282	1		
18.		l used: Organic Polyba	asic Acids,	Polyalcohols,
18.	Principal Raw Materials	used: Organic Polyb		
18.	Principal Raw Materials			
18.	Principal Raw Materials	used: Organic Polyb		
18.	Principal Raw Materials	used: Organic Polyb		
18.	Principal Raw Materials	used: Organic Polybo		rs.
	Principal Raw Materials  Solvents, Vegetab  Principal Products or Ser	vices: Organic Polyboursed: Organic Polyboursed: Polybour	s and Monome	rs. specialty
	Principal Raw Materials  Solvents, Vegetab  Principal Products or Ser	used: Organic Polybo	s and Monome	rs. specialty
	Principal Raw Materials  Solvents, Vegetab  Principal Products or Ser	vices: Organic Polyboursed: Organic Polyboursed: Polybour	s and Monome	rs. specialty

# SECTION C (CONTINUED)

20.	:	•	ations, if significant, giving dates, volumes, rates, hours, etc. Includes which affect waste characteristics: None							
					so, is it ba	sically the same	time eac			
•		· ·	SEC	CTION D	·	,				
MON	Does this facility shutdown for vacations? No If so, is it basically the same time e year Provide dates usually shut down  SECTION D  CONTTORING  1. Describe any pretreatment process or effluent monitoring system in use:  Outlet 20406320-44100-0201 Process Waste Water Organic Stripper.  PH control on inlet/outlet. Continous PH monitoring on outlet.  Outlet	•								
21.	;	,		_	•					
	<del>-</del> :		1							
						Chart Reco	der.			
	Outlet	N/A								
22,	Sampling	information:								
Outl	et	Contains Ind. Waste	S	empler Type		Refrigerated				
20 44	406320- 100-0201	Y	Non	e		Yes				
1	NA									

#### SECTION D (CONTINUED)

#### 23. Volume Information;

<u>Outlet</u>	Daily Flow (Gallons)	Metered (Y - N)	Туре	<u>Date</u>	
20406320- 44100-0201	29,900*	N	_	_	
	*(10	,913,376/3	65)	· 	
		·			<b>`</b>
24. Frequency	of calibration of each f	low meter:	N/A (No F1	owmeter for	Effluent)
<del></del>	· · · · · · · · · · · · · · · · · · ·				

- 25. Attach a plot plan of the property showing:
  - (a) all existing or proposed sewer and drain lines (including outlets to a storm sewer, river or ditch);
  - (b) sample point(s); Monitoring or Pretreatment Equipment; Incoming meter(s); Well meter(s); Internal meter(s); Flowmeter(s).
  - (c) details of the connection (s) to the municipal (or PVSC) sewer, including the distance and direction of each connection from the nearest street intersection.

#### ANALYSIS OF INDUSTRIAL WASTE

26. Analysis for Industrial Waste must be a proper sample taken for each outlet.

OUTLET NO. 20406320-44100-0201

Data to be provided under separate cover.

Report to the nearest unit: XX. except where indicated with (1) Example: 15 mg/l

Report to the nearest hundredth: 0.XX

except where indicated Example: 0.36 mg/l

KXFIIID	ite: 13	(IIIR).T		Example: 0.30 mg/l			
Code		Parameter	Value	Code	<u>Parameter</u>	Value	
0200*		Radioactivity (PL-1)		1097*	Antimony (Sb)		
0500		Total Solids		1002*	Arsenic (As)		
0510		Total Mineral Solids		1022*	Boron (B)		
0530		Total Suspended Solids		1027*	Cadmium (Cd)		
0552		Mineral Suspended Solids		1034*	Chromium Total (Cr)	,	
0555	(1)(3)	Petroleum Hydrocarbons		1042*	Copper (Cu)	· · · · · ·	
0310		Biochemical Oxygen Demand		1045*	Iron (Fe)		
		(BOD)		1051*	Lead (Pb)		
0340		Chemical Oxygen Demand		0720*(3)	Cyanide (CN)		
		(COD)		1900*	Mercury(Report to 0.XXX)		
0680		Total Organic Carbon		1067*	Nickel (Ni)		
		(TOC)		1147*	Selenium (Se)		
9000		pH (standard unit range)		1077*	Silver (Ag)		
0610	(1)	Ammonia as N		1102*	Tin (Sn)		
0550	(1)(3)	Total Oil & Grease		1092*	Zine (Zn)	-	
0745*	(1)	Sulfide		2730	Phenol		
0507*	(1)	Ortho Phosphates as P		4053*	Pesticides (Report		
0625*	(1)	Kjeldahl N as N			to 0.XXX)		
9998*	(2X3)	TTO (Report to 0.XXX)		9999*(3)	TTVO(Report to 0.XXX)		

#### FOOTNOTES:

- (1) Report results to the nearesth tenth, i.e., 1.6 mg/L
- (\*) Analyze for this if reasonably expected to be present in the discharge unless otherwise exempted.
- (2) See instructions.
- (3) Grab sample required.

REVISED 1/87

REVISED 8/89 REVISED 7/90

# SECTION E (CONTINUED)

Samples analyzed by:	Townley Laboratories, Inc.	- <del></del>
Miniples willing of .	Townie, Babolacolles, Inc.	
Products being manuf	actured when sample was collected:	Date:
Time do onis or	me.	
		· · · · · · · · · · · · · · · · · · ·
Who performs the ana	lyses of the samples for User Charge?	Townley Laboratories
		·
		•
•		
	ified by MIDED to conduct all the end	longer / V L M
s the Laboratory cert	ifled by NJDEP to conduct all the anal	lyses: (1) N
s the Laboratory cert	iffed by Nuber to conduct an the ana.	lyses: (1) N
	÷ v v v	
	lyses of the samples for the Pretreatm	
Who performs the ana	÷ v v v	ent Parameters?
Who performs the ana	lyses of the samples for the Pretreatm	ent Parameters?
Who performs the ana	lyses of the samples for the Pretreatm	ent Parameters?
Who performs the ana	lyses of the samples for the Pretreatm	ent Parameters?
Who performs the ana Chemtech Consul	lyses of the samples for the Pretreatm	ent Parameters?
Who performs the ana Chemtech Consul	ting Groups. Inc.	ent Parameters?
Who performs the ana Chemtech Consul	ting Groups. Inc.	ent Parameters?
Who performs the ana Chemtech Consul	ting Groups. Inc.	ent Parameters?
Who performs the analone Chemtech Consul  If monitoring has no anknown, so state):	ting Groups. Inc.	ent Parameters?
Who performs the analogous Chemtech Consulting Consulting has no anknown, so state):	ting Groups. Inc.	ent Parameters?
Who performs the analone Chemtech Consulting has no anknown, so state):	ting Groups. Inc.  t commenced for Pretreatment, indicately NJDEP to conduct all the requirements.	ent Parameters?
The Laboratory cert	ting Groups. Inc.	ent Parameters?
Chemtech Consul  If monitoring has no inknown, so state):  The Laboratory cert	ting Groups. Inc.  t commenced for Pretreatment, indicately NJDEP to conduct all the requirements.	ent Parameters?  cate Laboratory you plan to u

#### SECTION F

#### PRETREATMENT

32.	Industrial Category: 40 CFR 414
	Subpart (s): Subpart E, Thermosetting Resins.
33.	Compliance date(s): 11/05/1990 Compliance with OCPSF Stds. 02/05/91 BMR Submission. 07/21/91 Submission of first semiannual Monitoring report
34.	Is facility in compliance? Yes If not, and if compliance date has passed, explain actions
	being taken to get into compliance: Note: PH control system currently being rebuilt as part of plant start-up. System will operate as indicated
	in May 31, 1991 letter from Robert Naujelis to PVSC.
35.	Date Baseline Monitoring Report (BMR) submitted to PVSC: February 1991.
36.	Compliance schedule submitted? Yes
	If yes is facility on schedule? Yes Explain if compliance date will not be met:
37.	Does this facility come under the Resource Conservation and Recovery Act (RCRA)?  Yes
38.	
	If yes, describe: Yes. Approved discharge prevention (DPCC) plan
	in effect to prevent releases and unplanned discharges.
39.	Has this facility ever been cited by NJDEP or EPA for a violation of State or Federa Regulations for the nature of its wastewater discharge? Y-N See 12/93 Complaint file by PVSC.
40.	Is this facility under an ECRA Clean-up? Yes If so, has a plan been approved by NJDEP: Yes
	Is there any plan to discharge groundwater? ECRA cleanup being conducted by third party. (Textron).

#### CERTIFICATION \*:

The information contained in this application is familiar to me and, to the best of my knowledge and belief, such information is true, complete, and accurate.


If the applicant is a corporation, a corporate resolution is attached granting me the authority to sign the application on behalf of the corporation.

Name of signing official:	Mr. Mikulas Gaspar	ik
	PRIN	T
Dinah	Vana va	
TITLE: Plant	Manager	
04/15/1994.		[M)
DATE		SCHATURE

#### \*APPLICATION MUST BE SIGNED BY ONE OF THE FOLLOWING:

- a. Principal Officer of Corporation
- b. President or Owner of Company
- c. General Partner if a Partnership
- d. Plant Manager or Authorized Representative

Reichhold Chemicals, Inc. Coating Polymers & Resins Division 400 Doremus Avenue



## REICHHOLD

April 15. 1994.

Contractor	Address, Phone and EPA No	ICC	# Waste	Туре	Handle
Laidlaw Environmental Services (TG) Inc.	Roebuck, SC 29376	N/A	Bulk Haz DOO1	Waste	
	-(803) 587-1999				,
— Oldover Corporation—	P.O. Box 228	-N/A -	Bulk-Haz Drummed I DO01. FOO	Haz Wa	iste
Clean Venture Inc.	1160 State Street Perth Amboy, NJ 08862 (908) 442-4900 NJD 982281016		Bulk Haz Drummed h DO01. FO	Haz Wa	este
Safety Kleen Corp.	1200 Sylvan Street Linden, NJ 07036 (908) 862-2000 NJD 002182897	N/A	Bulk Haz DOO1, Foo		
Nappi Trucking Corp.	P.O. Box 510 Matawan, NJ 07747 (908) 566-3000 NJD 000813477	- N/A	Bulk Was	te Wat	e <b>r</b>
Bechem Transport Inc.	N/A CTD 982191942	N/A	Drummed h	Haz Wa	ste
Dart Trucking Inc.	N/A OHD 009865825	N/A	Drummed H	Haz Wa	iste 
_Tri-State Motor	N/A MOD 095038998	N/A	Drummed h	Haz Wa	iste

Tel: (201) 589-3709 Fax: (201) 817-9173

842893700

Vewark, NJ 07/05
HIS194. TABLES

TABLE 1 EPA PRIORITY POLLUTANTS

#### CHECK APPROPRIATE BOX

NAME	A	В	C	D		A	В	C	D
acenaphthene			X		2,4 dimethylphenol			X	
acrolein				X	2,4 dinitrotoluene			1	
acrylonitrile			X		2.6 dinitrotoluene			V	
benzene			又		1,2 diphenylhydrazine			交	
benzidine			X		ethylbenzene	X			
carbon tetrachloride			X		fluoranthene			X	
(tetrachloromethane)					4-chlorophenyl phenyl ether			X	
chlorobenzene			X		4-bromophenyl phenyl ether			X	
1.2.4-trichlorobenzene			文		bis(2-cloroisopropyl) ether			X	
hexachlorobenzene			X		bis(2-chloroethoxy) methane			X	
1.2 dichloroethane			X		methylene chloride			X	
1.1.1. trichlorethane			X		(dichloromethane)				
hexachloroethane			X		methyl chloride	1	i	X	,
1.1. dichloroethane			X		(chloromethane)				
1.1.2 trichloroethane			X		methyl bromide	:	}	X	``
1.1.2.2, tetrachloroethane			X		(bromomethane)				=
chlorethane			X		bromoform(tribromomethane			X	
bis(chloromethyl) ether			X		dichlorobromomethane			X	
bis(2 chloroethyl) ether			X		trichlorofluoromethane	<b></b>		X	
2-chloroethyl vinyl ether (mixed)			X		dichlorodifuoromethane			文	
2-chloronaphthalene			Y		chlorodibromomethane			X)	
2 trichlorophenol			Ŷ		hexachlorobutadiene			文	
parchlorometa cresol			X		hexachlorocyclopentadiene			X	
chloroform (trichloromethane)			文		isophorone			X	·
2 chlorophenol	1		X		naphthalene	X		,	
1.2. dichlorobenzene			X		nitrobenzene			X	
1.3. dichlorobenzene			入		2-nitrophenol			X	
1.4, dichlorobenzene			X		4-nitrophenol			X	
3,3, dichlorobenzidine			X		2,4-dinitrophenol			X	
1.1. dichloroethylene			X		4,6 dinitro-o cresol			X	
1.2. trans-dichloroethylene	1		X		N-nitrosodimethylamine			X	
2.4, dichlorophenol					N-nitrosodiphenylamine			X	
1,2, dichloropropane	$\top$		X		N-nitrosodi-n-proplyamine			X	
1.3 dichlorogropylene	1		X		pentachlorophenol			X	
(1,3 dichloropropene)			X		phenol	X			

A. KNOWN TO BE PRESENT

B. SUSPECTED TO BE PRESENT

. Known to be absent

D. SUSPECTED TO BE ABSENT

10

LOO DEKEMUS 1,07105 VOWWILK, NJ 07105 415194. TABLE

# TABLE 1 EPA PRIORITY POLLUTANTS (CONTINUED)

# CHECK APPROPRIATE BOX

NAME	A	В	C	Q		A	В	C	D
bis(2-ethlhexyl) phthalate	X				endrin			X	
butylbenzylphthalate			X		endrin aldahyde			X	
di-n-butylphthalate			X		heptachlor			X	<del> </del>
di-n-octylphthalate			X		heptachlor (epoxide)			X	
diethylphthalate			X		BHC Alpha			X	
dimethylphthalate			X		BHC Beta			X	
benzo(a)anthracene			X		BHC Gamma			X	
benzo(a)pyrene			X		BHC Delta			X	
3,4 benzofluoranthene			X		PCB-1242			X	
benzo(k)fluoranthane			X		PCB-1254			X	
chrysene			X		PCB-1221			X	
acenaphthylene			X		PCB-1232			X	
anthracene			X		PCB-1248			X	
benzo(ghi)perylene			Ž		PCB-1260			X	
fluorene			X		PCB-1016			X	
phenanthrene			X		toxaphene			X	
dibenzo(a,h)anthracene			Š		antimony (total)			X	
indeno(1,2,3-c,d)pyrene			X		arsenic (total)			X	
pyrene			X		asbestos (fibrous)				X
tetrachioroethylene			X		beryllium (total)			X	
toluene	X				cadmium (total)			X	
trichloroethylene			X		chromium (total)				
v chloride			X		copper (total)			X	
alogn			X		cyanide (total)				X
dieldrin			人		lead (total)				X
chlordane			爻		mercury (total)				
4.4 DDT					nickel (total)			X	
4,4 DDE			X		selenium (total)			X	
4,4 DDD			X		silver (total)	$T \square$		X	
endosulfan 1			X		thallium (total)			X	
endosulfan 11			X		zine (total)				X
endosulfan sulfate			X		2,3,7,8, tetrachlorodibenzo			X	
			X		p-dioxin			X	

A. KNOWN TO BE PRESENT

B. SUSPECTED TO BE PRESENT

C. KNOWN TO BE ABSENT

D. SUSPECTED TO BE ABSENT

00 VC/10 , NJ 07(05

4115194

# TABLE 2 NJDEP EXPANDED PRIORITY POLLUTANTS

### CHECK APPROPRIATE BOX

NAME	A	В	C	D		A	В	С	D
acrylamide			X		n,n-dimethyl aniline			X	
amitrole			X		3,3-dimethyl benzidine		_	X	
amyl alcohols			X		1,1-dimethylhydrazine			X	
anilne hydorchloride			X		dioxane		}	X	
anisole			IX		diphenylamine			X	
auramine			X		ethylenimine			X	
benzotrichloride			X		hydrazine			X	
benzylamine			X		4,4'-methylene bis		1	X	
			1		(2-chloroaniline)		<b>—</b>	1	
o-chloroaniline			X		4,4'-methylenedianiline			X	
m-chloroaniline			X		methyl isobutyl ketone			X	
o-chloraniline		1	X		alpha-naphthylamine	-		X	
1-chloro-2-nitrobenzene		1	X		beta-naphthylamine			X	
1-chloro-4-nitrobenzene			TX		n-methylaniline			X	
chloroprene			IX		1,2-phenylenediamine			X	
chrysoidine			IX		1,3-phenylenediamine		1	×	
cumene			X		1,4-phenylenediamine	Ī		X	
2,3-dichloroaniline		T	TX		sudan 1 (solvent yellow 14)			X	
2,4-dichloroaniline		1	X	1	thiourea			X	
2,5-dichloroaniline			TX		toluene sulfonic acids			X	
3,4-dichloroaniline			X		toluidines			X	$\Gamma$
3 ichloroaniline			TX		xylidines			X	
1. ichloropropene			X						
1,3-dimethoxybenzidine			X						

A. KNOWN TO BE PRESENT

B. SUSPECTED TO BE PRESENT

C. KNOWN TO BE ABSENT

D. SUSPECTED TO BE ABSENT

OD DOROLLING AVENUE WARK, NEW TENSEY ONOS 1415194. TABLE 3 RPA

# TABLE 3 RPA HAZARDOUS SUBSTANCES

## CHECK APPROPRIATE BOX

NAME	A	В	C	ם		A	В	С	D
cetaldehyde			X		isopropanolamine			X	
illyl alcohol			X		kelthane			X	
ullyl chloride			X		kepone			X	
imyl acetate			X		malathion			X	
miline			X		mercaptodimethur			X	i
penzonitrile			X		methoxychlor			X	i
enzyl chloride			X		methyl mercaptan			X	$\overline{}$
outyl acetate				X	methyl methacrylate			X	
outylamine			X		methyl parathion			X	
:aptan			X		mevinphos			X	
arbaryl			X		mexacarbate			X	
arbofuran					monoethyl amine			X	
arbon disulfide			X		monomethyl amine			X	•
hlorpyrifos			X		naled			X	
coumaphos			X		napthenic acid			X	
resol			X		nitrotoluene			X	
rotonaldehyde			X		parathion			X	
yclohexane			X		phenoisulfanate			X	
1,4-D (2,4-dichlorophenoxy			X		phosgene			X	
icetic acid)		·	-		propargite			X	
liazinon			X		propylene oxide			X	
iiganba			X		pyrethrins			X	
ii benil			X		quinoline			Χ.	
iichione			X		resorcinol			X	
2,2-dichloropropionic acid			X		strontium			X	Ĺ.
tichlorvos			X		strychnine			X	
liethyl amine			X		stryrene			X	
limethyl amine			X		2,4,5-T (2,4,5-trichloro-			X.	
					phenoxy acetic acid)				
dinitrobenzene			X		TDE (tetrachloro-				
					diphenylethane)				
diquat			X		2,4,5-TP 2-(2,4,5-			X	
					trichlorophenoxy)				
					propanoic acid				
disulfoton			X		trichlorofon			Ž.	
diuron			X		triethylamine			1	
epichlorohydrin			X		trimethylamine			X	
					<b>**</b>	į :	L	L '	t

A. KNOWN TO BE PRESENT

B. SUSPECTED TO BE PRESENT

C. KNOWN TO BE ABSENT

D. SUSPECTED TO BE ABSENT

NEWARK, NJ 07/05

# OUIS194 TABLE 3 EPA HAZARDOUS SUBSTANCES (CONTINUED)

### CHECK APPROPRIATE BOX

NAME	A	В	С	D		A	В	С	D
ethanolamine			X		uranium			X	
ethion	·		X		vanadium			X	
ethylene diamine			X		vinyl acetate		Ι	X	
ethylene dibromide			X		xylene	X			
formaldehyde			X		xylenol			X	
furtural			X		zirconium			X	
guthion			LX.				ĺ		
isoprene			X						

- A KNOWN TO BE PRESENT
- B. SUSPECTED TO BE PRESENT
- C. KNOWN TO BE ABSENT
- D. SUSPECTED TO BE ABSENT

Reichhold Chemicals, Inc.
Coating Polymers & Resins Division
400 Doremus Avenue
Newark, NJ 07105

May 31, 1991

Victory -16-5:10 No- (0) which

# REICHHOLD

Passaic Valley Sewerage Commissioners 600 Wilson Avenue Newark, New Jersey 07105

ATTENTION: Mr. Carmine Perrapato

Dear Mr. Perrapato,

We are in receipt of your letter dated May 21, 1991, requesting Reichhold to provide you with a plan and timetable for the installation of pH control equipment at the Doremus Avenue plant.

A conceptual plan that we believe will provide a permanent solution pH control problems at this facility is attached hereto. The system will be designed to continuously monitor and control pH in a neutralization tank through which all plant wastewater will pass. The system will be designed to require a minimum of operator attention.

The final design and installation of this system is expected to be completed according to the following timetable:

- 1. June 30, 1991: Final engineering design completed and project bids solicited.
- 2. July 30, 1991: Begin construction.
- 3. October 30, 1991: Construction completed.
- 4. December 1, 1991: Complete shakedown begin routine operation.

We feel that the majority of the pH fluctuations at the facility are the result of process boiler water. A small scale system to treat this stream separately is currently being installed and will eliminate most pH excursions well before the plantwide system is operational.

We feel that an informal meeting to discuss our plans would be to our mutual benefit. We look forward to hearing from you at your earliest convenience. Thank you for your patience in this matter.

Sincerely yours,

Robert Naujelis

Environmental and Safety Mgr.

RN:cl


cc: K. Taylor


D. Bright

A. Dieffenbach


(201) 589-3709

(201) 817-9173 (Facsimile)





Note:	travel to The	rial waters sewer line This plot plan
	depicted in	This plot plan Poolson
		BLDG GATE HOUSE
Approx. 3300  To Roano Ke Ave.  DRAINAGE WEST  OF DOREMUS AVE.	MANHOLE	FIRE DUMP sampling location HOUSE and monitoring for pH and &LEL. 3:06 30
DOREMUS  AVE.  BY  EVER Kellog Products  L'EL Chemicals / NL Indistries  O Doremus Ave.  O Doremus Ave.  O Doremus Ave.  O Doremus Ave.  O Doremus Ave.	ARY SEWER	PROCESS BLOG



DANIEL F. BECHT, ESQ.

THOMAS J. CIFELLI VICE CHAIRMAN

DOMINIC W. CUCCINELLO RONALD W. GIACONIA JAMES KRONE RAYMOND LUCHKO FRANK ORECHIO DONALD TUCKER COMMISSIONERS

600 WILSON AVENUE **NEWARK, N.J. 07105** (201) 344-1800 Fax: (201) 344-2951

EXECUTIVE DIRECTOR PETER G. SHERIDAN

ROBERT J. DAVENPORT

CHIEF COUNSEL

LOUIS LANZILLO CLERK

October 14, 1994

Mr. Arthur Diffenbach Reichhold Chemical Inc. 300-400 Doremus Avenue Newark, New Jersey 07105

Certified Mail P 252 571 437

**RE: SEWER CONNECTION PERMITS** 

Dear Mr. Diffenbach:

Enclosed you will find your Sewer Connection Permit for discharge into the Passaic Valley Sewerage Commissioners system.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

Frank P. D'Ascensio

Manager of Industrial & Pollution Control

FPD/mc

Enclosures:

CC:

City of Newark

#### PASSAIC VALLEY SEWERAGE COMMISSIONERS

#### SEWER CONNECTION PERMIT

PERMIT	ŧ	20406320	

(Please use the Permit Number on any correspondence with PVSC) In compliance with the provisions of the Federal Water Pollution Control Act, its amendments, the Clean Water Act and the Rules and Regulations of the Passaic Valley Sewerage Commissioners:

-	Reichhold Chemica	als, Inc.	
-	(herein, after refer	red to as the Permittee)	
is authorized to	discharge from a facil	ity located at	
_	390-400 Doremus A	Avenue	
_	Newark, New Jers	ey 07105	
		nissioners Treatment Work irements and other conditi	
	EFFECTIVE DATE _	10/16/94	
<b>`</b> .	EXPIRATION DATE _	10/16/99	

PASSAIC VALLEY SEWERAGE COMMISSIONERS

EXECUTIVE DIRECTOR

# CONDITIONS

#### A. GENERAL PROHIBITIONS

1. No person shall discharge or deposit or cause or allow to be discharged or deposited into the treatment works or public sewer any waste which contains the following:

#### a. EXPLOSIVE MIXTURES

Pollutants which create a fire or explosion hazard to the treatment works, collection system or to the operation of the system. Prohibited materials include, but are not limited to, gasoline, kerosene, naphta, benzene, toluene, xylene, ethers, etc.

#### b. CORROSIVE WASTES

Any waste which will cause corrosion or deterioration of the treatment works. All wastes must have a pH not less than 5. Unless otherwise stated in the Sewer Connection Permit, all waste shall have a pH not more than 10.5. Prohibited materials include, but are not limited to, acids, sulfides, concentrated chloride or flouride compounds, etc.

#### c. SOLID OR VISCOUS WASTES

Solid or viscous wastes which would cause obstruction to the flow in a sewer, or otherwise interfere with the proper operation of the treatment works. Prohibited materials include, but are not limited to, uncomminuted garbage, bones, hides or fleshings, cinders, sand, stove or marble dust, glass, etc.

#### d. OILS AND GREASE

- (1) any industrial wastes containing floatable fats, wax, grease or oils.
- (2) any industrial wastes containing more than 100 mg/l of petroleum hydrocarbons.

#### e. NOXIOUS MATERIAL

Noxious or malodorous solids, liquids or gases, which, either singly or by interaction with other wastes, are capable of creating a public nuisance or hazard to life, or are or may be sufficient to prevent entry into a sewer for its maintenance and repair.

#### f. RADIOACTIVE WASTES

Radioactive wastes or isotopes of such half life or concentration that they do not comply with regulations or orders issued by the appropriate authority having control over their use and which will, or may cause damage or hazards to the treatment works or personnel operating the system.

#### g. EXCESSIVE DISCHARGE RATE

Industrial wastes discharged in a slug of such volume or strength so as to cause a treatment process upset and subsequent loss of treatment efficiency.

#### h. HEAT

- (1) any discharge in excess of  $150^{\circ}$  F ( $65^{\circ}$ C)
- (2) Heat in amounts which would inhibit biological activity in the PVSC treatment works resulting in a treatment process upset and subsequent loss of treatment efficiency, but in no case shall heat be introduced into the PVSC treatment works in such quantities that the temperature of the influent waters at the treatment plant exceed 40°C (104°F).

### i. UNPOLLUTED WATERS

Any unpolluted water including, but not limited to, cooling water or uncontaminated storm water, which will increase the hydraulic load on the treatment system, except as approved by PVSC.

#### j. WATER

Any water added for the purpose of diluting wastes which would otherwise exceed applicable maximum concentration limits.

- 2. No person shall discharge or convey, or permit to be discharged or conveyed, to the treatment works any wastes containing pollutants of such character or quantity that will:
  - a. Not be susceptible to treatment or interfere with the process or efficiency of the treatment system.
  - b. Violate pretreatment standards. As pretreatment standards for toxic or other hazardous pollutants are promulgated by USEPA for a given industrial category, all industrial users within that category must immediately conform to the USEPA timetable as well as any numeric limitations imposed by USEPA. In addition, an industrial user shall comply with any more stringent standards as determined by PVSC or other agency.
  - c. Cause the PVSC treatment plant to violate its NJPDES permit, applicable receiving water standards, permit regulating sludge which is produced during treatment or any other permit issued to PVSC.

#### B. INSTALLATION OF SAMPLERS

The permittee shall install a 24 hour composite sampler on Outlet acceptable to PVSC with attachments for affixing seals,

which shall be maintained in proper working order at all times. The installed samplers shall draw a sample, over each operating day, which shall be representative of plant waste.

A one quart or one liter aliquot shall be set aside by (9:00 am) each operating day and refrigerated. A PVSC representative may pick up this sample during the day. Any sample not picked up by PVSC may be discarded at the end of that day.

Permittee shall insure that the sample is maintained between 10C-40C during and after sample collection.

# C. EFFLUENT LIMITATIONS, MONITORING AND COMPLIANCE REQUIREMENTS

During the period beginning (10/16/94) and lasting through (10/16/99) the permittee is authorized to discharge from

Outlet(s) number(ed) (20406320-44100-0201). Such discharge shall be monitored by the permittee as specified below.

Volume to be determined from Two (2) Incoming Purchased Water Meter Readings Less 5% credit for evaporation Plus

OCPSF Process Wastewater from the Albert Avenue Plant. Sample Point is Located Inside Fire Pump House in a Pit on the

Final Discharge from Plant.

EFFLUENT CHARACTERISTIC	DISCHARGE LIMITATIONS		MONITORING RI	rs	
		DAILY MAX	MEASUREMENT FREQUENCY	SAMPLE TYPE	REPORTING PERIOD
BOD (0310)	XXXXX	XXXXX	Monthly	24 hr. comp.	Monthly
TSS (0530)	XXXXX	xxxxx	Monthly	24 hr. comp.	Monthly
pH (9000)	XXXXX	5 to 10.5	Continuous	Recorder	*
LEL **	XXXXX	XXXXX	Continuous	Recorder	*
Volume	XXXXX	XXXXX	XXXXX	XXXXX	Monthly

- \* Permittee to store pH and LEL Recorder Charts and have available for review by PVSC personnel on demand.
- \*\* Regulated as defined in Appendix B, Pretreatment Limitation #2 of PVSC Rules and Regulations.

# C. EFFLUENT LIMITATIONS, MONITORING AND COMPLIANCE REQUIREMENTS

During the period beginning (10/16/94) and lasting through (10/16/99) the permittee is authorized to discharge from

Outlet(s) number(ed) (20406320-44100-0201). Such discharge shall be monitored by the permittee as specified below.

Volume to be determined from the Level Gauges on the Feed Tank. Sample Point is Located in the Pretreatment Area on the Discharge Line of the Stripper Equipment. Permittee to submit volume in accordance with PVSC Pretreatment

Discharge Monitoring Report Form MR-1.

40 CFR 414.55 Subpart E.

EFFLUENT CHARACTERISTIC	DISCHARGE LIMITATIONS	MONITORING REQUIREMENTS
EFFEDENT CHARLETERS IN	DISCHILLOE ELIMINATIONS	mentioning resourching

	All unit Grams <sub>I</sub>				
	MONTHLY AVERAGE	DAILY MAXIMUM	MEASUREMENT FREQUENCY	SAMPLE TYPE	REPORTING PERIOD
Volume *  (a)	XXXXX (a)	XXXXX (a)	XXXXXX Monthly	XXXXX (a)	Monthly Monthly

- \* Regulated Volume = GPD for 211 Production Days during the 1991 Production Year.
- (a) See Page 8 of 14, Section 2 F of this Permit for Effluent Characteristics, Daily and Monthly Discharge Limitations, and Sample Type.

- 2. In addition to the monitoring required in Section C.1 the Permittee is required to meet the following schedule of compliance:
- A. Analysis of wastewater parameters shall be performed by a laboratory that has been certified by the State of New Jersey.
- B. Permittee is required to submit as an attachment to the MR-2 Form Monthly, a water balance showing calculations used to report volume discharged.
- C. N.J.P.D.E.S.

Direct Discharge outlet monitored by N.J.D.E.P. - Permit #NJ 0063738 - Newark Bay.

- D. The permittee shall notify in writing all agencies as directed by 40 CFR 403.12 (p) of any discharges classified hazardous waste under 40 CFR 261.
- E. Pretreatment Compliance Requirements Organic Chemicals Categorical Pretreatment Standards 40 CFR 414

Permittee to be in compliance with Organic Chemicals Categorical Pretreatment Standards 40 CFR 414.55 Subpart E.

Permittee to submit a Periodic Compliance Monitoring Report MR-1 Form for Monthly Reporting Requirements within twenty-one (21) days after the end date of each preceding Month in accordance with General Pretreatment Regulations 40 CFR 403.12 section (e).

#### ADDITIONAL REQUIREMENTS SECTION C2 CONTINUED:

			REGULATION CONCENTRATIONS			MIT	SAMPLE TYPE
	EFFLUENT	VOLUME	LIMITS ug#	LIMITS ug#		S g/day	GRAB/
#	CHARACTERISTICS	MGD	AVG	MAX	AVG	MAX	COMPOSITE
1	Benzene	0.008093	57	134	1.74602	4.10469	GRAB
2	Carbon Tetrachloride	0.008093	142	380	4.34974	11.64016	GRAB
3	Chlorobenzene	0.008093	142	380	4.34974	11.64016	GRAB
4	1,2,4,-Trichlorobenzene	0.008093	196	794	6.00387	24.32181	COMPOSITE
5	Hexachlorobenzene	0.008093	196	794	6.00387	24.32181	COMPOSITE
6	1,2-Dichloroethane	0.008093	180	574	5.51376	17.58277	GRAB
7	1,1,1-Trichloroethane	0.008093	22	59	0.67390	1.80729	GRA8
8	Hexachloroethane	0.008093	196	794	6.00387	24.32181	COMPOSITE
9	1,1-Dichloroethane	0.008093	22	59	0.67390	1.80729	GRAB
	1,1,2-Trichloroethane	0.008093	32	127	0.98022	3.89026	GRAB
11	Chloroethane	0.008093	110	295	3.36952	9.03644	GRAB
12	Chloroform	0.008093	111	325	3.40015	9.95540	GRAB
13	1,2-Dichlorobenzene	0.008093	196	794	6.00387	24.32181	COMPOSITE
	1,3-Dichlorobenzene		142		<del></del>	11.64016	COMPOSITE
<del></del>		0.008093		380	4.34974	<del> </del>	<del></del>
15	1,4-Dichlorobenzene	0.008093	142	380	4.34974	11.64016	COMPOSITE
	1,1-Dichloroethylene	0.008093	22	60	0.67390	1.83792	GRAB
17	1,2-Trans-Dichloroethylene	0.008093	25	66	0.76580	2.02171	GRAB
18	1,2-Dichloropropane	0.008093	196	794	6.00387	24.32181	GRAB
19	1,3-Dichloropropylene	0.008093	196	794	6.00387	24.32181	GRAB
20	Ethvibenzene	0.008093	142	380	4.34974	11.64016	GRAB
	Methylene Chloride	0.008093	36	170	1.10275	5.20744	GRAB
22	Methyl Chloride (Chloromethane)	0.008093	110	295	3.36952	9.03644	GRAB
23	Hexachlorobutadiène	0.008093	142	380	4.34974	11.64016	COMPOSITE
24	Nitrobenzene	0.008093	2237	6402	68.52380	196.10610	COMPOSITE
25	2-Nitrophenol	0.008093	65	231	1.99108	7.07599	COMPOSITE
26	4-Nitrophenol	0.008093	162	576	4.96238	17.64403	COMPOSITE
27	4.6-Dinitro-O-Cresol	0.008093	78	277	2.38930	8.48507	COMPOSITE
28	Tetrachloroethylene	0.008093	52	164	1.59286	5.02365	GRAB
29	Toluene	0.008093	28	74	0.85770	2.26677	GRAB
30	Trichloroethylene	0.008093	26	69	0.79643	2.11361	GRAB
31	Vinyl Chloride	0.008093	97	172	2.97130	5.26870	GRAB
32	Total Cvanide	0.008093	420	1200	12.86544	36.75841	GRAB
33	Total Lead	0.008093	320	690	9.80224	21.13608	COMPOSITE
34	Total Zinc	0.008093	1050	2610	32,16361	79.94953	COMPOSITE
	Acenaphthene*,	0.008093	19	47	0.58201	1.43970	COMPOSITE
36	Anthracene*	0.008093	19	47	0.58201	1.43970	COMPOSITE
37	Bis(2-ethylhexyl)phthalate*	0.008093	95	258	2.91004	7.90306	COMPOSITE
<del></del>	Di-n-butyl phthalate*	0.008093	20	43	0.61264	1.31718	COMPOSITE
-	Diethyl phthalate*	0.008093	46	113	1.40907	3.46142	COMPOSITE
<del></del>	Dimethyl phthalate	0.008093	19	47	0.58201	1.43970	COMPOSITE
	Fluoranthene*	0.008093	22	54	0.67390	1.65413	COMPOSITE
	Fluorene*	0.008093	19	47	0.58201	1,43970	COMPOSITE
	Naphthalene*	0.008093	19	47	0.58201	1.43970	COMPOSITE
	Phenanthrene*	0.008093	19	47	0.58201	1.43970	COMPOSITE
45	Pyrene*	0.008093	20	48	0.61264	1.47034	COMPOSITE

<sup>\*</sup> COMPLIANCE DATE IS JULY 23, 1996 FOR THIS PARAMETER.

MASS LIMITS (g/DAY, #/DAY, Kg/DAY, ETC.) = COLUMN C  $\times$  COLUMN D or E  $\times$  CONVERSION FACTOR(S). COLUMN C = VOLUME, COLUMN D = AVG. REG. CONCENTRATION, COLUMN E = MAX. REG. CONCENTRATION.

#### D. MONITORING AND REPORTING

#### 1. USER CHARGE

Monitoring results obtained during the previous month shall be reported on Discharge Monitoring Report Form MR-2. Reports are due at PVSC within twenty-one (21) days after the end date of each preceding month. The first report is due on (  $\star$  ). If and Industrial User fails to submit Form MR-2 on a timely basis, the Executive Director shall estimate the use for the period. The estimates may be made thirty (30) days after the due date of the report.

#### 2. PRETREATMENT

Monitoring results shall be reported on Discharge Monitoring Report Form, MR-1 for monthly reporting. Reports are due at PVSC within twenty-one (21) days after the end date of each preceding month.

#### 3. REPORTS

Properly signed reports required herein shall be submitted to PVSC at the following address:

PASSAIC VALLEY SEWERAGE COMMISSIONERS INDUSTRIAL WASTE CONTROL DEPARTMENT 600 Wilson Avenue Newark, NJ 07105

#### 4. TEST PROCEDURES

Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge. Test procedures for the analysis of pollutants shall conform to regulations contained in the PVSC Rules and Regulations, Federal, State and local laws or regulations.

#### 5. RECORDING OF RESULTS

For each measurement of a sample taken pursuant to the requirements of this permit, the permittee shall maintain a record of the following information:

- a. The date, exact place and time of sampling;
- b. The dates the analyses were performed;
- c. The person (s) who performed the analysis;
- d. The analytical techniques or methods used;
- e. The results of all required analyses.
- Permittee has been required to submit Monitoring Reports MR-2 to PVSC since
   10/21/89.
   842893719

#### 6. ADDITIONAL MONITORING BY PERMITTEE

If the permittee monitors any pollutant at the location (s) designated herein more frequently than required by this permit, using the approved analytical methods as specified above, the results of such monitoring shall be included in the calculation and reporting of the values required in the Discharge Monitoring Report Forms (PVSC Form MR-1 or MR-2). Such increased frequency shall also be indicated.

#### 7. RECORDS RETENTION

All records and information resulting from the monitoring activities required by this permit including all records of analyses performed, calibration and maintenance of instrumentation and recordings from continuous monitoring instrumentation shall be retained for a minimum of (5) years.

#### 8. DEFINITIONS

- a. The "30 day average" discharge means the average of daily values for 30 consecutive monitoring days. For the purpose of enforcement of Pretreatment Standards, consecutive samples taken and analyzed shall be considered as being taken on consecutive days even though one or more non-sampling days intervene. In applying the Pretreatment Standards where more than one but less than 30 samples have been taken and analyzed during any month, a formula, specified by USEPA, will be used to calculate the "30 day average".
- b. The "daily maximum" discharge means the highest discharge by weight or other appropriate units, as specified herein, during any calendar day.
- c. "Daily" each operating day.
- d. "Weekly" one day each week during a normal operating day.
- e. "Monthly" one day each month during a normal operating day.
- f. "Composite" a combination of individual samples obtained at regular intervals over the entire discharge day.

The volume of each sample shall be proportional to the discharge flow rate unless specifically modified by PVSC. For a 24 hour continuous discharge, a minimum of 24 individual samples shall be collected at equal intervals and at least once per hour. For continuous discharges of less than 12 hours, individual samples shall be taken at least once every 30 minutes. For discharges which are not continuous, individual samples shall be taken such that they will be representative of plant waste.

- g. "Grab" an individual sample collected in less than 15 minutes.
- h. "Quarterly" every three (3) months.
- i. "N/A" not applicable.

#### E. MANAGEMENT REQUIREMENTS

#### 1. CHANGE IN DISCHARGES

All discharges authorized herein shall be consistent with the terms and conditions of this permit. The discharge of any pollutant identified in this permit more frequently than or at a level in excess of that authorized shall constitute a violation of the permit. Any anticipated facility expansions, production increases, or modification which will result in new, different, or increased discharges of pollutants must be reported by submission of a new PVSC Sewer Connection Application or, if such changes will not violate the effluent limitations specified in this permit, by notices to PVSC of such changes. Following such notices, the permit may be modified to specify and limit any pollutants not previously limited.

#### 2. NONCOMPLIANCE NOTIFICATION

If, for any reason, the permittee does not comply with, or will be unable to comply with any effluent limitation specified in this permit, the permittee shall notify PVSC within 24 hours of the occurrence.

If this report is made orally, a written report containing the following information, shall be submitted within five (5) working days:

- a. A description of the discharge and the cause of the period of noncompliance;
- b. The period of noncompliance, including exact dates and times, or, if not corrected, the anticipated time the noncompliance is expected to continue, and
- c. The steps being taken to reduce, eliminate and prevent a recurrence of the noncomplying discharge.

#### 3. FACILITIES OPERATION

The permittee shall at all times maintain in good working order and operate as efficiently as possible all pretreatment or control facilities or systems installed or used by the permittee to achieve compliance with the terms and conditions of this permit.

#### 4. ADVERSE IMPACT

The permittee shall take all reasonable steps to minimize any adverse impact to the PVSC Treatment Works resulting from noncompliance with any pretreatment limitations specified in this permit, including such accelerated or additional monitoring as necessary to determine the nature and impact of the noncomplying discharge. This condition in no way affects PVSC's right to suspend a permit in order to stop a discharge which presents an imminent or substantial hazard to the public health, safety or welfare to the local environment or which interferes with the operation of the PVSC Treatment Works.

#### 5. REMOVED SUBSTANCES

Solids, sludges, filter backwash or other pollutants or hazardous waste removed in the course of pretreatment or control of wastewaters and/or the treatment of intake waters shall be disposed of in accordance with applicable Federal, State and local laws and regulations. Records documenting such disposal shall be made available to PVSC for review upon request.

#### F. MANAGEMENT RESPONSIBILITIES

#### 1. RIGHT OF ENTRY

The permittee shall allow the authorized representatives of PVSC, upon the presentation of credentials:

- a. To enter upon the permittee's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this permit; and
- b. At reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit; to inspect any monitoring equipment or monitoring methods required in this permit; and to sample any discharge of pollutants.

#### 2. TRANSFER OF OWNERSHIP OR CONTROL

In the event of any change in control or ownership of facilities from which the authorized discharges emanate, the permittee shall, in writing, notify the succeeding owner or controller of the existence of this permit, and the need to apply for a new per nit, a copy of which shall be forwarded to PVSC.

#### 3. PERMIT MODIFICATION

After notice and opportunity for a hearing, this permit may be modified, or revoked in whole or in part during its terms for cause including, but not limited to, the following:

- a. Violation of any terms or conditions of this permit;
- b. Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
- c. A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.

#### 4. TOXIC POLLUTANTS

Notwithstanding (Section C), above, if a toxic effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition), is established under Section 307 (b) of the Federal Water Pollution Control Act (the Act), its amendments, or any other subsequent law or regulation, for a toxic pollutant which is present in the discharge and such standard or prohibition is more stringent than any limitation for such pollutant in this permit, this permit shall be revised or modified in accordance with the toxic effluent standard or prohibition and the permittee so notified.

#### 5. CIVIL AND CRIMINAL LIABILITY

Nothing in this permit shall be construed to relieve the permittee from civil or criminal penalties for noncompliance.

#### 6. STATE LAWS

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable State Law or regulation under authority preserved by Section 510, of the Federal Water Pollution Control Not. (The Act)

#### 7. PROPERTY RIGHTS

The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations.

#### 8. SEVERABILITY

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstances, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

# WASTE WATER FLOW DIAGRAM - OCPSF REGULATED

		FOR MO	NTH OF:		
	RECULATED FLOW	FROM	CAL.	GAI	REGULATED FLOW FROM ALBERT AVENUE
	DOREMUS AVENUE	<i>(</i>		:	NUMBER AVERUE
	DOREMUS AVE. NON	H-OCPSF FLOW GALLONS	PROCESS WATER, OCPSI RECULATED WATER  GAI	LLONS	
•					
PH MONITORING SAMPLING POINT DUTLET JUHOR USER CHARGE	3370	ocpsf e <del>fflu</del> i	PRE TREATMENT SYSTE	M	PRETREATMENT SAMPLING POINT FOR OCPSF DISCHARGE
PLANT DISCHA	RGE TO PVSC	·			
		OCP:	SF RECULATED PLOW:	GAL	LIFT STATION
		. нои	-OCPSF FLOW:	GAL	•
		тот	AL FLOW:	GAI.	DATE: 6/21/94
	•				- FA-1-

403.11(b) introductory text amended by U FR 40610, October 17, 1968]

(1) Issue a public notice of reguest for approval of the Submission:

(a This public notice shall be circulated in a manner designed to inform interested and potentially interested persons of the Submission. Pylocedures for the circulation of public notice shall include:

(A) Mailing notices of the request for approval of the Submission to designated 208 planning agendies. Federal and State fish, shellfish and wildlife resource arencies; and to any other person or group who has requested individual nodice, including those on appropriate mailing lists; and

(B) Publication of a sotice of request for approval of the Sabmission in the largest daily newspaper within the jurisdiction(s) served by the POTW.

(ii) The public notice shall provide a period of not less than 30 days following the date of the public notice during which time interested persons may submit their pritten views on the Submission.

(iii) All written comments submitted during the 30 say comment period shall be retained by the Approval Authority and considered in the decision on whether or dot to approve the Submission. The period for comment may be extended at the discretion of the Approval Authority; and

(2) Provide/an opportunity for the applicant, any affected State, any interested State or Federal agency. person or group of persons to request a public hearing with respect to the Submission.

(i) This sequest for public hearing shall be filed within the 30 day (or extended) comment period described in paragraph (bx1xii) of this section and shall indicate the interest of the person filing such request and the reasons why/h hearing is warranted,

(ii) The Approval Authority shall hold a hearing if the POTW so requests. An addition, a hearing will be held if there is a significant public interest in issues relating to whether or not the Submission should be proved. Instances of doubt should be resolved in favor of holding the hearing.

(iii) Public notice of a hearing to consider a Submission and sufficient to inform interested parties of the nature of the hearing and the right to participate shall be published in the

same newspaper as the notice of the the same newspapers as the original eriginal request for approval of the Submission perserson Woder (bX1XiXB) of this section. In addition, motice of the hearing shall be send to those persons requesting individual

(c) Approval authority decision. At the end of the 30 day (or expended) comment period and within the 90 day (of extended) period provided for in palagraph (a) of this section the Approval Authority shall approve or dend the Submission based/upon the evaluation in paragraph (a vot this section and taking into-emisideration comments submitted during the comment period and the record of the \$43.12 Resorting public learning, if held. Where the Ap POTW's and indicate the Approximation of the potwer proval Authority makes a determina-tion to dany the request the Approval Authority shall so nowly the POTW and each person who has requested in-dividual notice. This potification shall include suggested modifications and the Approval Authority may allow the requestor additional time to bring the Submission into compliance with applicable requirements.

(d) EPA objection to Director's decision. No POTW extreatment program or authorization of grant removal allowances shall be approved by the Director if following the 30 day (or extended) evaluation period provided for in paragraph (bk l/dl) of this section and any hearing field pursuant to paragraph (bk/l) on this section the Regional Administrator sets forth in writing objections to the approval of such Submission and the reasons for such objections. A copy of the Region-al Administrator's objections shall be provided to the applicant, and each person who has requested individual notice. The Regional Administrator shall provide an opportunity for written comments and may convene a public hearing on his or her objections. Unless retracted, the Regional Administrator's objections shall constitute a final ruling to deny approval of a POTW pretreatment program or authorization to grant removal allowances of days after the date the objections are issued.

(e) Notice of decision. The Approval Authority shall notify those persons who submitted comments and pasticipated in the public hearing, if held of the approval or disapproval of the Submission. In addition, the Approval Authority shall cause to be published a notice of approval or disapproval in

bottce of request for approval of the Submission was published. The Approval Authority shall identify in any notice of POTW Prepeatment Program approval any authorization to modify categorical Pretreatment Standards which the POTW may make, in accordance with 1 403.7, for removal of pollutarity subject to Pretreatment Standards.

(1) Aublic access to submission. The Approval Authority shall ensure that the Submission and any comments upon such Submission are available-to the public for inspection and copying.

#### requirements POTW's and industrial users

(a) Definition. The term "Control Authority" as it is used in this section refers to: (1) The POTW if the POTWs Submission for its pretrestment program (§ 403.3(tXI)) has been approved in accordance with the requirements of [403.11; or (2) the Approval Authority if the Submission has not been approved.

(b) Reporting requirements for industrial users upon effective date of categorical pretreatment standardbaseline report. Within 180 days after the effective date of a categorical Pretreatment Standard or 180 days after the final administrative decision made upon a category determination submission under { 403.5(a)(4), whichever is later, existing Industrial Users subject to such categorical Pretreatment Standards and currently discharging to or scheduled to discharge to a POTW shall be required to submit to the Control Authority a report which contains the information listed in paragraphs (b)(1)-(7) of this section. Where reports containing this information already have been submitted to the Director or Regional Administrator in compliance with the requirement of 40 CFR 128.140(b) (1977), the Industrial User will not be required to submit this information again. At least 90 days prior to commencementof discharge. New Sources, and sources that become Industrial Users subsequent to the promulgation of an applicable categorical Standard, shall be required to submit to the Control Authority a report which contains the information listed in paragraphs (bX1)-(5) of this section. New sources shall also be required to include in this report information on the method of pretreatment the source intends to use to meet

[Sec. 403.12(b)]

applicable pretreatment standards. Authority may waive flow-proportion-New Sources shall give estimates of al composite sampling for any Indus- viewed by an authorised represents. the information requested in para- trial User that demonstrates that flow- tive of the Industrial User (as defined graphs (b) (4) and (5) of this section:

[403.12(b) introductory text amended by 53 FR 40610, October 17, 19881

- (1) Identifying information. The User shall submit the name and address of the facility including the name of the operator and owners:
- (2) Permits. The User shall submit a list of any environmental control permits held by or for the facility;
- (3) Description of operations. The User shall submit a brief description of the nature, average rate of production, and Standard Industrial Classification of the operation(s) carried out by such Industrial User. This description should include a schematic process diagram which indicates points of Discharge to the POTW from the regulated processes.
- (4) Flow measurement. The User shall submit information showing the messured average daily and maximum daily flow, in gallons per day, to the POTW from each of the following:
  - (i) Regulated process streams; and
- (ii) Other streams as necessary to allow use of the combined wastestream formula of { 403.6(e). (See paragraph (b)(5XV) of this section.)

The Control Authority may allow for verifiable estimates of these flows where justified by cost or feasibility considerations.

- (5) Measurement of pollutants. (1) The user shall identify the Pretreatment Standards applicable to each regulated process:
- (ii) In addition, the User shall submit the results of sampling and analysis identifying the nature and concentration (or mass, where required by the Standard or Control Authority) of regulated pollutants in the Discharge from each regulated process. Both daily maximum and average concentration (or mass, where required) shall be reported. The sample shall be representative of daily operations:

[403.12(b)(5)(iii) and (iv) amended by 53 FR 40610, October 17, 1988)

(iii) A minimum of four (4) grab samples must be used for pH, cyanide, total phenols, oil and grease, sulfide, and volatile organics. For all other pollutants. 24-hour composite samples must be obtained through flow-proportional composite sampling techniques where feasible. The Control Discharges to the POTW;

proportional sampling is infeasible. In in paragraph (k) of this section) and such cases, samples may be obtained certified to by a qualified professional through time-proportional composity sampling techniques or through a minimum of four (4) grab samples where ent basis, and, if not, whether addithe User demonstrates that this will tional operation and maintenance (O provide a representative sample of the effluent being discharged.

of one representative sample to com- and and Requirements; and pile that data necessary to comply with the requirements of this paragraph.

lated wastewater prior to pretreat-applicable Pretreatment Standard. ment the User should measure the flows and concentrations necessary to allow use of the combined wastestream formula of { 403.6(e) in order to evaluate compliance with the Pretreatment Standards. Where an alternate concentration or mass limit has been calculated in accordance with 1 403.6(e) this adjusted limit along with supporting data shall be submitted to the Control Authority:

(vi) Sampling and analysis shall be performed in accordance with the techniques prescribed in 40 CFR Part 136 and amendments thereto. Where 40 CFR Part 136 does not contain sampling or analytical techniques for the pollutant in question, or where the Administrator determines that the Part 136 sampling and analytical techniques are inappropriate for the pollutant in question, sampling and analysis shall be performed by using validated analytical methods or any other applicable sampling and analytical the Control Authority within 60 days procedures, including procedures sug- after the modified limit is approved. gested by the POTW or other parties, approved by the Administrator.

(vii) The Control Authority may report which utilizes only historical (b)(7) of this section: data so long as the data provides infor-

LITES:

cate the time, date and place, of sam- tional pretreatment required for the pling, and methods of analysis, and Industrial User to meet the applicable shall certify that such sampling and categorical Pretreatment Standards analysis is representative of normal (e.g., hiring an engineer, completing work cycles and expected pollutant preliminary plans, completing final

(6) Certification A statement, reindicating whether Pretreatment Standards are being met on a consistand M) and/or additional pretreatment is required for the Industrial (iv) The User shall take a minimum User to meet the Pretreatment Stand-

(7) Compliance schedule. If additional pretreatment and/or O and M will be required to meet the Pretreatment (v) Samples should be taken immedi- Standards; the shortest schedule by ately downstream from pretreatment which the Industrial User will provide facilities if such exist or immediately such additional pretreatment and/or downstream from the regulated proc- O and M. The completion date in this ess if no pretreatment exists. If other schedule shall not be later than the wastewaters are mixed with the regu- compliance date established for the

> (i) Where the Industrial User's categorical Pretrestment Standard has been modified by a removal allowance (§ 403.7), the combined wastestream formula (1403.6(e)), and/or a Fundamentally Different Factors variance (§ 403.13) at the time the User submits the report required by paragraph (b) of this section, the information required by paragraphs (bX6) and (7) of this section shall pertain to the modified limits.

> (ii) If the categorical Pretreatment Standard is modified by a removal allowance (1 403.7), the combined wastestream formula (1 403.6(e)), and/or a Fundamentally Different Factors variance (§ 403.13) after the User submits the report required by paragraph (b) of this section, any necessary amendments to the information requested by paragraphs (b)(6) and (7) of this section shall be submitted by the User to

(c) Compliance schedule for meeting categorical Pretreatment Standards. The following conditions shall apply allow the submission of a baseline to the schedule required by paragraph

(1) The schedule shall contain incremation sufficient to determine the ments of progress in the form of dates need for industrial pretreatment mess- for the commencement and completion of major events leading to the (vill) The baseline report shall indi- construction and operation of addiplans, executing contract for major

[Sec. 403.12(c)(1)]

tion, completing construction, etc.).

- exceed 9 months.
- schedule established. In no event shall ports are to be submitted. more than 9 months elapse between such progress reports to the Control Authority.
- (d) Report on compliance with categorical pretreatment standard deadline. Within 90 days following the date for final compliance with applicable categorical Pretreatment Standards or in the case of a New Source following commencement of the introduction of wastewater into the POTW, any Industrial User subject to Pretreatment Standards and Requirements shall submit to the Control Authority a report containing the information described in paragraphs (b) (4)-(6) of this section. For Industrial Users subject to equivalent mass or concentration limits established by the Control Authority in accordance with the procedures in § 403.6(c), this report shall contain a reasonable measure of the User's long term production rate. For all other Industrial Users subject to categorical Pretreatment Standards expressed in terms of allowable pollutant discharge per unit of production (or other measure of operation), this report shall include the User's actual production during the appropriate sampling period.

(403.12(d) revised by 53 FR 40610, Outober 17, 19881

subject to a categorical Pretreatment the Industrial User.

components, commencing construct Approval Authority, a report indicating the nature and concentration of (2) No increment referred to in para- pollutants in the effluent which are graph (cX1) of this section shall limited by such categorical Pretreatment Standards. In addition, this (3) Not later than 14 days following report shall include a record of measeach date in the schedule and the ured or estimated average and maxifinal date for compliance, the Indus- mum daily flows for the reporting trial User shall submit a progress period for the Discharge reported in report to the Control Authority in- paragraph (bx4) of this section except ciuding, at a minimum, whether or not that the Control Authority may reit complied with the increment of quire more detailed reporting of flows. progress to be met on such date and, if At the discretion of the Control Aunot, the date on which it expects to thority and in consideration of such comply with this increment of factors as local high or low flow rates. progress, the reason for delay, and the holidays, budget cycles, etc., the Consteps being taken by the Industrial trol Authority may agree to alter the User to return the construction to the months during which the above re-

(2) Where the Control Authority has imposed mass limitations on Industrial Users as provided for by 1 403.8(d), the report required by paragraph (eX1) of this section shall indicate the mass of pollutants regulated by Pretreatment Standards in the Discharge from the Industrial User.

[403.12(e)(3) added, (f)-(j) added, former (h)-(1) redesignated as (k)-(o) by 53 FR 40610, October 17, 1988]

- (3) For Industrial Users subject to equivalent mass or concentration limits established by the Control Authority in accordance with the procedures in § 403.6(c), the report required by paragraph (eX1) shall contain a reasonable measure of the User's long term production rate. For all other Industrial Users subject to categorical Pretrestment Standards expressed only in terms of allowable pollutant discharge per unit of production (or other measure of operation), the report required by paragraph (eX1) shall include the User's actual average production rate for the reporting period.
- (1) Notice of potential problems, including slug loading. All categorical and non-categorical Industrial Users shall notify the POTW immediately of all discharges that could cause prob-(e) Periodic reports on continued lems to the POTW, including any slug compliance. (1) Any Industrial User loadings, as defined by 4 403.5(b), by
- Standard, after the compliance date of (g) Monitoring and analysis to demsuch Pretrestment Standard, or, in onstrate continued compliance. (1) the case of a New Source, after com- The reports required in paragraphs mencement of the discharge into the (b), (d), and (e) of this section shall POTW, shall submit to the Control contain the results of sampling and Authority during the months of June analaysis of the Discharge, including and December, unless required more the flow and the nature and concenfrequently in the Pretreatment Stand- tration, or production and mass where

poliutants contained therein which are limited by the applicable Pretreatment Standards. This sampling and analysis may be performed by the Control Authority in lieu of the Industrial User. Where the POTW performs the required sampling and analysis in lieu of the Industrial User, the User will not be required to submit the compliance certification required under \$3 403.12(b) (8) and 403.12(d). In addition, where the POTW itself collects all the information required for the report, including flow data, the Industrial User will not be required to submit the report.

(2) If sampling performed by an Industrial User indicates a violation, the user shall notify the Control Authority within 24 hours of becoming aware of the violation. The User shall also repeat the sampling and analysis and submit the results of the repeat analysis to the Control Authority within 30 days after becoming aware of the violation, except the Industrial User is not required to resample if:

(i) The Control Authority performs sampling at the Industrial User at a frequency of at least once per month.

(ii) The Control Authority performs sampling at the User between the time when the User performs its initial sampling and the time when the User receives the results of this sampling.

- (3) The reports required in paragraph (e) of this section shall be based upon data obtained through appropriste sampling and analysis performed during the period covered by the report, which data is representative of conditions occurring during the reporting period. The Control Authority shall require that frequency of monitoring necessary to assess and assure compliance by Industrial Users with applicable Pretreatment Standards and Requirements.
- (4) All analyses shall be performed in accordance with procedures established by the Administrator pursuant to section 304(h) of the Act and contained in 40 CFR Part 136 and amendments thereto or with any other test procedures approved by the Administrator. (See. §§ 136.4 and 136.5.) Sampling shall be performed in accordance with the techniques approved by the Administrator, Where 40 CFR Part 136 does not include sampling or analytical techniques for the pollutants in question, or where the Administrator determines that the Part 136 sampling ard or by the Control Authority or the requested by the Control Authority, of and analytical techniques are inappro-

[Sec. 403.12(g)(4)]

priate for the pollutant in question, sampling and analyses shall be performed using validated analytical methods or any other sampling and analytical procedures, including procedures suggested by the POTW or other parties, approved by the Administrator.

(5) If an Industrial User subject to the reporting requirement in paragraph (e) of this section monitors any pollutant more frequently than required by the Control Authority, using the procedures prescribed in paragraph (gX4) of this section, the results of this monitoring shall be included in the report.

(h) Reporting requirements for Industrial Users not subject to categorical Pretreatment Standards. The Control Authority shall require appropriate reporting from those Industrial Users with discharges that are not subject to categorical Pretreatment Standards. Significant Noncategorical Industrial Users shall submit to the Control Authority at least once every six months (on dates specified by the Control Authority) a description of the nature: concentration, and flow of the pollutants required to be reported by the Control Authority. These reports shall be based on sampling and analysis performed in the period covered by the report, and performed in accordance with the techniques described in 40 CFR part 138 and amendments thereto. Where 40 CFR part 136 does not contain sampling or analytical techniques for the pollutant in question, or where the Administrator determines that the part 136 sampling and analytical techniques are inappropriate for the pollutant in question, sampling and analysis shall be performed by using validated analytical methods or any other applicable sampling and analytical procedures. including procedures suggested by the POTW or other persons, approved by the Administrator. This sampling and analysis may be performed by the Control Anthority in lieu of the significant noncategorical industrial user. Where the POTW itself collects all the information required for the report. the noncategorical significant industrial user will not be required to submit the report.

[403.12(h) revised by 55 FR 30128, July 24, 1990]

(1) Annual POTW reports. POTWs with approved Pretreatment Programs shall provide the Approval Authority with a report that briefly describes the POTW's program activities, including activities of all participating agencies, if more than one jurisdiction is involved in the local program. The report required by this section shall be submitted no later than one year after approval of the POTW's Pretreatment Program, and at least annually thereafter, and shall include, at a minimum, the following:

(1) An updated list of the POTW's Industrial Users, including their names and addresses, or a list of deletions and additions keyed to a previously submitted list. The POTW shall provide a brief explanation of each deletion. This list shall identify which Industrial Users are subject to categor-Ical pretreatment Standards and specily which Standards are applicable to each Industrial User. The list shall indicate which Industrial Users are subject to local standards that are more stringent than the categorical Pretreatment Standards. The POTW shall also list the Industrial Users that are subject only to local Requirements

(2) A summary of the status of Industrial User compliance over the reporting period;

(3) A summary of compliance and enforcement activities (including inspections) conducted by the POTW during the reporting period; and

(4) Any other relevant information requested by the Approval Authority.

(j) Notification of changed discharge. All industrial Users shall promptly notify the POTW in advance of any substantial change in the volume or character of pollutants in their discharge, including the listed or characteristic hazardous wastes for which the industrial User has submitted initial notification under 40 CFR 403.12(p).

[403.12(j) revised by 55 FR 30128, July 24, 1990]

(k) Compliance schedule for POTWs. The following conditions and reporting requirements shall apply to the compliance schedule for development of an approvable POTW Pretreatment Program required by \$403.8.

(1) The schedule shall contain increments of progress in the form of dates tively.

(i) Annual POTW reports. POTWs for the commencement and completion approved Pretreatment Programs tion of major events leading to the deviatil provide the Approval Authority velopment and implementation of a tith a report that briefly describes the POTW Pretreatment Program (e.g., OTW's program activities, including acquiring required authorities, development and implementation of a provide program acquiring required authorities, development and completion of a provide prov

(2) No increment referred to in paragraph (hX1) of this section shall exceed nine months:

(3) Not later than 14 days following each date in the schedule and the final date for compliance, the POTW shall submit a progress report to the Approval Authority including, as a minimum, whether or not it complied with the increment of progress to be met on such date and, if not, the date on which it expects to comply with this increment of progress, the reason for delay, and the steps taken by the POTW to return to the schedule established. In no event shall more than nine months elapse between such progress reports to the Approval Authority.

[403.12 (1) revised by 53 FR 40610, October 17, 1988]

(1) Signatory requirements for industrial user reports. The reports required by paragraphs (b), (d), and (e) of this section shall include the certification statement as set forth in \$\frac{403.6(a\times 2\times ii)}{403.6(a\times 2\times ii)}\$, and shall be signed as follows:

(1) By a responsible corporate officer, if the Industrial User submitting the reports required by paragraphs (b), (d) and (e) of this section is a corporation. For the purpose of this paragraph, a responsible corporate officer means (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy- or decisionmaking functions for the corporation. or (ii) the manager of one or more manufacturing, production, or operation facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second-quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

(2) By a general partner or proprietor if the Industrial User submitting the reports required by paragraphs (b), (d) and (e) of this section is a partnership or sole proprietorship respectively.

[Sec. 403.12(1)(2)]

- tive of the individual designated in from any monitoring activities reparagraph (1X1) or (1X2) of this sec-Hon if:
- (i) The authorization is made in writing by the individual described in paragraph (1X1) or (1X2):
- (ii) The authorization specifies either an individual or a position having responsibility for the overall operation of the facility from which the Industrial Discharge originates. such as the position of plant manager. operator of a well, or well field superintendent, or a position of equivalent responsibility, or having overall responsibility for environmental matters for the company; and
- (iii) the written authorization is submitted to the Control Authority.
- (4) If an authorization under paragraph (1)(3) of this section is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, or overall responsibility for environmental matters for the company, a new authorization satisfying the requirements of paragraph (1)(3) of this section must be submitted to the Control Authority prior to or together with any reports to be signed by an authorized representative.
- (m) Signatory requirements POTW reports. Reports submitted to the Approval Authority by the POTW in accordance with paragraph (h) of this section must be signed by a principal executive officer, ranking elected official or other duly authorized employee if such employee is responsible for overall operation of the POTW.
- (n) Provisions Governing Fraud and False Statements: The reports and other documents required to be submitted or maintained under this section shall be subject to:
- (1) The provisions of 18 U.S.C. section 1001 relating to fraud and false statements:
- (2) The provisions of sections 309(c)(4) of the Act, as amended, governing false statements, representation or certification; and
- (3) The provisions of section 309(c)(6) regarding responsible corporate officers. [403.12(n) amended by 53 FR 40610. October 17, 1988; revised by 55 FR 30128, July 24, 1990]
- Record-keeping requirements (1) Any Industrial User and POTW subject to the reporting requirements established in this section shall maintain

- (2) By a duly authorized representa- records of all information resulting quired by this section. Such records shall include for all samples:
  - (i) The date, exact place, method, and time of sampling and the names of the person or persons taking the Amples:
  - (ii) The dates analyses were performed;
    - (iii) Who performed the analyses:
  - (iv) The analytical techniques/methods use; and
    - (v) The results of such analyses
  - (2) Any Industrial User or POTW subject to the reporting requirements established in this section shall be required to retain for a minimum of 3 years any records of monitoring activities and results (whether or not such monitoring activities are required by this section) and shall make such records available for inspection and copying by the Director and the Regional Administrator (and POTW in the case of an Industrial User). This period of retention shall be extended during the course of any unresolved litigation regarding the Industrial User or POTW or when requested by the Director or the Regional Adminis-
  - (3) Any POTW to which reports are submitted by an Industrial User pursuant to purugraphs (b), (d), (e) and (h) of this section shall retain such reports for a minimum of 3 years and shall make such reports available for inspection and copying by the Director and the Regional Administrator. This period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the Industrial User or the operation of the POTW Pretreatment Program or when requested by the Director or the Regional Administrator.
  - [403.12(o)(3) amended by 53 FR 40610. October 17, 1988]
  - [403.12(p) added by 55 FR 30128, July 24, 19901
  - (p)(1) The industrial User shall notify the POTW, the EPA Regional Waste Management Division Director, and State hezardous waste authorities in writing of any discharge into the POTW of a substance, which, if otherwise disposed of would be a hazardous waste under 40 CPR part 251. Such notification must include the name of the hazardous waste as set forth in 40 CFR part 251, the EPA hazardous waste

- number, and the type of discharge forestimeous, betch, or other). If the industrial User discharges more than 100 blogresse of such waste per calendar month to the POTW, the notification hall also contain the following information to the extent such information is known and readily available to the industrial User. An identification of the hazardous constituents contained in the wastes, an estimation of the mass and concentration of such constituents in the westestream discharged during that calendar month, and an estimation of the mass of constituents in the wastestream expected to be discharged during the following twelve months. All notifications must take place within 180 days of the effective date of this rule. Industrial users who commence discharging after the affective date of this rule shall provide the notification no later than 180 days after the discharge of the listed or characteristic hazardous waste. Any notification under this paragraph need be submitted only once for each bazardous waste discharged. However, notifications of changed discharges must be submitted under 40 CFR 403.12 (j). The notification requirement in this section does not apply to pollutants already reported under the self-monitoring requirements of 40 CFR 403.12 (b), (d), and (e).
- (2) Dischargers are exempt from the requirements of paragraph (p)(1) of this section during a calendar month in which they discharge no more than fifteen kilograms of hazardous wastes, unions the wastes are acute hazardous wastes as specified in 40 CFR 251.30(d) and 201,33(e). Discharge of more than fifteen kilograms of non-ecute bezardous wastes in a calendar month. or of any quantity of acute bazardous wastes as specified in 40 CFR 201.30(d) and 251.33(e), requires a one-time notification.

Subsequent months during which the Industrial User discharges more than such quantities of any hazardous waste de not require additional notification.

[3] In the case of any new regulations under section 3001 of RCRA identifying additional characteristics of hazardous waste or listing any additional substance as a hazardous waste, the Industrial User must notify the POTW. the EPA Regional Waste Management

Waste Division Director, and State hexardous waste authorities of the discharge of such substance within 50 days of the effective date of such regulations.

(4) In the case of any notification made under paragraph (p) of this section, the industrial User shall certify that it has a program in place to reduce the volume and toxicity of hazardous wastes generated to the degree it has determined to be economically practical.

[403.12(p) Appendix added by 55 FR 30128, July 24, 1990]

Appendix-Hazardone Waste Anthurities: Notifications under 48 CFR 485.13(p)

**Environmental Protection Agency** 

Region I

Director, Waste Management Division,
Environmental Protection Agency, John F.
Kennedy Building, Boston, Massachusetts
02203

. Region II

Director, Air & Waste Management Division. Environmental Protection Agency, 26 Federal Plaza, New York, New York 10278

Region III

Director, Hazardous Waste Munagement
Division, Environmental Protection Agency.
841 Chesturt Street, Philadelphia,
Pennsylvania 19107

Region IV

Director, Waste Management Division, Environmental Protection Agency, 345 Courtland St. N.E., Atlanta, Georgia 30365

Region V

Director, Waste Management Division.

Environmental Protection Agency, 230

South Dearborn Street, Chicago, Illinois 60604

Region VI

Director, Hazardous Waste Management Division, Environmental Protection Agency, 1445 Ross Avenue, Suite 1200, Dallas, Texas 75202

Region VII

Director, Waste Management Division, Environmental Protection Agency, 728 Minnesota Avenue, Kansas City, Kansas sauti

Region VIII

Director, Hexardous Waste Management Division, Environmental Protection Agency One Denver Place, 808 18th St., Suite 800, Denver, Colorado 80202-2405 Region IX

Director, Henerdona Waste Management Division, Sevironmental Protection Agency. 1225 Mission Street, San Francisco, California 90103

Region X

Director, Hemardous Weste Division, Environmental Protection Agency, 1209 9th Avenue, Seattin, Washington 80103

-

New Jersey

Assistant Commissioner, Division of HQ Waste Management, Department of

Environmental Protection, 421 East State Street. Treaton, New Jersey 08625

[Sec. 463.12(p)(4)]

# COLUMN SPECIFICATIOS FOR WASTE WATER STRIPPER PEM ENGINEERING, INC.

# Project Reichold Chemical Corporation Newark, New Jersey

Type of Column Specified: Sieve Tray or Valve Tray

Service: Acidic waste water effluent.

Physical Properties: Vapor flow rate - 1450 lb/hr.

Vapor density - 0.0308 lb/cu. ft. Liquid flow rate - 7250 lb/hr. Liquid density - 60.2 lb/cu. ft. Surf.tension - 47.2 dyne/cm.

Centipoise - 0.306 Foam factor - 0.800 Residence time - 4.5 s.

Tower diameter: 23.25"
Tray Spacing: 12.00"

Deck thickness min.: 0.125" Tower area: 2.95 sq.ft.

Mole area: 0.295 sq.ft. Weir ht. min.: 1.75"

Material of construction: 316L ss.

Flow type: Single crossflow Design pressure: 50 psia

Design temperature: 300 deg. F

Manufacturer to supply drawings and column shell requirements.

It is preferable that the manufacturer can fabricate the column shell along with the internals - please supply pricing if possible.

			Service TOL/ETBZ/ @ 16.7 F Item COL FLOW L/V=5.0 . Date 10-Jun 1990	SIA
VAPOR	16/h	1450	Tower Area, ft2	2.948
	lb/ft3	0.0308	Bubble Area, ft2 Siot Area, ft2	2.210
LICUID		7250 60.200 47.200	Liquid Load, gpm/in Vapor Load	0.856 0.296
		0.306	Jet Flood System Limit	64% 28%
	tor e Time, s		Blowing Flood	39%
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,	DC Hydraulics, in. hot liq.	
	amoter		Side	Center :
Tray Spacing			Dry Drop 0.81	NA
No. Passes		1	Clr Liq Hgt 1.12	
Valve Type No. Valves		1 BDP	Tray Pres Drop' 1.93	
No. Valve	95	18		NA
		0.3750		NA
Deck Thickness		0.1345	DC Stack-up 3.78 DC Stack-up Limit 73%	
DC Dimens	sions	Side Center	, , , , , , , , , , , , , , , , , , ,	
DC Inlet	t Width	4.000 0.000	DC Inlet Velocity, ft/s	
		3.500 0.000	Actual Velocity 0.099	NA
	air Hgt			NA
		1.750 0.000		NA
Seal Par	ns: 1=Yes	0 0	Dry Drop, in H2O 0.78	

WASRW WATER STRIPPER

Note: All dimensions are in inches.

Warnings:

Liquid head exceeds dry drop, tray may weep.

Design	Notes:	Run	Number	7273
		<u>, , , , , , , , , , , , , , , , , , , </u>		<del></del> .
		•	<del></del>	

Estimates Only .-. Not Recommended for Final Design

· 12.7 }			<u> </u>	PHENT		212		· • · . · · · · · · · · · · · · · · ·	
		1							
		TIENS	DESCRIPTION	DING	MSIONS		VICE FS	1213	HI ARKS
								<u> </u>	
		F1/F2	FILTERS BAG TYPE	6"Ø	x 1-0"	1568	<u> </u>		
		101	SIGHT GLASS	_CHEX-	! //			Q E	
		EI	VENT		x 2411	25 BLF PR-0		FILEGIT	146 / 16 / 16 / 16 / 16 / 16 / 16 / 16 /
			VAPOR COUD		X484	300 BC# CO	HOGHSES		
		E 3	BALUAST TUBE HEATER		XAZ^	75	FF	S 41717	MENTER
		£4_	BOTTONS ?	٠ ,	×48"	125	T COPPER		
	<i>c</i> -	€5	PREHEATER		× 48 4		fy23Kss	Į.	
		SEI	本のころとらいろうの		×4-6		GAL	014	1470
ļ	<del></del>	51	STEALL	,	× ( -0"			STERN	1 DRIGH
; }		TK-1_	SUMP		x 42 55		56AL		
	!			\			- 0/T L		
	:: !!		<u> </u>						
ļ	:								<del></del> ,
. }									
-: [									
]									
<u>}</u>		· · ·							
-						<u>·</u>		·	
				-:					
								·	
}									
						-			

\	Vita	EWI	TES.	50	118个世纪
					rjen gerkari

	1	ritaria de la composição de la composição La composição de la compo		<u> </u>			5k	-1200		<u> </u>
		FREDN						PRESS	FLOW	251
		М.0	DE-SCR	IZTION.	CONT	D'SITION'	PF	PSIA	16/hr	
		\	PROCES	s feed	LIQU	WATER	80	150	7250	
		2	71	H	),		140	250	7250	
		3	13	51	1		200	25	7250	
			UQ: 25	FLUX_	SATD.	ORSAN,	200	25_	1450	12722 700.
		5	MAPOR		+ ORG	とうこう	213	15	1450	
		6	7205	元気	51P1P	- アルン-	280	50	_165	
		7		PLYENT	TOL/ET	XX [	75	- ATM	0.14	
-		8	WATER Log	W	STRIPE LAWAT	4	95	25 (	1615	<u> </u>
			CHILLE	,	COOLIN	- WATER	50'	75	3500	
		B	3ALLA STE	سرد	STE	ATING?	292	60	100	
			FEG-P	HEAT	DCAN.	PAH-JIZ 7	315	100	50	
_									·	,
						·	· .		<u>:</u>	
-										
-	-		·			··				
-		·								
_	-  -									
L	_  -						<u>·</u>		· ·	
_	_  -									
-	_  -	· · · · · · · · · · · · · · · · · · ·							·	
	_  -									
_	_  _									

ETHIOGRAPHED IN U.S.A. - APERISCH WASTA FORM

842893736


REICHHOLD CHEMICALS, INC.

400 DOREMUS AVENUE

NEWARK, NEW JERSEY 07105

OCT-Dec. (990

WASTE WATER FLOW DIAGRAM - OCPSF REGULATED FLOW





#### OBRIEN 5 GERE

January 11, 1990

Mr. Art Dieffenbach Plant Engineer Reichhold Chemicals, Inc. 400 Doremus Avenue Newark, New Jersey 07105

Re: Reichhold Chemicals, Inc. -

OCPSF Program

File: 3208.025 #2

#### Dear Art:

Enclosed please find two (2) drawings and a description of operations for the proposed OCPSF program to be implemented at the Reichhold Chemicals facility in Newark, New Jersey. The drawings include the Building 31 Floor Plan, which outlines the proposed locations of existing and new equipment to be used in the process, and the Process Flow Diagram, which represents the proposed operational process flows. It should be noted that all enclosed information are first run drafts and are subject to revisions pending comments from Reichhold Chemicals, Inc.

The operation of the system is divided into the four (4) operating areas which are; Tank 1 (Tank 66), the holding tank area (Tanks 4 & 5), the transfer truck area, and the future treatment area. The proposed system collects and adjusts the pH of process flows in Tank 66 (Tank 1), as currently occurs; however, pH adjustment will be carried out automatically with the installation of new equipment. Tank 66 will be retrofitted for use or the process. Tank 66 will primarily discharge to Tank 4, a new 15,000 gallon tank, which will, in turn, discharge to the transfer truck area of the future treatment area. Tank 5, the existing 10,000 gallon rectangular tank retrofitted for this program, will primarily receive flows from the transfer truck area and discharge to either the future treatment area in the transfer truck area. Tanks 4 and 5 are expected to have a capacity to hold approximately three (3) days of flow. Proposed locations for this equipment are shown on the building floor plan.

Mr. Art Dieffenbach January 11, 1990 Page 2

The enclosed text and drawings provide a more complete and detailed overview of the proposed program. O'Brien & Gere looks forward to receiving your input on the enclosed information and working with you to successfully complete this program for Reichhold Chemicals. Please do not hesitate to call me with comments or inquiries concerning the enclosed information.

Very truly yours,

O'BRIEN & GERE ENGINEERS, INC.

Donald E. Stone, Jr., P.E.

Managing Engineer

ALC:lam

cc: Mr. David Bright, Reichhold Chemicals, Inc.

Mr. Steven Roland, O'Brien & Gere Engineers, Inc.

Mr. Ronald Hovey, O'Brien & Gere Engineers, Inc.

# REICHHOLD CHEMICALS, INC. OCPSF PROGRAM DOREMUS AVENUE, NEWARK FACILITY

Segregation, Conveyance, and Collection Project System Operation

#### I. TANK 1 (TANK 66)

- A. Influent sources
  - 1. Beckamine Process
    - a. Valve V-3 normally open
    - b. Influent line equipped with suction relief to prevent syphoning
  - 2. Tank 67 & floor drains
    - a. Valve V-4 normally open
    - Influent line equipped with suction relief to prevent syphoning
  - 3. Scrubber drains
    - a. Valve V-5 normally open
    - b. Influent line equipped with suction relief to prevent syphoning
  - 4. Recirculation
    - a. Valve V-6 normally closed
    - b. Valves V-7, V-8, and V-9 normally open
    - c. Influent line equipped with suction relief to prevent syphoning
- B. Effluent destinations
  - 1. Tank 4 (primary mode of operation)
    - a. Level sensor LS-1 indicates Tank 1 is full
    - b. Level sensors LS-2 and LS-3 indicate that Tanks 4 and 5 are not full.
    - c. pH sensor pH-2 indicates 5<pH<8 (within range)</pre>
      - i. When pH is within range, 3-way pneumatic valve CV-1 directs flow to Tank 4 (or Tank 5)
      - ii. When pH is out of range, 3-way
         pneumatic valve CV-1 recirculates
         flow back to Tank 1
      - iii. Pneumatic valve CV-1 is operated via solenoid valve SV-1
    - d. Flow via pump P-1, controlled as in (a) and (b) above, plus P-1 stops when LS-1 indicates low level
    - e. Valves V-10 and V-12 normally open
    - f. Valve V-13 normally closed

- 2. Tank 5 (secondary mode of operation)
  - B.1.(a-d) apply a.
  - Valves V-10 and V-14 normally open b.
  - Valve V-12 closed
  - Valve V-13 open d.
- 3. Recirculation (out of range pH)
  a. pH out of range as defined in B.1.(c)i-iii
  - b. While Tank 1 refills after emptying
  - Valves set as in A.4. above
- 4. Sample port (open valve V-6)
- C. pH adjustment
- pH probe pH-1 reading >8 activates pump P-2 to pump acid from Tank 2 to Tank 1
- pH probe pH-1 reading <5 activates pump P-3 to pump caustic from Tank 3 to Tank 1
- Mixer M to provide mixing in Tank 1 during pH adjustment
- Valves V-1 and V-2 normally open
- High level alarms HHL-2 and HHL-3 indicate possible 5. leak or spill in containment area
- D. Miscellaneous
- High level alarm HHL-1 to provide backup warning to warn of possible overflow condition in Tank 1
- Temperature indicator TI for information 2.
- Level indicator LI for information
- Vent from tank to atmosphere

#### II. TANKS 4 & 5

- A. Influent sources to Tank 4
- Tank 1 (primary mode of operation) 1.
  - Valve V-12 normally open a.
  - Valve V-13 normally closed b.
  - Influent line equipped with suction relief
- Tank Truck (secondary mode of operation)
  - Valves V-16, V-12 and V-13 open Valves V-10, V-14 closed a.
  - b.
  - Influent line equipped with suction relief c.

- Recirculation from Tank 4 (primary mode of 3. operation)
  - Valves V-21 and V-34 normally closed а.
  - Valves V-22, V-20, V-18, and V-11 normally b. open
  - Pneumatic valve CV-2 directs flow c. recirculate
    - i. Recirculates when level sensor LS-2 indicates that Tank 4 is empty or refilling or that treatment plant wet well is full
    - ii. Recirculates when valve manually set to recirculate
  - Influent line equipped with suction relief d.
  - Pump P-4 operated manually or automatically e.
- 4. Recirculation from Tank 5 (secondary operation)
  - a.
  - Valves V-35, V-25 and V-22 closed Valves V-24, V-23, V-21, V-20, V-18, and V-11 b. open (V-24, 20, 18, and 11 normally open)
  - Pneumatic valve CV-2 set manually recirculate
  - Influent line equipped with suction relief d.
  - Pump P-4 set to "hand", Pump P-5 set to "off" e.
- 5. Overflow from Tank 5
  - via 4 inch equalization line a.
  - butterfly valves normally open
- B. Effluent destinations from Tank 4
  - 1. Treatment plant (primary mode of operation)
    - Valves V-21, /v-34, and V-31 closed a.
    - Valves V-22, V-20, V-18, V-19, V-28, and V-30 b. open (V-18 normally open)
    - Pneumatic valve CV-2 either manually set to direct flow to treatment system or non-full treatment plant wet well indicator automatically directs flow and Tank 5 is not discharging.
  - 2. Transfer truck (temporary primary mode of operation)
    - Valves V-21, V-34, V-30, and V-32 normally a. closed
    - Valves V-22, V-20, V-18, V-19, V-28, V-31, Vb. 33, and V-17 open
    - Pneumatic valve CV-2 set manually in direction c. of treatment system
  - Recirculate to Tank 4 (primary mode of operation) a. Valves V-34, V-21, normally closed

- Valves V-22, V-20, V-18, and V-11 open
- Pneumatic valve CV-2 set to recirculate flow c.
  - Recirculates when level sensor LS-2 indicates that Tank 4 is emtpy or refilling or that treatment plant wet well is full
    - ii. Recirculates when valve control manually set to recirculate
- 4. Recirculate to Tank 5 (secondary mode of operation)
  - Valves V-20, V-34, and V-24, normally closed a.
  - Valves V-22, V-21, V-23, V-25, V-26, and V-15 open
  - Pneumatic valve CV-3 set to recirculate c.
- 5. Overflow to Tank 5
  - a. two butterfly valves normally open
- Sample Port (open valve V-34) 6.
- C. Influent Sources to Tank 5
  - Tank 1 (secondary mode of operation)
    - Valve V-13 and V-14 open
    - Valve V-12 closed
    - Influent line equipped with suction relief c.
  - 2. Tank Truck (primary mode of operation)
    - Valve V-14 and V-16 open
    - Valve V-13 normally closed b.
    - Influent line equipped with suction relief
  - 3. Recirculation from Tank 5 (primary mode of operation)
    - a.

    - Valves V-24, V-25, V-26, and V-15 open Valves V-35 and V-23 normally closed Pneumatic valve CV-3 set to recirculate c.
    - Influent line equipped with suction relief
    - Pump P-5 operated manually or automatically e.
  - 4. Recirculation from Tank 4 (secondary mode of operation)
    - Valves V-22, V-21, V-23, V-25, V-26 and V-15 a. open
    - Valves V-34, V-20, V-35, and V-24 closed b.
    - Pneumatic valve CV-3 set to recirculate
    - Influent line equipped with suction relief
    - Pump P-5 set to "hand", Pump P-4 set to "off" e.
  - Overflow from Tank 4 5.
    - a. via 4 inch equalization line
    - butterfly valves normally open b.

- D. Effluent Destinations from Tank 5
  - Treatment plant (primary mode of operation)

    - Valves V-35, V-31, and V-23 closed Valves V-24, V-25, V-26, V-27, V-29, and V-30 b.
    - Pneumatic valve CV-3 either manually set to c. direct flow to treatment system or non-full indicator treatment plant wet well automatically directs flow and Tank 5 discharging.
  - 2. Transfer Truck (temporary primary mode operation)
    - a.
    - Valves V-35, V-23, and V-30 closed Valves V-24, V-25, V-26, V-27, V-29, V-31, Vb. 33, and V-17 open
    - Pneumatic valve CV-3 set manually in direction of treatment system
  - Recirculate to Tank 5 (primary mode of operation) 3.
    - level sensor LS-2 indicates Tank a. filtering
    - Valves V-24, V-25, V-26, and V-15 open Valves V-35 and V-23 normally closed
    - c.
    - Pneumatic valve CV-3 set for recirculate d.
    - Influent line equipped with suction relief e.
  - Recirculate to Tank 4 (secondary mode of operation)
    - Manually controlled a.
    - b.
    - Valves V-35, V-25, and V-22 closed Valves V-24, V-23, V-21, V-20, V-18, and V-11 open (V-24, 20, 18, and 11 normally open) Pneumatic valve CV-2 set to recirculate c.
    - d.
    - Influent line equipped with suction relief. e.
  - 5. Overflow to Tank 4
    - via 4 inch equalization line a.
    - butterfly valves normally open
  - Sample Port (open Valve V-35) 6.

#### E. Miscellaneous

- High level alarms HHL-4 and HHL-5 to provide backup warning to warn of possible overflow condition in Tanks 4 and 5, respectively.
- Temperature indicator TI for information 2.
- Level indicator LI for information 3.
- pH sensor pH-3 and pH-4 for information in Tanks

4 and 5, respectively

- 5. Vent from tank to atmosphere
- 6. Equalization line with two (2) butterfly valves (normally open) for overflow protection

#### III TRANSFER TRUCKS

- A. Influent Sources
  - 1. Tank 4
    - Valves V-22, V-20, V-18, V-19, V-28, V-31, V-33 and V-17 open Valves V-34 and V-21 normally closed a.
    - b.
    - Pneumatic valve CV-2 set manually in direction c. of treatment system
  - 2. Tank 5
    - a. Valves V-35 and V-23 normally closed
    - Valves V-24, V-25, V-26, V-27, V-29, V-31, V-33 and V-17 open
    - Pneumatic valve set manually in direction of c. treatment system
  - 3. Future Treatment Plant
    - Future treatment plant recirculation line and inflow line capped off. Until treatment plant begins operation, inflow and recirculation lines are controlled by normally closed valves V-30 and V-32, respectively.
- В. Effluent Destinations
  - Tank 5 (primary mode of operation)
    - Valves V-16 and V-14 open (V-16 is normally a. closed)
    - b. Valve V-13 normally closed
    - Level sensor LS-3 must indicate tank is not c. full
  - Tank 4 (secondary mode of operation)
    - If level sensor LS-3 indicates Tank is a. filled
    - Valves V-16, V-13, and V-12 open (V-16 b. normally closed)
    - Valve V-14 and V-10 closed c.

#### IV. FUTURE TREATMENT PLANT

- A. Influent Sources
  - Tank 4 1.
    - Valve V-31 and V-21 closed
    - Valve V-22, V-20, V-18, V-19, V-28 and V-30 open
    - Pneumatic valve CV-2 either manually set to direct flow to treatment system or non-full treatment plant wet well indicator automatically directs flow and Tank 5 not discharging
  - 2. Tank 5
    - a. Valve V-31 and V-23 closed
    - Valves V-24, V-25, V-26, V-27, V-29, And V-30 b. open
    - Pneumatic valve CV-3 either manually set to direct flow totreatment system or non-full treatment plant wet well indicator automatically directs flow and Tank 4 not discharging
  - Plant Recirculation
    - Plant recirculation occurs when Valves V-30, V-31, and V-32 are open Valve V-33 is closed

    - Valve V-30 and V-32 are normally closed and c. the lines controlled are capped until treatment plant installation
- B. Effluent Destination
  - P.V.S.C
    - Discharge to public sewer system. Valve a. controlling line to sewer is open and valve controlling recirculation line is closed
  - 2. Plant Recirculation
    - Recirculation occurs when valve controlling sewer line access is closed and recirculation valve is open.
    - Valve V-30 and V-32 are normally closed and b. lines controlled are capped until treatment plant installation
  - Transfer Truck
    - Discharge to transfer truck via recircualtion system. Valve V-31 is closed.
- C. Temporary Operation
  - Valve V-30 and V-32 are normally closed and lines controlled are capped until treatment plant installation.

**d**ed

		-	
DRAWING	TRAN	SMIL	IAL

FED-X



### Peroxidation Systems, Inc.

4400 E. Broadway, Suite 602 Tucson, Arizona 85711-3558 Telephone (602) 327-0277

Job No.:1	.046
Job Name:	Reichhold - NJ
Equipment:	LV 60 Pretreatment Equip. Nee
Customer:	Reichhold Chemicals
<b>Customer R</b>	ef. No.: PO #125877
Job Location	on: Newark, NJ
Specification	n Section:

Drawings and data as listed on the attached pages have been distributed as shown below. This information describes equipment to be furnished by Peroxidation Systems, Inc. for subject order. Data marked "FOR APPROVAL" must be examined by persons authorized to confirm suitability for project requirements. For approval data, indicate approval and/or comments on each item and RETURN TWO COPIES OF EACH APPROVAL DOCUMENT TO PEROXIDATION SYSTEMS, INC. ATTENTION ENGINEERING DEPARTMENT. EQUIPMENT DELIVERY SCHEDULE IS BASED ON DATA APPROVAL WITHIN TWO WEEKS OF TRANSMITTAL DATE. Certified or final copies need not be returned.

DISTRIBUTION						······································	TRANSMITTED TO:		
T	App	roval	Cer	tified	Fi	inal		Name Address City, State	Zip
Oty.	Qty.	Туре	Qty.	Туре	Oty.	Туре	Qty.		
1	2	Р	2	Р	2	Р	2	John A. Rankin/Plant Manager, Reichhold Chemicals, 400 Dor	remas Avenue
								Newark, NJ 07105	
1	1	Р	1	Р	1	P	0	Dave Bright/Envir. Mgr., Reichhold Chemicals, 407 S. Pore	Blvd.
								P.O. Box 1433, Pennsicola, FL 32596-1433	·
1	1	P			1	Р	ļ	JR/DAC	
1	1	P			1	Р	1	CGL	
1 1	1	P			1	Р	1.	GHS PSI Engr.	

T: Drawing Transmittal Form

1: Instruction Manual

Type Code

P: Print

R: Reproducible

Micro Film (Aperture Card)

Page  $\underline{1}$  of  $\underline{2}$ 

DRAWING LIST



## Peroxidation Systems, Inc.

4400 E. Broadway, Suite 602 Tucson, Arizona 85711-3558 Telephone (602) 327-0277

Job No.: 1046	
Job Name: Reichhold - NJ	
Equipment: LV 60 Pretreatment Equip.	Neede
Customer: Reichhold Chemicals	
Customer Ref. No.: PO #125877	
Job Name or Location: Newark, NJ	
Specification Section:	

Dwg. No.	Dwg. Title	Revision	Date sent	Distri- * bution	Date returned	Status	io	Date sent	Distri- * bution	Date returned	Status	Revision	Date sent	Distri- * bution	Date returned	Status
NENJ-1-001	Flow Diagram	0	10/ 26	А												
pq. 1	Remarks	10, 26	10/ 26	А												
		<b> </b>		ļ			 	ļ						 		
		<b> </b>							-						<b></b>	
			-				-					-		<u> </u>		
		╢—														
		╫							J				<u> </u>			
					ļ								<del> </del>			

6. No Comment

П

Status Code: 1. Approved, proceed with fabrication

(PSI use only)2. Approved as noted, proceed with fabrication

- 3. Approved as noted, proceed with fabrication revise and resubmit for confirmation
- 4. Approved as noted, revise and resubmit
- 5. Not approved, revise and resubmit

\* Dist. Code:

A: For Approval

C: Certified

F: Final

Page \_2\_ of \_2\_


#### REMARKS


Date: 10/26/89


Job No: 1046


PSI is proceeding with Piping and Instrument diagram and component procurement to support the conceptual design shown by the flow diagram enclosed. Please return the flow diagram with your approval/comments as soon as possible.

Dimensional and connection drawings of modules by PSI will follow upon your approval of the flow diagram.









# REICHHOLD NEWARK PLANT

## Standard Operating Procedure (SOP)

		TANKS 66 & 67 94	P No.: ND94-035 Page No.: 1 Date Issued: 07/15/94 Effective Date: 07/28/94
1.0	Purpose:	To provide a series of written procedure operating the steam stripper and it	
2.0	Applicability:	This procedure applies to all trained Ope	erations personnel.
3.0	Safety Issue:	Exposure to solvents and hot water, inho acids and bases, potential environr	
4.0	Approvals:	Plant Manager:	DATE:
		Plant Engineer J. Huncheffe	wood DATE: 8/03/94
		12 4.0	de ala las
		EHS Manager. Lound A	May DATE: 7/28/94

#### WASTE WATER STRIPPER: CONDENSED OPERATING PROCEDURE

- 1. Adjust PH of Waste Water in T-138 to 5.5 to 6.0.
- Turn on power to instruments in Dowtherm vaporizer room. Switch is behind panel.
- 3. Set Feed Water control (FC 901) to 10 GPM.
- 4. Set Steam Flow control (FC 902) to 1500 PPH.
- 5. Stripper column level should be set at 28.
- 6. Feed Tank level should be set at 50 to 55.
- 7. Open water valve to Condenser.
- 8. Open manual steam valves to Stripper column.
- 9. Set valves on manifold to go from Stripper back to T-138.
- 10.Set valves on Stripper column on Feed Tank to go to pumps through meters control valves. Close control valve by-pass valves.
- 11. Set valves from T-138 to Feed pump # 1 to Filter housings to Feed Tank.
- 12. After steam flow has been on for 15 to 30 minutes, start pumps #1, 2 & 3 to begin circulation of water to column and back to T-138.
- 13. Circulate water until top column temperature (# 6) reaches 96 degrees C Min, then circulate for 30 minutes longer.
- 14. After 30 minutes with temperatures 96 degrees minimum, switch valves and send water to sewer.
- 15.Increase water flow as top column temperature permits.

#### OPERATING PROCEDURE: WASTE WATER STRIPPER

The purpose of the Waste Water Stripper is to remove organic solvents from our process waste water before it is discharged to the sewer system. This is required by Federal regulations and is accomplished by pumping the contaminated water through the stripper column where it is steam stripped.

#### A. Start Up Procedure

- 1. Get sample from T-138 after agitating it for 20 minutes and run PH on the water sample. Adjust PH on waste water in T-138 to 5.5 to 6.0 using either liquid caustic to raise the PH and Phosphoric Acid or Acetic Acid to lower the PH.
- 2. With PH in T- 138 within the range of 5.5 to 6.0, turn on power to the control instrument in the Dowtherm vaporizer room. The Annunciator panel alarms will sound and light up indicating that alarm systems are working. Press reset buttons to silence the audible alarms. Lights will stay lit until alarm is actually corrected when operation is begun.
- 3. Allow instruments to complete their internal checks and adjust set points at desired levels for operation.
- 4. Open manual steam valve before the steam control valve, all the way; then open the manual steam valve, after the control valve. This will start steam flow to the stripper column to heat up the column. Steam line pressure gauges should read 60 pounds pressure with steam valves open as stated. Steam flow set point is at 1500 pounds per hour.
- 5. Set up valves in system to prepare for water stripping while steam flow to the stripper column is pre-heating the column.
- A. Open valve in manifold from stripper, isolation valve on manifold, and valve to T-138. Close valve to sewer and all other valves on manifold.
- B. Open upper valve at bottom of stripper column to pump.
- C. Open valves from stripper column pump on both sides of control valve. Close control valve by pass valve.

- D. Check level in stripper column, and if it is greater than 28 inches on the instrument, turn the stripper column pump # 3 on and pump the level down to 28 inches or less. Shut the pump off when level is reached.
- E. Open valve at side of feed tank to stripper column feed pump (# 2) and open valves on both sides of control valve in line to stripper column. Close control valve bypass valve. Feed Tank level set point is 50 inches. If level is above 55 inches, pump excess using # 2 pump to T-138, or to stripper column, then back to T-138.
- F. Open valves (2) from T-138 bottom to pump (# 1). Close valve to T-138 circulating pump.
- G. Open inlet and outlet valves on one of the filters and the valves on both sides of the control valve to the feed tank. Close the control valve bypass valve.
- H. Make sure valves from pump # 4 (receiver tank pump) are open to the feed tank and that receiver tank valve to pump is open. Level in receiver tank will turn this pump on and off
- 6. With all valves set and after steam has been on the column for 15 to 30 minutes, start pump # 2 (column feed pump) with instrument set at approximately 10 GPM.
- 7. Start pump # 1, (T-138 pump to feed tank) to maintain level in feed tank.
- 8. Start pump # 3 (column bottom pump) to begin circulation of water from column back to T-138.
- 9. With pumps running and feed water circulating through the stripper and stripped water back to T-138, check temperatures on strip recorder, # s 3, 4 and 6.
- 10. Temperatures should be:
  - #3 97 degrees to 100 degrees C
  - # 4 98 to 101 degrees C
  - #6 96 degrees minimum

Column pressure drop - # 13 should be 30- 50 inches.

- 11. When operating temperatures are reached, continue to circulate column water back to T-138 for 30 minutes to ensure steady operation.
- 12. At end of 30 minutes circulation, switch column discharge to sewer and close valves circulating back to T-138. Temperature at top of stripper column (# 6 on recorder) must be 96 degrees minimum before sending to sewer.

- 13. Approximately 15 to 20 minutes after sending water to the sewer go to the pump house and check PH reading on instrument, must be between 5 to 10.5. If not between 5 and 10.5, call for assistance and switch stripper column back to circulate to T-138.
- 14. Stripper operating parameters should be as follows:
  - A. Feed water rate (FC 901) 10 to 20 GPM
  - B. Steam flow rate (FC 902) 1200 to 1800 PPH
  - C. Stripper column level 28 inches
  - D. Feed tank level 50 to 55 inches
  - E. Decanter receiver level 1 to 10 inches
  - F. Top column Temp. #6 96 degrees C minimum
  - G. Column pressure # 13 30 to 50 inches

Most important control parameter is "F" top column temperature # 6.

#### WASTE WATER STRIPPER SHUT DOWN

- 1. Close steam valve in supply to Stripper.
- 2. Shut off pump # 1 (T-138 feed to Feed Tank).
- 3. Close valves (2) on T-138 to pump # 1.
- 4. Close valves (2) in and out of filter.
- 5. Shut off pump # 2 (Feed Pump to column).
- 6. Close valve (1) on Feed Tank to pump # 2.
- 7. Wait 5 minutes, then shut off pump # 3. (Stripper column discharge pump).
- 8. Close valve (1) on column to pump # 3.
- 9. Close valves (2) on manifold from column and to sewer. Turn off T-138 AGIT.
- 10. Shut off power to instruments in Boiler room.

#### WASTE WATER STRIPPER EMERGENCY SHUT DOWN PROCEDURES

- 1. Close steam valve in supply to Stripper.
- 2. Shut off pump # 1 ( T-138 feed to Feed Tank).
- 3. Close valves (2) on T-138 to pump # 1.
- 4. Shut off pump # 2 ( Feed Pump to column).
- 5. Close valve (1) on Feed Tank to pump # 2.
- 6. Shut off pump # 3 ( stripper column discharge pump)
- 7. Close valve (1) on column to pump # 3.
- 8. Close valves (2) on manifold from column and to sewer. Turn off T-138 AGIT.

In an emergency (spill, fire, loss of electrical, etc.), shut down the Stripper per the instructions above only if the emergency does not require an immediate evacuation.

#### STEAM STRIPPER STRIP CHART RECORDER

- 1. Temp. feed to Feed Tank, degree centigrade
- 2. Temp. feed to Stripper column, degree centigrade
- 3. Temp. Stripper column midpoint, degree centigrade
- 4. Temp. Stripper column bottom, degree centigrade
- 5. Temp. waste water to discharge, degree centigrade
- 7. Temp. Solvent Receiver, degree centigrade, degree centigrade
- 8. Temp. Condenser cooling water out, degree centigrade
- 9. Column feed flow (GPM)
- 10. Column discharge (GPM)
- 11. Steam to column ( pounds per hour)
- 12. Recycle water to Feed tank (GPM) out
- 13. Column pressure drop (in. H2O)
- 14. Spare
- 15. Bottom of Stripper column level (inches)
- 16. Feed Tank level (inches)
- 17. Solvent Receiver level (inches)

#### TK-138 PH ADJUSTMENT CHART TO 5.5-6.0

1. Pounds 50% caustic to Add / 10,000 Lbs water

<u>TK - 138 PH</u>		LB / 10,000 lbs Water			
2			80		
3			30		
4	• •		15		
5		·. · · · · · · · · · · · · · · · · · ·	2		
6	•		0		

Add via suction of P - 1 while TK - 138 is recirculating (suction valve 3/4 closed). Flush suction hose with one pail of water. Put TK-138 on full recirculation, agitator on, for 20 minutes. Re-measure PH, adjust further as needed.

2. Pounds 83% Acetic Acid to add / 10,000 lbs water

<u>TK - 138 PH</u>	•	Lb / 10,000 lbs water
14		720
13		72
12		8
11		5
10		4
9		3
8		2
7		1
6		0

Addition method same as 50% caustic described aboved.

#### STRIPPER CLEANING PROCEDURE

- 1. Pump contents of stripper column out to T-138 until column is MT. Shut off Pump. Close botton of stripper column.
- 2. Pump 2 drums of water into the stripper, using stripper feed pump. Use bung drum and cradle to feed water to the pump.
- 3. Pump 300 lbs <u>liquid</u> caustic into the stripper column and then flush the pump and lines with three drums of water into the stripper column. Wear rubber gloves and face shield when handling caustic.
- 4. Shut off pump and leave bottom column closed.
- 5. Put steam on to stripper column at 800 lbs per hour and steam column until temperature at bottom reaches at least 95 degrees C ( 203 degrees F): then steam column for 4 hours longer. Watch column level and flow to receiver.
- 6. At end of the steaming period, pump the caustic wash water to T 309.
- 7. When stripper column is MT after caustic cleaning, circulate waste water from T-138 through stripper back to T-138 for 2 hours. Run flow rate at 20 GPM.
- 8. At end of 2 hours, circulate pump contents of stripper column back to T-138. Adjust PH of T-138 water to 5.5 to 6.0 and start up stripper per normal operation.
- 9. With stripper running, circulate back to T-138 for 1 hour minimum. Recheck PH on T-138, adjust to 5.5 to 6.0 if needed.
- 10. Continue with stripper operation and water discharge if PH is ok (5.5 to 6.0) and column temperatures are at proper levels.

#### OPERATING INSTRUCTIONS FOR T- 67/ T- 66


- 1. Record levels in T-66 and T-67 every two hours in provided log book, while stripper is running; every shift while stripper is not running.
- 2. When T-67 is more than two-thirds full, transfer water layer only as follows:
  - a) Check level in T-66 to determine if there is room. If not, transfer water layer to T-138 using hoses. T-138 can be pumped to T-309 or T-311 see Supervisor.
  - b) Using hoses or a fixed pipe line, transfer T-67 water layer ( use sight glass) to T-66. Pump should stop when solvent layer is about to go below lowest level in sight glass ( keep interface within sight). If automatic shut off does not work, shut down pump manually.
  - c) Emergency overflow is in 500 gallons to floor drain, or drum as necessary. If there are enough hose extensions, the T-138 pump may be reached as well.


Note: T-67 is tied to the vacuum system and reactor decant tanks. T-67 can fill up within 12 hours. Level must be monitored every 2 to 4 hours, else reactors and vacuum system might have to be shut down.

- 3. When time to fill T-138 (50,000 80,000 lbs), empty via hoses in the following order:
  - T-66 (T-67 is emptied to T-66)
  - T/Ws from Albert Avenue.
  - Other drums of water, if exist
  - TK 309 or 310, see Supervisor for levels in each tank
- 4. When stripper is down, remove solvent layers in T-66 and T-67 to closed head drums. Mark as liquid hazardous waste flammable ( like solvent receiver waste drums). This should be done once per month. Remove drums to hazardous waste area on first floor, bldg # 32. Use solvent pump on T-67.
- 5. If OCPSF water (water that needs to be stripped) is in floor drains, pump return sump to T-66. Make sure valves are set to return to T-66, not sewer.
- 6. For sewer bypass, (water that does not need to be stripped): a hose will be hooked up to the floor drain, most likely from T-67 solvent pump hose connect, (gravity drain from press room- stainless line) In this case:
  - Confirm PH is 5-10.5, and LEL is negative, record in log book.

- Make sure all strippable water is out of floor drain. If necessary, flush drain to pit and pump flush to T-66.
- Set sump pump to sewer.
- Attach hose and confirm with Maintenance or Operators that connections on upper floors are correct and sound.
- Start flow with valve half open; monitor floor drain level so it does not overflow.

Note: Any floor water has to be stripped. Non-strippable water is usually kettle or tank rinses, or neutralized caustic cleaning solutions w/o solvent contamination.





Reichhold Chemicals, Inc.

Coating Polymers & Resins Division 400 Doremus Avenue Newark, NJ 07105

#### REICHHOLD

July 22, 1993

PASSAIC VALLEY SEWERAGE COMMISSIONERS 600 Wilson Avenue Newark, NJ 07105 Attn.: Industrial Dept.

Dear Sirs:

Attached you will find a copy of a revised listing of calculated mass limits for our waste discharge to PVSC system. Our previously submitted limits did not include total review of 1991 discharge, nor did it allow for any future increases when the Doremus Avenue facility goes back on line.

Please review these revised limits, and if you need any additional information please contact me at (201) 589-3716 during business hours.

Sincerely yours,

arthur C. Klieffenbach sem Arthur E. Dieffenbach

Plant Engineer

encl.

REVISED 08/05/93 WOULD NOT ACCEPT PROPOSED 50% INCREASE IF

FACILITY GOES BACK ON LINE.

CAN FILE FOR REVISION WHEN

CAN FILE FOR REVISION IF NECESSARRY

WE GO BACK ON LINE

SIMPLE

# MASSLIMITS CALCUMATIONS

AVE FLOW = 12, 139 GAL 10 = 0.0459 × 109 EM/D MARFLOW = 15,607 GAL 10 = 0.05904 XIU9 EN/O

• • • •		
	MASS	Limits
•	Av's	<u> 1948</u>
PARAMETER	2.616	7.911
BENZENE	6.518	22.435
CARBON TETRACHURIOC		22,435
CHUSED BENZENE	6.518	48,878
1,24 TRICHE BENZENE	8.996	48.878
HEXACHIORO BENZONE	8.996	33.88°9
DI CHORD ETRANE	8.262	3.483
111 Tei Chioanthant	1.61	48.878
HEXACH WED GHARGE	8.996	3.483
1,1 Diameo Emant	1.01	48.878
1,3 Dianoppeople	9,996	22,435
ELANGENSENE	6.518	10.037
MEMALIAN CHIMELOE	1.652	17.417
MemycChrocot	5.049	22,435
HEXACALLED BUTADIENE	6.518	377,97
HEXALALUS DUTAGE	102,68	13,638
NITZUBENZENE	2.984	
2-NITROPHENUL	7.436	34.007 254
4-NATRUPLEMENT	3,580	16.354
DIVITREO-CRESOL	1.468	7.498
1,7,2 TerCure Conavi	5.049	17.417
CHURNETHANE	5,095	19,188
COURDEDEM		

PARAM UTER	Aus	MAN
1,2) ations benzeru	8.996	46,878
1,3 Dickingubouzene	6.518	22.435
1,4 DICHLIRE BOURONE	6.578	22,435
1,1, DICHLORUETHYLENE	1.01	3.542
1, 2 TRANS D. GHURD BHY LEVE	1.148	3.897
1, 2 Di Grupo Propané	8.996	46.878
TETRACHLORO EMYLENE	2.387	9-683
TOLUENE	1.285	4.369
Te, Ch was Empley	1.193	4.074
VINYL CHWRIDE	4.452	10,155
TOTAL CYANIDE	19.278	70.848
TOTALLEAD	14.688	40, 738
TOTAL ZINC	48.195	154.094

## NASTE WATER STRIPPER - 1991

MC	TOTAL VOLUME	Max Fic GAL	ALL FOO
JAN	102,375	9600	5850
FEB	102,375	9600	. SE50
14132	102,375	9600	585¢
APR	102,375	9600	585°
Mity	102,375	9600	5850
JUNE-	102,375	9600	5850
JULY	127,484	9639	8499
AUG	94,188	10,188	7849
6PT	176,177	10,803	8869
Qe F	201,507	12,288	9596
Nov	98,441	9,964	5791
DEC	167,053	95-46	7953

NETE: JAN 6 JUNE AVERAGE FROM 6 HO REPORT.

DISREGARD ANG JAN & JUNE THEN ANG HOW = 10,405

ASSUME 50% INCR = 15607 GAL/DAY MAXFULL


AUG FLC: 8093 X \$0% INC = 12139 GALLO

ADDITIONAL FLOWS THEE ESTIMATED BASED UPON RESUMPTION

OF PRODUCTION AT DOREMUS AVE FACILITY AND POSSIBLE

PRODUCT MIX CHANGES,

SENT 8/05/93 ADD



Reichhold Chemicais
390 Doremus Avenue
Newark, N.J. 07105
Fex 201-491-0074
Shipping & Reciveing Dept.

Date 5/05/93

TO ANDY CALTIGIRANE
Location PASSAIC VALLEY SEWERAGE
Fax #344 - 2951
From ART DIEFFENBACH
Pages _3
Message:
· ·

PVSC 600 WILSON AVE NEWARK NT ATTN ANDY CALTIGIRONE

RE: RECALCULATED MASS LIMITS BASED ON AVERAGE
FLOW PREVIOUSLY REPORTED - 8,093 GAL/DAY.
ALL LIMITS IN GRAMS.

	TEC RIPORTS		
PARAMETER	AVERAGE	Maximum	
BENZENE	1.739	4.087	
CARBON TETRACHLIRIAE	4,331	11.591	
, CHLOROBENZENE	4.331	11.591	
2,4 TRICHICRO BENZENE	5,978	24,219	
HEXACHLORO BENZENG	5.978	24.219	
1,2 DICHLORO ETHANE	5,490	17.508	
1,1,1 Trichwrotemane	6.671	1.80	
HERACHLOROETHAND	5.978	24,219	
1,1, DICHLORO ETHANG	0.671	1.80	
1,3 DICHIDEO PROPYLENE	5.978	24.219	
ETHYL BENZENE	4.331	11.591	
Memylone CHLORIDE	1.098	5,185	<u>.</u>
METHYL CHLORIDE	3.355	8.998	
HERACHLORO BUTADIENE	4.331	11,591	
NITRO BENZENE	68.234	195,277	
2-NITROPHENOL	1.983	7.046	
4. NITTED P HENOL	4.941	17.56 9	
4,6-DINITRO-O-CRESOL	2.379	8.449	842893773
1 1. 2-TRICHUMO ETHANE	0.976	3.874	

3,355	ì	
5,500	8.998	
3.386	9.913	
5,979	24.219	
4.331	11.591	
4.331	11.591	
0.671	1.830	
0.763	2,013	
5,979	24.219	
1,586	5,002	
0.854	2,257	
0.793	2.105	
2.959	5,246	
12.811	36.603	
9,761	21,046	
32.028	79.612	
	•	
		to entre
	·	
	·	
	4.331 4.331 0.671 0.763 5,979 1,586 0.854 0.793 2.959 12.811 9.761	4.331       11.591         4.331       11.591         0.671       1.830         0.763       2.013         5.979       24.219         1,586       5.002         0.854       2.257         0.793       2.105         2.959       5.246         12.811       36.603         9.761       21.046


o mile Boti


## PH CHART


Date,	Time,	PH	Person Notified
11-15-90	8 00	8.4	
	9 00	9.7	
	10 00	7.8	
	11 00	9,9	
	12 00	8.7	
	13 00	9.8	
	14 00	9.1	
	15 :00	8.6	
110	16.00	911	
	17:00	913	
	18 00	714	
	19 00	9,7	
	20:00	7,7	
	21:00	9,7	
	22:00	9.8	
	_ 23 00	911	
	2400	9.8	
11-16-90	1 200	8.7	Å
	2:00	9.8	
	3:00	8.4	
	4:00	7.8	
	5:00	816	
	6:00	9.7	
1	7.00	8.7	


SOURCE OF EFFCHANT CORRECTIVE ACTIO.


John Rankin 993-86/0











<b>O</b> ate	Time	PH	Person Notified	SUYRCE OF EFFLYONT CORRECTIVE ACTIO
1-18-90		10.3		
	9 00	10.3		
	10 00	9.4		
	11 40	10.3		
	12 00	8.7		
<u></u> ,	13 00	10.2		
	17 00	8.8		
sum et a	15 :00	10.2		
a dhistrama William	16.00	8.8		
o a remainde and the second of	17:00	10.3		
	18 00	10.4		
	- 19 00	10.6	P.H. 10.6	NOTIFY HATTY
	20:00	10.1		
	21:00	10.4		
	22:00	9.5	10:15 P.H. 10.6	NOTIFY charles
	23 00	10.3	11:40 p10.6	"
	2400	10.3		. \
11-19-90	1 = 00	10.0	4 4	ı
	2:00	10.4		
an and a second	3:00	10.0		
a de n	4:00	į		
e a state a fe	<u> </u>	9,8		
		8.7	;	
	7.00	•		
	John Rank	, ~ 993	3 - 86/0	•


NOTIFY JOHN RANKIN IF EXCURSION EXCEEDS IS MINUTED.

Oq + e	T	I, me	PH	Peno	n Notifi	ed	SUYR	ce of El	Action
11-17-9	1	8 00	10.4			<u>.</u>			,
		9 00	10.6						
		10 00	9.8			: : :			and the second
9 · · · · · · · · · · · · · · · · · · ·		11 00	10.2						
	-	. 1		9					
17 ( 14 A A A A A A A A A A A A A A A A A A		12 00	8.6	; ; ; ;					
		13 00	10.4			1 1	1/		.1
*******	Salar Annual Control of the Control	14 00	10,8	Told H.		;	"Tell E	Ed. Smr	长"
		15:00	11.0	Told	H.K Ed	Smith	Soma	Lis hu	Enaso
	principal de la companya de la compa	16:00	611						
		17:00	6.0						
		18 00	61/						
	10 pp	19 00	6.1						
		20:00	10.5	74 					
		21:00	915						
		22 :00	7.7	10:06	De PACO	11. SR	Some	18 mts	ration
		23 00	10.3						
		2400	10	7					
11:18-9	0	1 :00	10,6				ı		
,		2:00	8,4						
		3:00	10.7						
		4:00	9.6						
		J:00	8.6	1		i			
	. But god marks are specially		10,4	9 6 1 1 1		e de la composition della comp			
	abe & close mead implica-		8.8	• :					
	John		, 2 993	- 86/0			•	\ <u></u>	
	2 0 11 /0								

NOTIFY JOHN RANKIN IF EXCURSION EXCEEDS 15 MINUTED.

Oate,	Time	PH.	Perzo	n Notifie	d	SUPRCE of CORRECTIVE	effluent Action
11-16-40	8 00	8.7					
	9 00	8.4					
	10 00	9.6					
	0 کا را	918			1		
	12 00	815					
	13 00	917	<b>L</b>				
	14 10	813	· ·				
	15 :00	7-6	· ·				
1, =1, 2, 2, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	16.00	9,9					
	17:00	7.8	;				
	18 00	916			i ;		
	19 00	9.2					
	20:00	9-6			! !		
	21:00	8.3	· · · · · · · · · · · · · · · · · · ·	,			
	22:00	9.7	: :			- \	
	23 00	8.6					
		10,4			;		
11-17-90	1 :00	, , ,	* <b>1</b>		•		
	. 2:00						,
	3:00	7.0					
	4:00		7 1 1		1		
	•	8.8		•			
	<b>\</b>	10,4	1				
	,	8,6	:		A a constant		
J	ohn Rank	, ~ 993	- 86/0		·		


NOTIFY JOHN RANKIN IF EXCURSION EXCEEDS IS MINUTED.





Date,	Time.	p H	Person Notified	SURRECTIVE AC
(1/14/80	8 00	6.2	Calibrating	•
!	: 9 00		11	•
4.	10 00	9.8		
	11 00	8.0		,, 0
	12 00	10.0	10.5 @ 12:25 Called	Herael
	13 00	10.0		
	14 00	8.5		
	15:00	9.0		
	16.00	10.0		
, and	17:00	7-7		
	18 00	9.7		
	19 00	7-9		
	20:00	8.7		
	21:00	9.6		
	22:00	8.8	,	
	23 00	10.0		
	2400	8.5		
11-15-90	1:00	10,0		
	2:00	8.4		
2 4 4 5 6	3:00	9.7		
2 2 2	4:00	8.3		
	5:00	9,5		
	6:00	8.3		<u>.</u> \
	7.00	9.8		
			C	

John Rankin 993-86/0

NOTIFY JOHN RANKIN IF EXCURSION EXCEEDS 15 MINUTER











	**			- OF EFFLY
Date	Time.	PH	Person Notified	CORRECTIVE ACTIO.
į	8 00	8.2		
	9 00	7.8	·	
	10 00	7.6		
	11 00	8.6		•
	12 00	8.6		
	12 00	8.5	12:30 not, fied ton	Storen
	14 10	12.8		
	15:00	12.6	1	
*	16.00	12:3	2 pt	•
,	17:00	8,0	17:30 - Adjusting SR	1
	18 00	0,2		
- ds.	19 00	4.4	S·R	
	. 20:00	5.8		
	. 21:00	6.0		
	22:00	6,5		
	23 00	8.8	•	
	2400	910		•
	1:00	910		i   
•	2:00	818		
	3:00	8'6		
	4:00	714		+
	5:00	9/2		
	6:00	8:2	;	
	7.00	8.5	<i>;</i>	


John Rankin 993-86/0











2/19/90			842893796
TIME	PK		
2400	514		
D100	11.6	TOBD CEM	· ·
0200	11.0		
0300	11-6		
0400	11.8	7	
0500	11.6		•
0 600	212		
0700	7,2		
0800	9.5	•	
0900	10.3	<b></b>	
1000	10.4		•
100	10.7	•	
7200	10.6		,
1300	10,4		
1400	9.0	WILLADD ACID TO BRING IT	H.K.+S,R.
1500	13	WILLADD ACID TO BRING IT	POWN.
1600	5.8		
1700	10.5	Steve adding Heid	
1800.	10,0	Steve adding Acid adding acid	•
1953	27	1	
2870	614		
2100	813		
2200	8.4		
. 2300	8,0	•	
2453			


7/13/90	l i	1100	1134100- 12 4500
TIME	PH	PERSON NOTIFIED	300 RCE OF AFFLUENT & CURRENT FACTION TAKES
2400 0100 0200 0200 0500 0500 0500 0500 05	56666666656677777777777777		
		· .	842893797

FIME	PH	
2400 ,	7,2	
0100	712	
0750	7.2	
0300	7.2	
2400	74	
0500	714	
68 <i>0</i> 0	7.4	
6755	7,2	
5735	7.3	
0900	9.5	
1 3 15	9.7	
1001	9.7	
1200	7.7	
1350	8.1	
1400	7.4	
1500	7.0	•
1650	7.3	
1700	7.3	
1800	7-3	
1900	7.2	
2000	7.4	· +11 1-
7100	4.3	Told steve
2200	7.3	TII PHO
2300	7.2	11:15 Told cem. PHE (12-8)


TIME !	PH
2400	12.8 7 TOLD CEM
100	HYDED MOID & HYD TO SENER
1200	1:2
300	614
7408	7/2
5500	7.4
0600	7.8
5 700	6.4
5800	8,4
0900	9.3
1000	6.6
HPO	7.6
200	7.6 @1206 PH GOING ALL THE WAY UP
1300	TOLD H.K. ADDED ACTO TO PIT +
1400.	7.0
1200	7,6
1600	10.2
1700	711 512 11515
1800	Told Supervisors. Harry Steve
(900)	13.4
2000	10.0
5120	Told Steve
22.00	
. 2304	Will drop T-66 with 7.0 pt


118190 LIME PH 1214 914 5/00 910 1268 WILL ADD ACID 10.61 1300 8 420 Down 10.6 5400 THE SONER 7,500 3.8 718 3600 94 9700 080 9.5 0900 10.4 1000 10.5 8.3 1100 290 7.9 13001 8.0 1400 0.6 15000 7.6 1600 6.2 6.8 1700 1800 12.0 1900. 127 12:-84 2000 13.0% 2100 12.6 2200 4.80 2300


```
7/19/90
         PK
I'ME.
         514
2400
D100 1
         11.6
         11.00
0200
         11-6
0300
         11.8
6 400
        11.0
0500
        212
0 600
        7,2
0700
0800
        9.5
0900
        10.3
1000
        10.4
        10.7
 1100
7200
        10.6
        10,4
 1300
                 WILLADD ACID TO BRING IT POWN.
         9.0
 1400
         13
 1500
 1600
         5.8
         10.5
 1700
        10,0
 1800 1
         2.2
 1953
        6,4
 2970
        813
 2100
        8.4
 2200
        8,0
 2300
 2453
```



	12/20/00	12/20/90	12/20/90			
\$mPLE	3:30 PM		12:45 PM			
ource	OUT	OUT	ZN			
luro form	6952.3	1339,7	61 054 4			
To John	6952.3 ppb	ppb	Pob			
			i ! !			
mzene	0	0	0			
)						
oluene	10,576.9 Ppb	1750.8	49,235.1			
	140	11				
	711 1	3			:	
hympene	711.4 PP6	346.9 ppb	472352.4			
			(			
4-81 200	1346.7	854.5	1224140.9			
-(- K) (EKE	1346.7 ppb	PP6	PPP			
records the landers of the same of the			\$			
- xylane	1764.4 ppb	384.4 PPb	337,107,1			
),	pp	1 776	ط دُم			
					. <u>-</u> .	
er organics		-			<u>.</u>	
			<u>}</u>			· I
OD (bbw)	ng/i+ x F		- >			
The second two reads as well the	652 × 100.	381 × 100	90 x 1000			
		=3%100	= 90,000			
	7/1+	mg/1+.	mg/1+		•	
		,	•			
			: :			
			•	f :		










Date,	Time.	PH	Person Notified
12/6/90	1	9.0	
196/1	9 00	9.2	
	10 00	4.2	
	11 40	8.7	
-	12 00	8.9	
	12 00	9.4	
	14 00	8,8	
	15 :00	9.7	
	16.00	8,4	
	17:00	710	
	18 00	6,5	
	19 00	6.5	
	20:00	6.5	
	21:00	615	
	22 :00	6.6	
	23 00	8.5	
	2400	8.8	
	1 :00	9.2	in the second se
	2:00	9.6	
	.3:00	9,4	
	4:00	9.6	
	5.00	9.4	
	6:00	9.4	
1.1	7.00	9.6	


SOURCE OF EFFLYANT CORRECTIVE ACTIO,


John Rankin 993-86/0




















# PH CHART


Date	, Time	PH	Person Notified
		·	
1-6-91	8 00	9. 1 8. 0	
	9 00	9.6	
	10 00		
	11.00	7.8	
	12 00	7.8	
	13 00	7.8	
	17 80	7.8	
	15:00	7.8	
	16.00	8.8	
	17:00	8.7	
	18 00	8.6	
	19 00	8.6	
	20:00	92	
	21:00	95	
	22 :00	9.8	
	23 00	10,0	
	2400	9-8	
1-7-91	1 :00	9.8	
	2:00	8.8	
	3:00	9.0	
	14:00	9.0	
†	]	9.0	
,		9.0	
	`	9,2-	


Source of EFFLYANT CORRECTIVE ACTIO,


















DONALD TUCKER CHAIRMAN

RAYMOND LUCHKO VICE CHAIRMAN

ROBERT M. BURKE. JR. THOMAS J. CIFELLI JAMES KRONE FRANK ORECHIO COMMISSIONERS



600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951 CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHIEF COUNSEL

> LOUIS LANZILLO CLERK

August 1, 1991

Mr. Arthur Dieffenbach Reichhold Chemical, Inc. 300-400 Doremus Avenue Newark, NJ 07105

Dear Mr. Dieffenbach:

According to Section 502.3 of the Passaic Valley Sewerage Commissioners Rules and Regulations which I have enclosed for your referral, "Each industrial user or other user of the PVSC Treatment Works shall reimburse PVSC for those costs incurred if a compliance sample is sent to an outside laboratory for an analysis of one or more parameters which PVSC is not certified to perform." As such, on 02/26/91 sample(s) were taken from your location and sent to an outside laboratory for analysis. The costs for these samples were \$518.00 and are due and payable by Reichhold Chemical, Inc. within 60 days. Please remit your check or money order for \$518.00, payable to "Passaic Valley Sewerage Commissioners" and send it directly to:

PASSAIC VALLEY SEWERAGE COMMISSIONERS

600 Wilson Avenue Newark, NJ 07105 Attn: Finance Manager.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

George F. McGehrin

Finance Manager

Encl: PVSC Section 502.3 Rules & Regulations GFM:jw

cc: Carmine T. Perrapato, Executive Director

F. D'Ascensio, Manager Industrial & Pollution Control

## PART V - ADMINISTRATION

### SECTION 501 AUTHORITY, VIOLATIONS, ETC.

- These Rules and Regulations are adopted pursuant to N.J.S. 58:14-35 and appropriate State Laws and Regulations, Federal Statutes and Municipal Ordinances.
- Any violation of the Rules and Regulations including the failure to pay fees, charges, or surcharges imposed, or any conditions or limitation of a permit issued pursuant thereto shall be subject to such penalties as are provided by law. Said penalties shall be in addition to any sanctions authorized under these Rules and Regulations.
- 501.3 In addition to such penalties as may be provided by law, any person violating these Rules and Regulations shall be civilly liable for such damages as may result to the PVSC as a result of said violation.
- Notwithstanding any other provisions of these Rules and Regulations, any user who fails to comply with the Rules and Regulations shall be liable to a fine in an amount not to exceed \$50,000 per day for each day or part thereof that such violation exists. Any user who fails to submit a self-monitoring, compliance, or other report when due shall be liable to a fine not less than the amount established in Appendix C.

## SECTION 502 FEES

- 502.1 (RESERVED)
- 502.2 (RESERVED)
- Each industrial user or other user of the PVSC Treatment Works shall reimburse PVSC for those costs incurred if a compliance sample is sent to an outside laboratory for an analysis of one or more parameters which PVSC is not certified to perform. This reimbursement provision does not apply if PVSC is certified to perform the analysis but does not. This provision can be invoked no more than two times per year per parameter.
- Each user against whom a charge is assessed, shall remit the amount due within 60 days of receipt of the notice unless specife procedures are established on a case by case basis.

Bacteriological and Chemical Testing 410 Hillside Avenue

Hillside, NJ 07205

REPORT OF VOLATILE

ORGANIC ANALYSIS

(201) 688-8966

Telephone (201) 688-8900

REPORT # 910227150

CLIENT # PASO2

DATE SUBMITTED: 2/27/91



MATHEW KLEIN, M.S., Director HARVEY KLEIN, M.S., Lab. Supervisor

TO: PASSAIC VALLEY

SEWERAGE COMMISSION

600 WILSON AVENUE

MEWARK

NJ 07105

ATT: MR. ED RYS

SAMPLE TYPE: INDUSTRIAL LIQUID

SAMPLE ID: #159448

SAMPLE LOCATION: CUST.# 20406320

-@REICHHOLD CHEMICALS, INC. WORK # 415β0

DATE SAMPLED: 2/26/91

TIME SAMPLED:

COMPOUND	RESULT
Chloromethane	<25.0
Bromometh <b>a</b> ne	<25.0
Dichlorodifluoromethane	<25.0
Vinyl Chloride	<25.0
Chioroethane	<25.0
Methylene Chloride	.25.0
Trichlorofluoromethane	<25.0
1,1 Dichloroethylene	k25.0
i,i Dichloroethane	<25.0
trans-1,2 Dichloroethlylene	k25.0
Chloroform	<250
1,2 Dichloroethane	<25.0
1,1,1 Trichloroethane	:25.0
Carbon Tetrachloride	:25.0
Sromodichloromethane	<25.0
1,2 Dichloropropane	<25.0
trans-1,3 Dichloropropene	k25.0
Trichioroethlyene	k25.0 ;
Dibromochlorometnane	<25.0
Methyl tert-Butyl Ether	<25.0
soorooyl Ether	41.5

COMPOUND	BESULT
1,1,2 Trichloroethane	<25.0
cis-1,3 Dichloropropylene	<25.0
Senzene	<25.0
2-Chloroethylvinyl ether 🕆	(25.0
8romoform - Promoform - Promof	(25.0
1,1,2,2 Tetrachlorsethane	:25 0
Tetrachioroethylene !	(25.0
Toluena	5800* 🖊
Chlorobenzene	⟨25 ♦
Ethylbenzene	2500*
p-Xylsae	
m-Xylene	7768*
o-Xylene	
1,2 Dichlorobenzane	k25.0
1,3 Dichlorobenzane	(25.0
!,4Dichlorobenzene ¦	<25.0
cis-1,2 Dichioroethylens	<25.0
0.P-Xulana	5238
Date of Analysis	3/1/91
*Rerun at 1:100 Dilution Cn:	J/1/91

ULTS ARE IN PARTS PER BILLION.

KELESS THAN, NONE DETECTED. ANALYSIS PERFORMED BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY USEPA METHOD 624.



Bacteriological and Chemical Testing
410 Hillside Avenue
Hillside, NJ 07205

Telephone (201) 688-8900

ax

(201) 688-8966

MATHEW KLEIN, M.S., Director
HARVEY KLEIN, M.S., Lab. Supervisor

REPORT OF ANALYSIS
ACID EXTRACTABLE COMPOUNDS

REPORT # 910227126

P1.5

CLIENT # PASO2

TO: PASSAIC VALLEY SEWERAGE COMM

**600 WILSON AVENUE** 

DATE SUBMITTED: 2/27/91

**NEWARK** 

NJ 07105

ATT: MR. ED RYS

SAMPLE TYPE: INDUSTRIAL LIQUIDS


SAMPLE ID: 159494

SAMPLE LOCATION: @REICHHOLD CHEMICALS, INC.

141584/141585 P0#125618

DATE SAMPLED: 2/26/91

TIME SAMPLED:



COMPOUND	RESULT
4-CHLORO-3-METHYLPHENOL	<2.0
2-CHLOROPHENOL	<2.0
2,4-DICHLOROPHENOL	<2.0
2,4-DIMETHYLPHENOL	<2.0
2,4-DINITROPHENOL	<10.0
2-METHYL4,6-DINITROPHENOL	<10.0
2-NITROPHENOL	<2.0

COMPOUND	RESULT
4-NITROPHENOL	<10.0
PENTACHLOROPHENOL	<10.0
PHENOL	<2.0
2,4,6-TRICHLOROPHENOL	<2.0
DATE EXTRACTED:	3/4/91
DATE ANALYZED:	3/21/91

TEST RESULTS ARE IN PARTS PER MILLION.

<=LESS THAN, NONE DETECTED.</pre>

ANALYSIS PERFORMED BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY, USEP A METHOD 625.



REPORT OF BASE/NEUTRAL

**ANALYSIS** 

Bacteriological and Chemical Testing 410 Hillside Avenue

Hillside, NJ 07205

Telephone (201) 688-8900

Fax

(201) 688-8966

REPORT # 910227126

DATE SUBMITTED: 2/27/91

CLIENT # PRS02

MATHEW KLEIN, M.S., Director HARVEY KLEIN, M.S., Lab. Supervisor

TO: PASSAIC VALLEY SEWERAGE COMM

600 WILSON AVENUE

NEWARK

07105 NJ

ATT: MR. ED. RYS

SAMPLE TYPE: INDUSTRIAL LIQUIDS

SAMPLE 10: 159494

SAMPLE LOCATION: @REICHHOLD CHEMICALS, INC.

141584/141585 P0#125618

DATE SAMPLED: 2/26/91

TIME SAMPLED:



COMPOUND	RESULT
ACENAPHTHENE	<2.0
ACEN APHTHYLENE	<2.0
ANTHR ACENE	<2.0
BENZIDINE	<10.0
BENZO(a) ANTHR ACENE	<2.0
BENZO(b)FLUOR ANTHENE	<2.0
BENZO(k)FLUOR ANTHENE	<2.0
BENZO(a)PYRENE	2.0
BENZO(ghi)PERYLENE	2.0
BENZYL BUTYL PHTHALATE	<2.0
BIS(2-CHLOROETHYL)ETHER	<2.0
BIS(2-CHLOROETHOXY)METHANE	<2.0
BIS(2-ETHYLHEXYL)PHTHALATE	<2.0
BIS(2-CHLOROISOPROPYL)ETHER	2.0
4-BROMOPHENYL PHENYL ETHER	<2.0
2-CHLORON APHTH ALENE	<2.0
4-CHLOROPHENYLPHENYL ETHER	<2.0
CHRYSENE	<2.0
DIBENZO(a_h) ANTHR ACENE	<2.0
DI-N-BUTYLPHTHALATE	<2.0
1 ,3-DICHLOROBENZENE	<2.0
1,2-DICHLOROBENZENE	<2.0
1 ,4-DICHLOROBENZENE	<2.0
3,3'-DICHLOROBENZIDINE	<2.0
DIETHYL PHTHALATE	<2.0
DIMETHYL PHTHALATE	(2.0

COMPOUND	RESULT
2,4-DINITROTOLUENE	<2.0
2,6-DINITROTOLUENE	<2.0
DI-N-OCTYLPHTHLATE	₹2.0
FLUOR ANTHENE	<2.0
FLUORENE	<2.0
HEXACHLOROBENZENE	<2.0
HEX ACHLOROBUT AD IENE	₹2.0
HEX ACHLOROCYCLOPENT ADIENE	<2.0
HEXACHLOROETHANE	<2.0
INDENO(1,2,3-cd)PYRENE	2.0
ISOPHORONE	<2.0
MAPHTHALENE	<2.0
NITROBENZENE	<2.0
N-NITROSODIMETHYL AMINE	<2,0
N-NITROSODI-N-PROPYLAMINE	<2.0
N-NITROSODIPHENYL AMINE	<2.0
PHEN ANTHRENE	<2.0
PYRENE	<2.0
1,2,4-TRICHLOROBENZENE	<2.0
	·
DATE EXTRACTED:	3/4/91
DATE ANALYZED:	3/21/91

ULTS ARE IN PARTS PER MILLION.

LESS THAN, NONE DETECTED.

ANALYSIS PERFORMED BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY, USEP A METHOD 625.

DONALD TUCKER CHAIRMAN

YMOND LUCHKO ICE CHAIRMAN

ROBERT M BURKE, JR. THOMAS J. CIFELLI DOMINIC W CUCCINELLO RONALD W. GIACONIA JAMES KRONE FRANK ORECHIO COMMISSIONERS



**600 WILSON AVENUE** NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951

CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J DAVENPORT DEPUTY EXECUTIVE DIRECTOR

> GABRIEL M. AMBROSIO CHIEF COUNSEL

> > LOUIS LANZILLO CLERK

December 12, 1991

Reichhold Chemical, Inc. 300-400 Doremus Avenue Newark, New Jersey 07105

ATTN: Robert Naujelis

Dear Mr. Naujelis:

As requested, we are attaching a copy of the lab results from our sampling at your plant.

If you have any further questions please contact Mario Graglia at (201) 817-5724.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

Joe Smith

Industrial

JS/mc

Attachments

# Monitoring Period 7/1191 thru 4/34/41

PEFORT: MUU272

PASSATO VALLEY SEWERINGE JOHN 8510WERS

11 03 791 03001 40

PUCC MONITORING REPORT

HONITORING PERIOD: 07/01/81 THRE (97/10/9)

TB:20406320

MARE: RETERMOND CHEMICALS, THE.

ATIORESS: 390-400 HORS HIS AVENUE

NEUGRIK

25.1

0.2105

981 GW (BE)	DATE	INI1	002 0310 (46/L )	(MC	188 4530 (467) - )	nus	890 0559 (834, )	[NII4	FM   7000 (MG/L   )
0,521	07/11/01		5625.0000		750, 1969			# # PP PP	5.7000
avn	SAMPLE:		5325,0000		750,0000				
1.274	08/06/91 08/31/91		8725.0000		118.0000				Sideet
443	SAMPLE!		0925.3000		116.0000				
0.851	09/04/91 09/30/91		22250,0000		204.0000				9,2000
AUG	SAMPLET		anded with		204.2900				

# Monitoring Period

ID:20403761

WAME: REICHWOLD CHEMICALS INC.

ADDRESS: 43 ALPERT AVEHUE
NEWARK NJ

VGLUME			60316 603		753 0530		240 9555		84p 9.006
(MG)	DATE	INDI	(MG/L )	3502	:H5/L \	INDE	(MS/L )	INDA	2757L
0.483	07/31/91 08/29/91				14.300 <b>0</b>				7,8000

07105

AME SAMPLE:

14.0000

15171117701

NAME: MEICHHOLD CHEMICALS INC.

ADDRESS; 46 ALBERT AVENUE

NEWARK

NJ 07105

SHUJOV (PC)	DATE	the:	087 0720 (MS/L )	IND2	CNA 0722 (MG/L )	IND3	PB 1051 (MG/L )	IND4	ZN 1092 (MG/L )
, , , , , , , , , , , , , , , , , , ,			the second section of the second section of		41 mg 446 ma 40 ma 20 mg 400 mm 400 mg 400 mg	F = 40 de Ph			
v <sup>2</sup> + <sup>10</sup> 2 w −	07/ <b>31/91</b> 09/09/91					<	0,1200		0.2810
AVS	SAMPLE:						0.1200		0.2810

1,3

Passaic Valley
Sewerage Commissioners

DONALD TUCKER
CHAIRMAN
RAYMOND LUCHKO
VICE CHAIRMAN

ROBERT M. BURKE, JR.
THOMAS J. CIFELLI
DOMINIC W. CUCCINELLO
RONALD W. GIACONIA
JAMES KRONE
FRANK ORECHIO
COMMISSIONERS

600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951 CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHIEF COUNSEL

> LOUIS LANZILLO CLERK

March 23,1992

Reichhold Chemical, Inc. 300-400 Doremus Avenue Newark, NJ 07105

ATT: Robert Naujelis

Dear Mr. Naujelis:

No GenTV

Grub Sampling

As requested, we are attaching a copy of the lab results from our sampling at your plant.

4-19

If you have any further questions please contact Mario Graglia at (201) 817-5724.

Very truly yours,

PASSAIC VALLEY-SEWERAGE COMMISSIONERS

Joe Smith


Industrial Technician II

JS/mc

Attachments

# Monitoring Period 10/1-12/31/91

•		N 19 3				
		, v (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	$\begin{array}{cccc} V & \mathcal{C} & & & & \\ & \mathcal{C}^{T} & U & & & & \\ & & \mathcal{M}U & U & V & & & & \\ \end{array}$	100 2000 2001 - Onio	646 655 665 (-)	; ; ;
	*		44.(644)	7,36.96		1 1
	On the Mark Control	And the second	12 g 10 (10° 1)			i
	Andrew State Miller	2.2 (30)	(38,000)	$a_{i}$ 4 $h$ $h$		! :
	Programme Control	18 To 18 19 19 19 19 19 19 19 19 19 19 19 19 19	180 July			;
	ON NORTH	a per a dari	or word	8. F.N.O		
	$\mathcal{H}_{\mathcal{A}} = \mathcal{I}_{\mathcal{A}} \mathcal{H}^{*} - T$	ar in a M	ng pagg			<u>:</u>
		togang maka sampangas tersoon tersoons page 1996	<b>197</b>			
		energy	$H(t) = e^{it}(\theta).$			}
		1	DM	r.;.	7 <b>)</b>	•
		. •	of Grand grand grand	(M) (M) (a) (1) (b) (M)	THE TOTAL	
				3 · *	a se sta	
				·	,	



JAMES KRONE VICE CHAIRMAN

ROBERT M. BURKE, JR.
THOMAS J. CIFELLI
DOMINIC W. CUCCINELLO
RAYMOND LUCHKO
FRANK ORECHIO
DONALD TUCKER
COMMISSIONERS

600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951 CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHIEF COUNSEL

> LOUIS LANZILLO CLERK

February 18, 1993

Reichhold Chemical, Inc. 300-400 Doremus Avenue Newark, NJ 07105

ATT: Robert Naujelis

Dear Mr. Naujelis:

As requested, we are attaching a copy of the lab results from our sampling at your plant.

If you have any further questions, please contact Mario Graglia at (201) 817-5724.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

Cris Bongiorno

I'w bonge

Industrial Technician II

CB/mc

Attachments

# MONITORING PERIOD 7/1/92 THRU12/31/92



JAMES KRONE VICE CHAIRMAN

DANIEL F. BECHT ROBERT M. BURKE, JR. THOMAS J. CIFELLI DOMINIC W. CUCCINELLO RAYMOND LUCHKO FRANK ORECHIO DONALD TUCKER COMMISSIONERS 600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951

September 15, 1993

CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHIEF COUNSEL

> LOUIS LANZILLO CLERK

Reichhold Chemical Inc. 300-400 Doremus Avenue Newark NJ 07105 Arthur Diffenbach

Dear Mr. Diffenbach:

As requested, we are attaching a copy of the lab results from our sampling at your plant.

If you have any further questions please contact Mario Graglia at (201)817-5724.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

Joe Smith

Industrial Technicial II

JS/sml


attachments

# MONITORING PERIOD 4/1/93 THRU 6/30/93

					<i>y</i>				
100 m		for 40% (10%) (10%		#!!!!	15.5 25.56 46.4 (1)	₹ ₽ <u>₹.</u> ,	ed Park May	×138	
					To the state of				
,e (	. " 1				$\chi_{ij} = \frac{\partial_{ij} \chi_{ij}}{\partial x_{ij}} \chi_{ij}$				
			214 (1.00)		$g_{\mu}\phi_{\mu}$ .		s (w		
÷ .*	4. 4.5		1-100%		1 sufferen				
	e de la seconda		51 129		i. 1809				
	7 145 7		1 (18)		: . 20%				
		,	rga ir i						
H # (178) - 174 (		$t_{i\alpha}$				1571	FE Father Father	<b>1</b> .	
	; · · · ·						•		
	Z.								

JAMES KRONE VICE CHAIRMAN

ROBERT M. BURKE, JR.
THOMAS J. CIFELLI
DOMINIC W. CUCCINELLO
RAYMOND LUCHKO
FRANK ORECHIO
DONALD TUCKER
COMMISSIONERS



600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951

July 2, 1993

CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHIEF COUNSEL

> LOUIS LANZILLO CLERK

Reichhold Chemical Inc. 300-400 Doremus Avenue Newark NJ 07105 Robert Naujelis

Dear Mr. Naujelis:

As requested, we are attaching a copy of the lab results from our sampling at your plant.

If you have any further questions, please contact Mario Graglia at (201) 817-5724.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

Joe Smith

Industrial Technician II

JS/mc

Attachments

# MONITORING REPORT 1/1/93 THRU 3/31/93

	8 %.						
		To B	1.				
		<b>*</b> *		ř		7.	
Birth. Tegh	1 2 .				lathy.		
Mark William				eric sari		) (g	
CAR CAR ST		11.00 to 0000		1. Carlow			
		9 9,0993 669 96 9		$\{(x,\partial y_i)\}$ $\{(\partial y_i)\}$		16,7%;; 1. gipi	
,82 - Jan 193		(32 A 3).		n Timos			
MO NACE POS	:41	o o antary of	Mirt Dollar Kill	$I_{i_{1},i_{2},i_{3}}$	is Mess	2 <u>;</u>	
	et in	Man 109 Lie	SEF-MA				


一种产品的现在分词,在1942年的中国的企业。

DOSTOR TO THE CONTROL OF T

**一般解析** 表述 2.5566

194 linE		602 9744	$f_{\gamma,\gamma}$	E# 9000	
(MG)	6 M. 120	435 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$Y^{i}(z) = $	reform to the time.	
		and the second of the second o	and the second of the second	• •	•
		14 1 W. M.	t dest Ange	2 760) 1889	
	•	ing , the	** 4 *	. 39	

10 Te 10



JAMES KRONE VICE CHAIRMAN

DANIEL F. BECHT ROBERT M. BURKE , JR. THOMAS J. CIFELLI DOMINIC W. CUCCINELLO RAYMOND LUCHKO FRANK ORECHIO DONALD TUCKER COMMISSIONERS 600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951 CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHIEF COUNSEL

> LOUIS LANZILLO CLERK

January 12, 1994

Mr. Arthur Dieffenbach Reichhold Chemicals, Inc. 300-400 Doremus Avenue Newark, NJ 07105

RE: SAMPLE #I- 80977

Dear Mr. Dieffenbach:

According to Section 502.3 of the Passaic Valley Sewerage Commissioners Rules and Regulations which I have enclosed for your referral, "Each industrial user or other user of the PVSC Treatment Works shall reimburse PVSC for those costs incurred if a compliance sample is sent to an outside laboratory for an analysis of one or more parameters which PVSC is not certified to perform." As such, on 09/30/93 sample(s) were taken from your location and sent to an outside laboratory for analysis. The costs for these samples were \$149.00 and are due and payable by Reichhold Chemicals, Inc. within 60 days. Please remit your check or money order for \$149.00, payable to "Passaic Valley Sewerage Commissioners" and send it directly to:

PASSAIC VALLEY SEWERAGE COMMISSIONERS

600 Wilson Avenue Newark, NJ 07105 Attn: Finance Manager.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

George F. McGehrin Finance Manager

Enclosures:

PVSC Section 502.3 Rules & Regulations.

Outside Analysis Report.

GFM:lr

cc:

Carmine T. Perrapato, Executive Director

F. D'Ascensio, Manager Industrial & Pollution Control

Bacteriological and Chemical Testing

#### 410 Hillside Avenue Hillside, NJ 07205

REPORT OF ANALYSIS VOLATILE ORGANIC COMPOUNDS Telephone (908) 688-8900 (908) 688-8966

REPORT # 931001061.0

CLIENT # PAS02

DATE SUBMITTED: 10/1/93

HARVEY KLEIN M.S., Lab Supervisor TO: PASSAIC VALLEY

MATHEW KLEIN, M.S., Director

SEWERAGE COMMISSION

600 WILSON AVENUE

**NEWARK** 

NJ 07105

ATT: MR. ED RYS

SAMPLE TYPE: INDUSTRIAL LIQUID SAMPLE ID: P.O. # 145100 1-80977

SAMPLE LOCATION:

DATE SAMPLED: 9/30/93

TIME SAMPLED:



COMPOUND	RESULT
Chloromethane	<5.0
Bromomethane	<5.0
Dichlorodifluoromethane	<5.0
Vinyl Chloride	<5.0
Chloroethane	<5.0
Methylene Chloride	<5.0
Trichlorofluoromethane	<5.0
1,1 Dichloroethylene	<5.0
1,1 Dichloroethane	<5.0
trans-1,2 Dichloroethlylene	<5.0
Chloroform	<5.0
1,2 Dichloroethane	<5.0
1,1,1 Trichloroethane	<5.0
Carbon Tetrachloride	<5.0
Bromodichloromethane	<5.0
1,2 Dichloropropane	<5.0
trans-1,3 Dichloropropene	<5.0
Trichloroethlyene	<5.0
Dibromochloromethane	<5.0
Methyl tert-Butyl Ether	<5.0
Isopropyl Ether	<5.0

COMPOUND	RESULT
1,1,2 Trichloroethane	<5.0
cis-1,3 Dichloropropylene	<5.0
Benzene	<5.0
2-Chloroethylvinyl ether	<5.0
Bromoform	<5.0
1,1,2,2 Tetrachloroethane	<5.0
Tetrachloroethylene	<5.0
Toluene	60.8
Chlorobenzene	<5.0
Ethylbenzene	85.0
p-Xylene	
m-Xylene	
o-Xylene	85.6
1,2 Dichlorobenzene	<5.0
1,3 Dichlorobenzene	<5.0
1,4 Dichlorobenzene	<5.0
cis-1,2 Dichloroethylene	<5.0
m+p-Xylene	284
Date of Analysis	10/1/93

RESULTS ARE IN PARTS PER BILLION.

<=LESS THAN, NONE DETECTED. ANALYSIS PERFORMED BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY USEPA METHOD 624.


### PART V - ADMINISTRATION

## SECTION 501 AUTHORITY, VIOLATIONS, ETC.

- These Rules and Regulations are adopted pursuant to N.J.S. 58:14-35 and appropriate State Laws and Regulations, Federal Statutes and Municipal Ordinances.
- Any violation of the Rules and Regulations including the failure to pay fees, charges, or surcharges imposed, or any conditions or limitation of a permit issued pursuant thereto shall be subject to such penalties as are provided by law. Said penalties shall be in addition to any sanctions authorized under these Rules and Regulations.
- 501.3 In addition to such penalties as may be provided by law, any person violating these Rules and Regulations shall be civilly liable for such damages as may result to the PVSC as a result of said violation.
- Notwithstanding any other provisions of these Rules and Regulations, any user who fails to comply with the Rules and Regulations shall be liable to a fine in an amount not to exceed \$50,000 per day for each day or part thereof that such violation exists. Any user who fails to submit a self-monitoring, compliance, or other report when due shall be liable to a fine not less than the amount established in Appendix C.

#### SECTION 502 FEES

- 502.1 (RESERVED)
- 502.2 (RESERVED)
- Each industrial user or other user of the PVSC Treatment Works shall reimburse PVSC for those costs incurred if a compliance sample is sent to an outside laboratory for an analysis of one or more parameters which PVSC is not certified to perform. This reimbursement provision does not apply if PVSC is certified to perform the analysis but does not. This provision can be invoked no more than two times per year per parameter.
- Each user against whom a charge is assessed, shall remit the amount due within 60 days of receipt of the notice unless specific procedures are established on a case by case basis.



JAMES KRONE VICE CHAIRMAN

DANIEL F. BECHT ROBERT M. BURKE, JR. THOMAS J. CIFELLI DOMINIC W. CUCCINELLO RAYMOND LUCHKO FRANK ORECHIO DONALD TUCKER COMMISSIONERS

**600 WILSON AVENUE** 

**NEWARK, N.J. 07105** (201) 344-1800 Fax: (201) 344-2951

CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

> GABRIEL M. AMBROSIO CHIEF COUNSEL

> > LOUIS LANZILLO CLERK

January 12, 1994

Mr. Arthur Dieffenbach Reichhold Chemicals, Inc. 300-400 Doremus Avenue Newark, NJ 07105

RE: SAMPLE #I-80969

Dear Mr. Dieffenbach:

According to Section 502.3 of the Passaic Valley Sewerage Commissioners Rules and Regulations which I have enclosed for your referral, "Each industrial user or other user of the PVSC Treatment Works shall reimburse PVSC for those costs incurred if a compliance sample is sent to an outside laboratory for an analysis of one or more parameters which PVSC is not certified to perform." As such, on 09/30/93 sample(s) were taken from your location and sent to an outside laboratory for analysis. The costs for these samples were \$298.00 and are due and payable by Reichhold Chemicals, Inc. within 60 days. Please remit your check or money order for \$298.00, payable to "Passaic Valley Sewerage Commissioners" and send it directly to:

PASSAIC VALLEY SEWERAGE COMMISSIONERS

600 Wilson Avenue Newark, NJ 07105 Attn: Finance Manager.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

George F. McGehrin Finance Manager

PVSC Section 502.3 Rules & Regulations. Enclosures:

Outside Analysis Report.

GFM:lr

Carmine T. Perrapato, Executive Director CC:

F. D'Ascensio, Manager Industrial & Pollution Control

Bacteriological and Chemical Testing

410 Hillside Avenue Hillside, NJ 07205

MATHEW KLEIN, M.S., Director HARVEY KLEIN, M.S., Lab Supervisor

REPORT OF ANALYSIS
BASE/NEUTRAL COMPOUNDS

Telephone (908) 688-8900 Fax (908) 688-8966

REPORT # 931001058.0

CLIENT # PAS02

DATE SUBMITTED: 10/1/93

TO: PASSAIC VALLEY SEWERAGE COMM

600 WILSON AVENUE

**NEWARK** 

NJ 07105


ATT: MR. ED. RYS

SAMPLE TYPE: INDUSTRIAL LIQUID SAMPLE ID: P.O. #145100 1-80969

SAMPLE LOCATION:

DATE SAMPLED: 9/30/93

TIME SAMPLED:



COMPOUND	RESULT	COMPOUND	RESULT
ACENAPHTHENE	<10	2,4-DINITROTOLUENE	<10
ACENAPHTHYLENE	<10	2,6-DINITROTOLUENE	<10
ANTHRACENE	<10	DI-N-OCTYLPHTHLATE	<10
BENZIDINE	<50	FLUORANTHENE	<10
BENZO(a)ANTHRACENE	<10	FLUORENE	<10
BENZO(b)FLUORANTHENE	<10	HEXACHLOROBENZENE	<10
BENZO(k)FLUORANTHENE	<10	HEXACHLOROBUTADIENE	<10
BENZO(a)PYRENE	<10	HEXACHLOROCYCLOPENTADIENE	<10
BENZO(ghi)PERYLENE	<10	HEXACHLOROETHANE	<10
BENZYL BUTYL PHTHALATE	<10	INDENO(1,2,3-cd)PYRENE	<10
BIS(2-CHLOROETHYL)ETHER	<10	ISOPHORONE	<10
BIS(2-CHLOROETHOXY)METHANE	<10	NAPHTHALENE	<10
BIS(2-ETHYLHEXYL)PHTHALATE	124.	NITROBENZENE	<10
BIS(2-CHLOROISOPROPYL)ETHER	<10	N-NITROSODIMETHYLAMINE	<10
4-BROMOPHENYL PHENYL ETHER	<10	N-NITROSODI-N-PROPYLAMINE	<10
2-CHLORONAPHTHALENE	<10	N-NITROSODIPHENYLAMINE	<10
4-CHLOROPHENYLPHENYL ETHER	<10	PHENANTHRENE	<10
CHRYSENE	<10	PYRENE	<10
DIBENZO(a,h)ANTHRACENE	<10	1,2,4-TRICHLOROBENZENE	<10
DI-N-BUTYLPHTHALATE	<10		
1,3-DICHLOROBENZENE	<10		
1,2-DICHLOROBENZENE	<10		
1,4-DICHLOROBENZENE	<10		
3,3'-DICHLOROBENZIDINE	<10		
DIETHYL PHTHALATE	<10	DATE EXTRACTED:	10/4/93
DIMETHYL PHTHALATE	<10	DATE ANALYZED:	10/17/93

RESULTS ARE IN MICROGRAMS/LITER.

<= LESS THAN, NONE DETECTED

ANALYSIS PERFORMED BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY, USEPA METHOD 625.

Bacteriological and Chemical Testing

410 Hillside Avenue Hillside, NJ 07205

> Telephone (908) 688-8900 Fax (908) 688-8966

REPORT # 931001058.0

MATHEW KLEIN, M.S., Director

REPORT OF ANALYSIS HARVEY KLEIN, M.S., Lab Supervisor | ACID EXTRACTABLE COMPOUNDS

NJ

TO: PASSAIC VALLEY SEWERAGE COMM

07105

CLIENT # PAS02

600 WILSON AVENUE

DATE SUBMITTED: 10/1/93

**NEWARK** 


ATT: MR. ED RYS

SAMPLE TYPE: INDUSTRIAL LIQUID SAMPLE ID: P.O. # 145100 1-80969

SAMPLE LOCATION:

DATE SAMPLED: 9/30/93

TIME SAMPLED:



COMPOUND	RESULT
4-CHLORO-3-METHYLPHENOL	<10
2-CHLOROPHENOL	<10
2,4-DICHLOROPHENOL	<10
2,4-DIMETHYLPHENOL	<10
2,4-DINITROPHENOL	<50
2-METHYL-4,6-DINITROPHENOL	<50
2-NITROPHENOL	<10

COMPOUND	RESULT
4-NITROPHENOL	<50
PENTACHLOROPHENOL	<50
PHENOL	<10
2,4,6-TRICHLOROPHENOL	<10
DATE EXTRACTED:	10/4/93
DATE ANALYZED:	10/17/93

TEST RESULTS ARE IN MICROGRAMS/LITER.

<=LESS THAN, NONE DETECTED.

ANALYSIS PERFORMED BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY, USEPA METHOD 625.


### PART V - ADMINISTRATION

### SECTION 501 AUTHORITY, VIOLATIONS, ETC.

- These Rules and Regulations are adopted pursuant to N.J.S. 58:14-35 and appropriate State Laws and Regulations, Federal Statutes and Municipal Ordinances.
- Any violation of the Rules and Regulations including the failure to pay fees, charges, or surcharges imposed, or any conditions or limitation of a permit issued pursuant thereto shall be subject to such penalties as are provided by law. Said penalties shall be in addition to any sanctions authorized under these Rules and Regulations.
- 501.3 In addition to such penalties as may be provided by law, any person violating these Rules and Regulations shall be civilly liable for such damages as may result to the PVSC as a result of said violation.
- Notwithstanding any other provisions of these Rules and Regulations, any user who fails to comply with the Rules and Regulations shall be liable to a fine in an amount not to exceed \$50,000 per day for each day or part thereof that such violation exists. Any user who fails to submit a self-monitoring, compliance, or other report when due shall be liable to a fine not less than the amount established in Appendix C.

#### SECTION 502 FEES

- 502.1 (RESERVED)
- 502.2 (RESERVED)
- Each industrial user or other user of the PVSC Treatment Works shall reimburse PVSC for those costs incurred if a compliance sample is sent to an outside laboratory for an analysis of one or more parameters which PVSC is not cartified to perform. This reimbursement provision does not apply if PVSC is certified to perform the analysis but does not. This provision can be invoked no more than two times per year per parameter.
- Each user against whom a charge is assessed, shall remit the amount due within 60 days of receipt of the notice unless specife procedures are established on a case by case basis.



DANIEL F. BECHT, ESQ. CHAIRMAN

THOMAS J. CIFELLI VICE CHAIRMAN

ROBERT M. BURKE, JR.
DOMINIC W. CUCCINELLO
RONALD W. GIACONIA
JAMES KRONE
RAYMOND LUCHKO
FRANK ORECHIO
DONALD TUCKER
COMMISSIONERS

600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951 July 12, 1994 CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

PETER G. SHERIDAN CHIEF COUNSEL

> LOUIS LANZILLO CLERK

Reichhold Chemical Inc. 300-400 Doremus Avenue Newark NJ 07105 Arthur Diffenbach

Dear Mr. Diffenbach:

As requested, we are attaching a copy of the lab results from our sampling at your plant.

If you have any questions, please call Andy Caltagirone at (201) 817-5723.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

Joséph Smith

Industrial Technician I


JS/mc

Attachments

# MONITORING REPORT 01/01/94 THRU 03/31/94

	;	4.5	4.0	
		* 4		
	• • •	Silver Community of the		
		e en		• •
	•	10000	, 4.	
	; •			
	•	* ****		
			70 X	
•				
	•	$C^* = A A c$		
		$F \simeq [1-\epsilon]$	E 17	

.... h



DANIEL F. BECHT, ESQ. CHAIRMAN

THOMAS J. CIFELLI VICE CHAIRMAN

ROBERT M. BURKE. JR.
DOMINIC W. CUCCINELLO
RONALD W. GIACONIA
JAMES KRONE
RAYMOND LUCHKO
FRANK ORECHIO
DONALD TUCKER
COMMISSIONERS

600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951 September 26, 1994 CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

PETER G. SHERIDAN CHIEF COUNSEL

> LOUIS LANZILLO CLERK

Arthur Diffenbach Reichhold Chemical Inc. 300-400 Doremus Avenue Newark NJ 07105

Dear Mr. Diffenbach:

As requested, we are attaching a copy of the lab results from our sampling at your plant.

If you have any questions, please call Andy Caltagirone at (201) 817-5723.


Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

William Cifelli

Industrial Technician II

# MONITORING REPORT 04/01/94 THRU 06/30/94



842893850



Har 2, 1801

Mr. Mike Baxi Retchhord enemicals Plant =013 400 Decemus Ave. Newark, NJ 07108

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 1/28:

Sample No: Source:	0570 <u>PVSC Discharse</u>	unaljsis <u>Method</u>
Samble Date: 4/21-4/25		
800-3. mg/l	3590	307 A
Total Suspended Solids, mg/l	16	2090*
ph. su	7.68	150.1**

\* 18th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,

Sharon & Maples

Sharon E. Naples Lab Manager



# RESEARCH AND CONSULTING, INC.

1750 W. FRONT STREET, PLAINFIELD, N. J. 07063 • (201) 757-1137

Company Name				TESTS	S
Samplers: (Signature)		No. of	1		
Sta. No. Date Time 6		tainers			Remarks
4/24/9/ 8:00	vastevater	2			
Relinquished by: (Signature) (Kornes)	Date/Time Received b (Signature				Date/Time Received by: (Signature)
Relinquished by: (Signature)	Date/Time Received b (Signature	y: V	Relinqui (Signatu	lshed by!	Date/Time Received by (Signature)
Relinquished by: (Signature)	Date/Time Received f (Signature		ory by:	Date/Time	Remarks



45 - 2, 1131

Mr. Mike Bana Borchhold Chemicals Flant =013 400 Boremus Ave. Jewans, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (i) sample of wastewater, sampled by your personnel and picked up by us on 1/1:

Sample No: Source:	0102 PVSC Discharge	Analysis <u>Hethod</u>
Sample Date: 4-10-4/11		
837-5. mg/1	1750	507 ×
futal suspended Solids, mg/l	130	2090*
pH. su	5.82	130.1**

\* 16th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,

Sharon & naples

Sharon E. Naples Lab Manager

QC Check: %



Company Name  Reichold  Proj. No. Project Name  Samplers: (Signature)  Time G Station Location						No. of con- tainers	/~	/ F	\\ \S\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	C E	\$ / /	T /	S	Rei	marks	
	4 1091	g: 20 8 W	~		wystec	water	a	~	-							
													_			
						<del></del>									· · · · · · · · · · · · · · · · · · ·	
			-	-		· · · · · · · · · · · · · · · · · · ·		_						$\left  \cdot \right $		
													-			
												<del></del>				
Relinqui (Signatu	shed by re)	Som		4/11/9	/Time	Received b (Signature		l (s	line Ign	atur	:e)	1			e/Time	Received by (Signature)
Relinqui (Signatu	shed by			Date	e/Time	Received b (Signature	у:	Re	lin	qui	shed			Dat	e/Time	Received by (Signature)
Relinqui (Signatu		<b>':</b>		Dat	e/Time	Received f (Signature		tory	by	:	Dat	e/'	Tim	e	Remar	ks



June 13, 1991

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 5/9/91:

Sample No: Source:	1213 PVSC_Discharge	Analysis <u>Method</u>
Sample Date: 5/8 - 5/9/91		
BOD-5, mg/l	15,990	507 *
Total Suspended Solids, mg/l	530	209C*
pH, su	5.48	150.1**

\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected

Very truly yours,

Sharow di Mapie

Sharon E. Naples

QC Check: <u>50</u> SEN:wo Lab Manager





							·										1
Company		^			_												
Ke	chha	,1d								7	ΓЕ	S	T S				
Proj. No.		ct Nam	e				1			[X	1	7	7	7	1//	7	
							No.		/	ZX			/ /	, ,	/ / /		
Samplers:	(Signat	ure)		· · · · · · · · · · · · · · · · · · ·			of		/	,/					//		
	Client	_					con-		\X\	/ /	/ /	/	/ /	/ /	/ /		ŀ
Sta. No.	Date	Time	Сошр.	Grab	Station	Location	tainers			/		//			/ Re	marks	
	5/8/9/	8:00	L	1	Wush	awater	2	V									
	1.77.11					<u> </u>		-								<del> </del>	
						<del></del>					-	_					
					· · · · · · · · · · · · · · · · · · ·												_
														-			1
				ļ				_									$\dashv$
		<b></b>				<del></del>											-
	<u> </u>	<u> </u>					·							_			_
Relinqui (Signatu		•		11	/Time	Received b (Signature	)	1/9	ton	a +	shed re) Nu	•		- 1 - 1	e/Time 1/2'45	Received (Signatur	e)
Relinqui	shed by	·:			/Time	Received b	y:	Re	lin	qui	shed	by	7	Dat	e/Time	Received	Ву
(Signatu	rej					(Signature	:)	\(S	ign	atu	re)				,	(Signatur	e)
Relinqui (Signatu		:		Date	Time	Received f		tory	ьу	:	Dat	e/ī	ime		Remar	ks	
L				<u> </u>	<b>+</b>	<del></del>											



June 13, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 5/23/91:

Sample No: Source:	1752 <u>PVSC_Discharge</u>	Analysis <u>Method</u>
Sample Date: 5/22 -5/23/91		
BOD-5, $mg/l$	9610	507 *
Total Suspended Solids, mg/l	450	2090*
pH, su	5.69	150.1**

\* 16th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,

Sharon E. Naples

Lab Manager

QC Check: <u>SD</u> SEN:wo



			1
Company Name			
Reichhold		TESTS	
Proj. No. Project Name	.,_		
	No.		
Samplers: (Signature)	of		
freg alconay	con-		ł
	tainers ocation	rs 8 Remarks	
C - C   4'00	ter 2		
			1
			1
			1
			1
			$\left\{ \right.$
			_
Relinquished by: Date/T (Signature) Steg Celcary 5/23/4/1	eceived by: Signature) Vuun Muon	Relinquished by: Date/Time Received by (Signature)  (Signature)  (Signature)  (Signature)  (Signature)	A
Relinquished by: Date/T (Signature)	eceived by: Signature)	Relinquished by: Date/Time Received by (Signature)	1
Relinquished by: Date/T	eceived for Labor Signature)	oratory by:   Date/Time   Remarks	



July 1, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 6/6/91:

Sample No: Source:	2318 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 6/5 - 6/6/91		
BOD-5. mg/1	10,900	507 *
Total Suspended Solids, mg/l	16	2090*
pH, su	7.14	150.1**

\* 16th Edition "Standard Methods"
\*\* USEPA

Note: nd = none detected

Very truly yours,

Sheila Durma

QC Check: K

Im Sharon E. Naples
Lab Manager

ORATORIES, INC.

· · · · · · · · · · · · · · · · · · ·			
Company Name		1	
Reichhold			TESTS
Proj. No.   Project Name		7	
		No.	/ミ/ / / / /
Samplers: (Signature)		of	/*/
Thomas Woma	<u></u>	con-	
Sta. No. Date Time	Station Location	tainers	Remarks
6/5/11 8:00 X		12	
		<del> </del>	
Relinquished by:	Date/Time   Received	by:	Relinquished by: Date/Time Recrived by:
Relinquished by: (Signature) (Nomas Jornan	6/6/9/ 11:40 (Signatur	e) ,	(Stanature) Dies Mordy 6/6/9/2:30 / My
Relinquished by:	Date/Time Received	by:	Relinquished by: Date/Time (Received by
(Signature)	(Signatur	e)	(Signature) (Signature)
Relinquished by: (Signature)	Date/Time Received (Signatur	for Labora e)	tory by: Date/Time Remarks



July 1, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 6/20/91:

Sample No: Source:	2896 PVSC Discharge	Analysis <u>Method</u>
Sample Date: 6/19 - 6/20/91		
BOD-5, mg/l	18,060	507 *
Total Suspended Solids, mg/l	410	209C*
pH. su	5.50	150.1**


\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected

Very truly yours,

Shella Dume

Jan Sharon E. Naples Lab Manager



Company Name Reichhold			TESTS		
Proj. No.   Project Name	No.		/////		
Samplers: (Signature)	of con-	3			
Sta. No. Date Time 5 2 0 0 0	tainers	s S		Remarks	
6/19/9 8:00 ×	hewater 2				
Relinquished by: Date (Signature) Woman 6/204	1 -			Pate/Time Receive	d by
Relinquished by: Date (Signature)		Relinqui (Signatu	lshed by!   D	Date/Time Receive	• 1
Relinquished by: Date (Signature)	Received for Labor (Signature)	ratory by:	Date/Time	Remarks	



Aug. 2, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 7/18:

Sample No: Source:	3819 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 7/17 - 7/18		
BOD-5, mg/l	12,140	507 *
Total Suspended Solids, mg/l	160	209C*
pH, su	5.55	150.1**

\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected

Very truly yours,

Shewar Chaples

QC Check: KEN/df

Sharon E. Naples

Lab Manager





ENVIRONMENTAL TESTING SERVICE

Company	Name (No/	4								7	ΓЕ	<u>S</u>	T_ :	S				
Proj. No.	Proje	ct Nam	e				No.			/								
Samplers:	(Signat	ure)					of con-											
Sta. No.	Date	Time	Сошр.	Grab	Station	Location	tainers	\ \@				_			Re	marks		
	7/11-18	8:00 8:00	V		EAL	icnt	2	<b>√</b>										
						············												
															***************************************	//		
Relingui (Signațu	re) /+			7   8   1 18 81	900	Received by (Signature				qui e		by	// //\	Dat	e/Time	Received b		
Relinqui (Signatu	shed by	:		Date	Time	Received by (Signature	•			qu ju a tui		by				Received b (Signature		
Relinqui (Signatu		' <b>:</b>		Date	e/Time	Received for (Signature		tory	Ъу	:	Dat	e/1	rime	2	Remar	ks		



Aug. 2, 1991

Mr. Mike Baxi Reichhold Chemicals Plant = 013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 7/3:

Sample No: Source:	3323 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 7/2 - 7/3		
BOD-5, mg/l	2760	507 *
Total Suspended Solids, mg/l	240	209C*
pH, su	6.33	150.1**

\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected

Very truly yours,

Sharox & Maples

Sharon E. Naples

QC Check: \_ SEN/df Lab Manager





Company R.e.	Name Chho	ld	·····						•		י די		Tr ·					
Proj. No.	Proje	ect Nam	e				No.	TESTS										
Samplers:			Um				of con-	/	\s\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\						'///			
Sta. No.	Date 7/2/91	Time 21.60	Сошр.		Statio	n Location	tainers						$\angle$		Rer	narks	:	
	7/3/91	8 Has	1	/	waste	enader	Q	V						_				
													•	-				
																<del></del>		
														_	<del></del>			
																Δ	1	
(Signature) (Signatur				Received b (Signature	Neroly	(s	line Bu	atur	ce) Wy	rid	1	7/3/	e/Time	6\$1gn	iture)			
Relinquished by:   Date/Time   Received				Received b (Signature	y: $V$	Re	lin	quie	shed	i b	F:	Dat	e/Time	Receiv	ved by			
Relinquished by: Date/ (Signature)			e/Time	Received f (Signature	tory	by	:	Dat	e/:	Cime	2	Remar	ks					



Aug. 23, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one sample, picked up by us on 8/9/91:

Results Sample No: generally in mg/l Source:	
Petroleum Hydrocarbons	<0.05 nd
Oil & Grease	<0.05 nd
Total Solids, %	0.016
Total Suspended Solids	1.2
BOD-5	3.0
pH, su	7.4
Total Mineral Solids, % of Total Solids	87
Mineral Suspended Solids	<1.0 nd
COD	<u>-</u> ‡
Ammonia-N	<0.1 nd
TOC	3.9

Note: nd = none detected

Very truly yours,

Sharon E. Naples

QC Check: <u>SD</u> SEN/df

Lab Manager



Com	pany	Name	Lei	chi	lol	d					r	гЕ	S	т	S		
	. No.	Proje ALC	Ct Nam CRT	e Al	16	PERM	ALYSIS.	No.									
Samp1	lers;	(Signat	utel					of con-	/		\d						
Sta.	No. Date Time E Station Location						tainers	\\ \begin{align*} /				1/2			Remarks		
ALB	ERT	8/8/91	14:15		V						V					PH=7	4
<del></del> -		8/8/91			V				V							S	END
		શ્રિશવા	14:15	1						V						エ	WOICES ETULTS
		818191	14:15	V								V		,		& K	ETULTS
		8/8/41	14:15	V									V			70	nice
	/	8/191	14:15	V										$\bigvee$		Bee	si-
																Kaj	rice ri-
	1				Received b (Signature	-	1/0	4						2/30 2/Time	Received by (Signature)		
	Received by.				Received b (Signature	у;	) Ne	lin	qui atu	shedre)	<b>i</b> b	ا: ر	Dat	e/Time	Received by (Signature)		
					Received f	for Laboratory by: Date/Time Remarks						ks					



Sept. 5, 1991

Mr. Mike Baxi Reichhold Chemicals Flant =013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 8/1:

Sample No: Source:						
Sample Date: 7/31 - 8/1						
BOD-5, mg/l	3380	507 <b>*</b>				
Total Suspended Solids, mg/l	39	209C*				
pH, su	7.5	150.1**				

\* 16th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,

Sharon & Mapies

Sharon E. Naples

Lab Manager

QC Check: <u>Sb</u> SEN/df





Company Proj. No. Samplers:	No. of con-	TESTS															
Sta. No.	Date	Time	Comp.	Grab	Station	Location	tainers	6					$\angle$		Re	marks	
	713) (વ) છી (વિ	8'00'8	V		Woster	vater	2	L									
									_	<u> </u>	_						
	-									ļ							
																	n •
						- <u> </u>											
Relinquished by: Date/Time Received 1 (Signature)  Character 8/19/10:35						(Stanatura		(S	1 <b>g</b> n	qui atu LLC	re)	voc	4	Dat Shi	e/Time	Received by (Signature)	mg.
Relinquished by: Date/Time Received 1 (Signature) (Signature)						y:	Re	el in	qui atu	shed	by	7:	Dat	e/Time	Received by (Signature)		
Relinqui (Signatu	-	<b>':</b>		Date	e/Time	Received f (Signature		tory	, Бу	· :	Dat	e/'	rime	2	Remar	ks	



Sept. 5, 1991

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 8/15:

Sample No: Source:	5004 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 8/14 - 8/15		
BOD-5, mg/l	33,340	507 *
Total Suspended Solids, mg/l	380	2090*
pH, su	<b>5.5</b>	150,1**

\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected

Very truly yours,

Sharon & Maples Sharon E. Naples

Lab Manager

QC Check: <u>SD</u> SEN/df

Company	Name CMNO	1.01															
LE.	CMMO	101								T	E 9	Т	S				
Proj. No.	Proje	ct Nam	ie				No.										
Samplers: (Signature)							of con-										
Sta. No.	Date	Time	Сощр.	1	Station	Location	tainers	\( \int_{\int_{\infty}}^{\infty} \)			//	//	//	// Re	marks		
	છો!પીવ <sub>1</sub> છો!ડીવા	80	X		waster	vater	2	L.	1								
												<u> </u>					
				<u> </u>													
			ļ			······································							1				
			<u> </u>	<u> </u>													
Relinquished by: Dat (Signature)  Ohomer Comments of			Date Styl	/Time	Received by (Signature	y: Monde	Re (\$	linq Igna Luu	ture	e)	•			Received by (Signature)			
Relindrigued ph: Date/Lime   Rec			Received b (Signature	у:	Re	linq igna	uisl	ned	by:	Da	ate/Time	Received by (Signature)					
Relinqui (Signatu		· •		Date	e/Time	Received f (Signature		tory	by:	I	Date	/Tim	ne	Remar	ks		

Sept. 9, 1991

#### CHANGES

In our increasing efforts to serve our Customers better, Townley Laboratories is pleased to announce the addition of Sheila Durma to our staff as Assistant Lab Manager.

Sheila will assist Sharon Naples in running the lab and preparing reports. She has a degree from Cook College and has been working in laboratories since 1983. Her most recent job was as a Senior Lab Tech for a municipal waste water treatment plant.

Should you have any questions, please feel free to call.

TOWNLEY LABORATORIES, INC. PLAINFIELD & LEBANON, NJ



October 2, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 9/5/91:

Sample No: Source:	5774 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 9/4 - 9/5/91		
BOD-5, mg/l	20,190	507 *
Total Suspended Solids, mg/l	450	2090*
pH, su	5.71	150.1**

\* 16th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,


Shelle Duma

Sheila Durma

Ass't Lab Manager

QC Check: \_\_\_\_\_\_\_\_SD:wo







October 2, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 9/19/91:

Sample No: Source:	6372 PVSC Discharge	Analysis <u>Method</u>
Sample Date: 9/18 - 9/19/91		
BOD-5, mg/l	10,750	507 *
Total Suspended Solids, mg/l	920	209C*
pH, su	6.06	150.1**

\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected

Very truly yours,

Special Duruma

Sheila Durma

QC Check: KD:wo Ass't Lab Manager



								,								
Company																
Re		TESTS														
Proj. No.	No.		_/	$\mathcal{A}$		7		/	777							
	NO.			3			/ /	/ /	/ / /							
Samplers: (Signature)							of		/· /›							
Client							con-	/	$\cap$ /	/ /	/ /	/ ,		/	/ /	
Sta. No.	Date	Time	Comp.	Grab	Station	Location	tainers	\/	7	/	/	/			Re	marks
	9/18/91	8:00	X		wasle	valer		L							<u> </u>	
		1														
								ļ				·				
											) <del></del>					
	<b> </b>			-				-								
Relinquished by: Date/Time (Signature)			Received by: (Signature)			Relinquished by: (Signature)						Date/Time Received by (Signature)				
Relinquished by:				7 <i>11919</i> Date	2/Time	Received b	v:	Relinquished by:							te/Time	Received by
(Signatu		•			1	(Signature		(Signature)					, .	νa	111111111111111111111111111111111111111	(Signature)
Relinqui (Signatu		<b>7</b> :		Date	e/Time	Received f (Signature		tory	Date/Tim			2	Remar	ks		



October 4, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

Gentlemen:

Herewith our findings for the analysis of one sample, picked up by us on 9/19/91:

Sample No: 6438 Source: PVSC

AC AIL

46 Albert Ave. Newark, NJ

Phenol, mg/l

QC Check: \_ SD:wo <0.05 none detected

Very truly yours,

Shela Drume

Sheila Durma

Ass't Lab Manager





CHAIN OF CUSTODY Company Name Project Name
ALBERT AVENUE TESTS Proj. No. No. Samplers: (Signature)
Mila Baxiof containers Station Location Sta. No. Date Time Remarks ALBERT 9/18/9/16.00 N grab sample Relinquished by: Received by: Date/Time Received by Date/Time Relinguished by: (Signature) (Signature) (Signature) 9/19/9/ 10:15 2:00 Duc Morely C New-Bur Monda Relinguished by: Received by: Relinquished by: Date/Time Date/Time Received by (Signature) (Signature) (Signature) (Signature) Relinquished by: Received for Laboratory by: Date/Time Date/Time Remarks (Signature) (Signature)



Oct. 10, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

Re: Albert Ave. Trucking
Operation-New Permit

#### Gentlemen:

Herewith our findings for the analysis of one sample, picked up by us on 9/19/91:

	Results	generally	Sample	No:	6436
--	---------	-----------	--------	-----	------

in ppm Source: Trucking Operation


* *	
Total Organic Carbon	6960
COD	14,740
Ammonia-N	<0.1 nd
Petroleum Hydrocarbons	120
Oil & Grease	431
Total Solids, %	1.8
Total Suspended Solids	450
Total Mineral Solids, % of Total Solids	78 .
Mineral Suspended Solids	17
BOD-5	10,770
pH, su	6.31
Phenol	0.32

Note: nd = none detected

Very truly yours,

Sheila Durma

Sheila Durma Ass't Lab Manager



37 • Fax (908) 757-0335

Company	Name	Rei	ch,	Ral	' L	· · · · · · · · · · · · · · · · · · ·									<u>.</u> ,,		
1		i	آء ا			PM(T	No. of con- tainers	\ //		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	I E STATE OF	2/			Re	marks	
Sta. No.	911819	15:48		V			1			V					5€	(N)	
perasi		15.45		V			2	V							TW	voice k Us to e Baxi.	
		15.145	· ;	V					V						Resu	US 40	
		15:48		V			1				V				mik	e Baxi.	
		15:45		V		-	1					$\checkmark$					
		15:45		V			1						V		Reic	Mour-	
	1	15:45	<u> </u>	V										V	(	Mous-	
$\bigvee$	1	15:45		V													
		<u> </u>													•	-	1
Relinquia (Signatur Cl\e,	re)			9/19/2	/Time    /0://5	Received by (Signature)	priorly	(S	lin ten	atui	ce)	,		,	e/Time 2 2:00	Received by	mel
Relinqui (Signatu	•	:		Date	Time	Received b (Signature	y: <i>Y</i>	Re	lin ign	qui	shed				e/Time	Received by (Signature)	
Relinqui (Signatu	•	:		Date	e/Time	Received for (Signature		tory	у Бу	:	Dat	e/T	1me		Remar	ks	



Nov. 4, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 10/3:

Sample No: Source:	6953 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 10/2 - 10/3		
BOD-5, mg/l	11,810	507 *
Total Suspended Solids, mg/l	100	209C*
pH, su	5.56	150.1**


\* 16th Edition "Standard Methods"
\*\* USEPA

Note: nd = none detected

Very truly yours,

Sheila Durma

QC Check: Sheila Durma
SD/df Ass't Lab Manager



Company																	
Reic	hhola	J								7	ΓЕ	Ş	T S	S			
Proj. No.	Proje	ct Nam	е								7	7	7	7	111		
							No.			Z/		' /	/ /	/	///		
Samplers:	(Signat	ure)					of		\\X								
Cli	en F						con-		\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	/ /	/ /	/ ,	/ ,	/	//		
Sta. No.	Date	Time	Comp.	Grab	Station	Location	tainers	\\(\gamma\)	3/			/		/	Re	marks	
	10/2/91	8:00	X		wash	cuatev	\										
							,										
					,										,		_
Relinqui		:	1	Date	/Time	Received b		Re	line	qui	hed	l by	<del>/:  </del>	Da	te/Time	Recei	ved by
(Signatu				ولحاه	11:36	(Signature	novely	(S		etur UC		col	,	νß,	193.00	M. Th	ved by ature)
Relinqui		:		Date	/Time	Received b	y: $\mathcal{V}$	Re	l in	qui	shed	ь у	<b>7</b> :		te/Time	Recei	ved by
(Signatu						(Signature	)	(S	ign	atur						(Sign	ature)
Relinqui (Signatu		•		Date	/Time	Received for (Signature		tory	bу		Dat	e/1	lime	1	Remar	ks	



Nov. 4, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 10/17:

Sample No: Source:	7619 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 10/16 - 10/17		
BOD-5, $mg/l$	20,450	507 *
Total Suspended Solids, mg/l	340	2090*
pH, su	6.56	150.1**

\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected

Very truly yours,

Shula Duma


Sheila Durma

Ass't Lab Manager

QC Check: \_\_ SD/df

1750 W. Front Street, Plainfield, NJ 07063 - (908) 757-1137 Fax (908) 757-0335





						<del></del>	<u> </u>										
Company	Name	آدار								ď	ר ב	e e	r c	•			
Proj. No.	Proje	ect Nam	ıe				No.			<del>/</del> <del>%</del> /	/ /	\$ ? /	7	7	///		
Samplers:	Signat	ure)	ner	~			of con-	/	/2/	Ϊ,	/,	//	/	/,			
Sta. No.	Date	Time	Сошр.	Grab	Station	n Location	tainers	\v_z							Rei	marks	
	10/16/91	0800	X		uasteu	natev	2	<i>ا</i>					-	-		-	
	ואריוטר				<u> </u>	<del></del>							$\dashv$	-	<del></del>	<u>-</u>	
													+	$\dashv$			
			-		<del> </del>								_	-	<del></del>		
													$\dashv$		· · · · · · · · · · · · · · · · · · ·		
													+		,		
Relinqui (Signator	shed by re)	! Nome	<del>د</del> ،		OP4c	Received b (Signature	<b>.</b>	1/9	1	<u>-</u> •	\	by	- 1		e/Time	Receiv (Signa	ture)
Relinqui (Signatu	shed by	:			Time	Received b	y:	Re	lin ign	qui	shed	by/	7	Dat	e/Time	Receiv (Signa	ed by
Relinqui (Signatu		<b>'</b> :		Date	e/Time	Received f (Signature		tory	by	:	Dat	e/T	ime	T	Remar	ks	



DATE: 12-18-91

	FAX	
	REIGHTOLD Chemicals MIKE BAXI	
	201-817-9173 SINCLUDING TRANSMITTAL:	3
FROM:	JANE PUZA	

NOTE:

IF TRANSMISSION IS UNCLEAR, PLEASE CALL 908-757-1137



Dec. 10. 1a

Mr. Mike Baxi
Reichhold Chemicals
Plant #013
400 Doremus Ave.
Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 11/27/91:

Sample No: Source:	9216 <u>PVSC Discharge</u>	Analysi Method
Sample Date: 11/26-27/91		
BOD-5, mg/1	9840	307 ★
Total Suspended Solids, mg/l	33	209€*
pH, su	7.14	150.18

\* 16th Edition "Standard Methods"
\*\* USEPA

Note: nd = none detected

Very truly yours,

Shila Dume

Sheila Durma

Ass't Lab Manager

QC Check: \_\_\_\_\_



Dec. 10, 1091

Mr. Mike Baxi
Reichhold Chemicals
Plant #013
400 Doremus Ave.
Newark, NJ 07105

Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 11/14/91:

Sample No: Source:	8577 PVSC Discharge	Analy <b>s</b> is <u>Method</u>
Sample Date: 11/14/91		
BOD-5, mg/l	560	507 ★
Total Suspended Solids, mg/l	12	<b>2</b> 090*
pH, su	6.04	150.1**

\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected

Very truly yours,

Sheila Durma

Sheila Durma Ass't Lab Manager

QC Check:



Dec. 10, 1991

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 11/27/91:

Sample No: Source:	9216 <u>FVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 11/26-27/91		
BOD-5, mg/l	9840	507 *
Total Suspended Solids, mg/l	33	209C*
pH, su	7.14	150.1**

\* 16th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,

Shila Dumo

Sheila Durma

Ass't Lab Manager

QC Check: \_\_\_\_\_



Company		۸															
	chhol				<del> </del>		]	<u> </u>			ΓΕ	S '	T S				
Proj. No.	Proj	ect Nam	e							/	/ /	/ /	/ /	/	/ / /		
							No.			$\langle t \rangle$					' / /		
Samplers;	Signal	yre)					of			7				/	/ /	ļ	
Samplers	smus/	Kom	KN				con-	/	12/	/ /	/ /	/ /	/ /	/	/ /	ļ	
Sta. No.	Date	Time	Сошр.	Grab	Station	Location	tainers	8		/	//	//	//	/	Rer	narks	
	11/26/91	8.00	X		PUSC N	Discharge	2	L									
									-								
						<u></u>								$\perp$			
		ļ										_	1	$\downarrow$			
	ļ							ļ					-	_			
		<del> </del>			·			-				_	+	-			
	-							-				_	-	-	1		
	<del> </del>					<del></del>						-		-			
Politogat	ahad hy	<u> </u>	L	Date	/Time	Received b	<u> </u>	l P o	14-		shed				- /T/ T	D	
Relingui (Signatu	re)	man		1 1	10:45	(Signature	y: Morrh	16	ton	- a + 111	ra)	1	- 1		e/Time	Received by: (Signature)	()
Relinqui			<del></del>		/Time	Received b	y:	Re	lin	qui	shed	bý	: I	at	e/Time	Received by	rme-
(Signatu	re)					(Signature	)		ign			,				(Signature)	
Relinqui (Signatu	-	*		Date	/Time	Received f (Signature		tory	Ъу	:	Dat	e/T	ime		Remari	K B	



Dec. 10, 1991

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 11/14/91:

Sample No: Source:	8577 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 11/14/91		
BOD-5, mg/l	560	507 *
Total Suspended Solids, mg/l	12	2090*
pH, su	6.04	150.1**

\* 16th Edition "Standard Methods"
\*\* USEPA

Note: nd = none detected

Very truly yours,

Sheila Duma

Sheila Durma

Ass't Lab Manager

QC Check: K



Company Name  Reichhold  Proj. No. Project Name  Samplers: Signature)  Sta. No. Date Time E Station Location							No. of con-				r E	\$ /	T :	S				
Sta. No.	Date	Time	Сошр.	l l	Station	Location	tainers	\c <u>\</u>		$\angle$		_	$\angle$	$\angle$	Re	marks		
	ા/૧५/૧	São	V		waste	water	2	<i>L</i>										
					··													
					<del></del>	***************************************												
																· · · · · · · · · · · · · · · · · · ·		
					<del></del>					-						1		
Relingui (Signatu	shed by	men			/Time	Received b (Signature	-	1/0	_	qui atu			- 1	Dat	e/Time	Hecei Maign	ved by:	
Relinqui (Signatu	shed by				/Time	Received b	y:	Re	el in	qui atu	shed	Ь	<i>i</i> :	Dat	te/Time	Recei	ved by:	
Relinqui (Signatu		•		Date	Time	Received f		tory	Ъу	:	Dat	e/1	1 ime	2	Remar	ks		



Dec. 19, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of water, sampled by your personnel and picked up by us on 12/3:

Source: <u>Trucking Water</u>

Sample Date: 12/2

TSS, mg/l 270

BOD, mg/l 6850

Petr. HC, mg/l 8.9

Oil & Grease, mg/l 29

pH, su 6.52

Very truly yours,

Sheila Dume

Sheila Durma

Ass't Lab Manager



# TENLEY LABORATORIES, INC ENVIRONMENTAL TESTING SERVICE

Company	Name	hold	,								ГΕ	Ş	Т :	S		
Proj. No.	Proje	ect Nam	е				No.			64/	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7	/	7	///	
Samplers: (Signature)				of con-	/	\b'\o\ / / / /										
Sta. No.	Date	Time	Comp.			on Location	tainers	1				_	$\angle$		Re	marks
	12/2/91	4:45		~	tru	ching water	1	1		!						
	12/2/91	4:45		~	Truc	ching water hing water	ı		/							
Relinqui (Signatu X		•			8:45	Received b	y: agheri		lin ign			by	<b>/</b> :	Dat	e/Time	Received by (Signature)
Relinqui (Signatu	•	;		Date	Time	Received b (Signature	بمو		lin	-		l by	<b>/:</b>	Dat	e/Time	Received by (Signature)
Relinqui (Signatu	_	<b>7</b> :		Date	e/Time	Received f (Signature		tory	by	:	Dat	e/′	Cime	2	Remar	ks



	SFAX S
MPANY: TN:	Reichhold Mike Beri
X NO: _	1-201-817-9173 S INCLUDING TRANSMITTAL: ?
)M: _ <u>&gt;</u>	7ry
TE:/	
TE: <u>2/</u>	ese sign Chain of Costody by X's

IF TRANSMISSION IS UNCLEAR, PLEASE CALL 908-757-1137

Reichhold Chemicals, Inc.
Coating Polymers & Resins Division
400 Doremus Avenue
Newark, NJ 07105


fax - 908-757-0335-

### REICHHOLD

TO Streifa Darmarron Mile Baxi
DATE 12(03/91 TIME 1:00 P,M
NO. OF PAGES(including cover sheet) 2
ADDITIONAL MESSAGE:
Enclosed please find the change
Custody form for the sumple picked up
134 B. Bapheri
Di Generi -







Company	Name	hold	/								ſЕ	ş	_ Т 5	5		
Proj. No.	Proje	ect Nau	ie				No.		/	64	16	7	1	T	1//	
Samplers:	(Signat	ure			<del></del>		of		$\sqrt{g}$	)) (	<b>)</b> /			/		
* /	nia	- 13.	cki				con-		P	/ v */	7	/ /	/ /	/ /	/ /	
Sta. No.		Time	:			n Location	tainers	K	3/4			/	/,	//	Re	marks
	12/2/91	4:45				ching water	ļ	1								
	4/5/51	4:45		~	Truck	sing water	1		/							
					7	0										
															_, <del>_</del>	
		<del> </del>	<u> </u>													
			<u> </u>											_		
		<u> </u>														
Relinqui	abad by	<u> </u>	Ĺ,	Date	/Time	Received b		l no	145						-/	7
(Signatu	re) (a	BAX	1	12/3/41	8:45	(Signature	agheri		ign		shed (e)	. Оу	/ ·	vac	e/Time	Received by: (Signature)
Relinqui (Signatu	shed by re)	:			/Time	Received b	<del>92.</del>		lin ign		shed (e)	by	7:	Dat	e/Time	Received by: (Signature)
Relingui (Signatu		:		Date	/Time	Received for (Signature		tory	by		Dat	e/1	ime		Remar	kg



Dec. 19, 1991

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of two samples, sampled by us on 11/21/91:

Note: nd = none detected

Very truly yours,

Sheila Durma Ass't Lab Manager

Shila Duma

### Bridgeport Environmental VOLATILE ORGANIC ANALYSIS DATA

OB NUMBER AMPLE NUMBER	F6933			MATRIX DILUTION FACTOR	Water 1000.00		
LIENT ID		8937		QA BATCH			
HATA FILE	>D3163			DATE ANALYZED	12/03/	91	
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		*********	******	医聚化甘甘油 医医耳耳氏 医红红色 医红红红斑	********	*********	*******
COMPOUND		UG/L	MDL	COMPOUND		UG/L	MDL
8==167=187=1961=	***********	*********	21352231	**********		*********	****
Acrylonitrile		NO	50000	o-Xylene		ND	5000
Benzene		ND	5000	Toluene		180000	5000
Bromodichlorometh	hane	ND	5000	1,1,1-Trichloroet	hane	СM	5000
Bromoform		NO	5000	1,1,2-Trichloroet	hane	КD	5000
Carbon Tetrachio	ride	NO	5000	Trichloroethene		Ю	5000
Chlorobenzene		ND	5000	Vinyl Chloride		GM	5000
Chloroform		ND	5000	Acrolein		NO	50000
Dibromochlorometh	nané	ND	5000	Chloroethane		HD	5000
1,1-Dichloroethan	ne	ND	5000	2-Chloroethylviny	lether	NO	10000
1,2-Dichloroethar		ND	5000	1,3-Dichloroproper		MD	5000
1,1-Dichloroether		NO	5000	Bromomethane		NÜ	10000
1.2 Dichloroprope		NO	5000	Chloromethane		NO	10000
Enzene		ND	5000	1,2-Dichloroethene	(trans)	ND	5000
Me lene Chloric	de	10000 B	5000	m-Dichlorobenzene		ND	5000
1, ,2-Tetrachlo		ND	5000	p-Dichlorobenzene		ND	5000
Tetrachloroethene		ND	5000	o-Dichlarobenzens		ND	5000
						• • •	,

SURROGATE COMPOUNDS	* RECOVERY	LIMITS	STATUS
1,2-Dichloroethane-d4	98.9	76 - 114	OK
Toluene-d8	105	88 - 110	OK
Bromofluorobenzene	82 <b>.2</b>	86 - 115	

5000

ND

m&p-Xylenes

<sup>(</sup>J) Indicates detected below MDL

<sup>(</sup>B) Indicates also present in blank

<sup>(</sup>ND) Indicates compound not detected

### Bridgeport Environmental UDLATILE DRGANIC ANALYSIS DATA

JOS HUMBER		MATRIX	Water
SAMPLE NUMBER	F6934	DILUTION FACTOR	1003.00
CLIENT 10	\$138	QA BATCH	
DATA FILE	>03164	DATE ANALYZED	12/03/91

********************		*****	*******************	**********	*****
COMPOUND	UG/L	MDL	COMPOUND	UG/L	MOL
Acrylonitrile		50000		48000	- 5000
Benzene	ďИ	5000	Toluene	4700 J	5000
Bromodichloromethane	NO	5000	1,1,1-Trichloroethane	NO	5000
Bromoform	ÜH	5000	1,1,2-Trichlorosthans	ND	5000
Carbon Tetrachloride	NO	5000	Trichlorgethene	ND	5000
Chlarobenzene	אט	5000	Vinyl Chloride	ND	5000
Chloroform	110	5000	Acrolein	ИО	50000
Dibromochloromethane	ND	5000	Chloroethane	ND	5000
1,1-Dichloroethane	ND	5000	2-Chloroethylvinylether	110	10000
1,2-Dichloroethane	10	5000	1,3-Dichloropropens	ND	5000
1,1-Dichloroethene	CIM	5000	Bromomethane	OH	10000
12-Dichloropropane	<b>Q</b> N	5000	Chloromethane	NO	10000
ilbenzene	22000	5000	1,2-Dichloroethene(trans)	C!f	5000
hylene Chlorida	6700 B	5000	m-Dichlorobenzene	ИО	5000
,2,2-Tetrachloroethans	CH!	5000	p-Dichlorobenzene	ND	5000
Tetrachloroethene	NO	5000	o-Dichlorobenzene	Ю	5000
måp-Xylenes	72000	5000			

SURROGATE COMPOUNDS	* RECOVERY	LIMITS	STATUS
1,2-Oichloraethane-d4	98.0	76 - 114	OK
Toluene-d8	101	88 - 110	ΟK
Bromofluorobenzene	98.9	86 - 115	OK

<sup>(</sup>J) Indicates detected below MOL

<sup>(8)</sup> Indicates also present in blank

<sup>(</sup>ND) Indicates cumpound not detected



SEMIVOLATILE ORGANICS DATA SHEET

BASE/NEUTRALS

USEPA METHOD 625

Sample No: 8937 Matrix: Water

Source: Old Loading Dock-12.5

 Level:
 Low
 Extraction:
 Sep. Funnel
 pll:
 6.50

 Spl Size:
 100 ml
 % Solids:
 N/A
 Dil. Factor:
 200.0

 Date Smpl:
 11/21
 Date Extr:
 11/22
 Date Anal:
 12/2

Units: ug/l

COMPOUND	MDL	AMOUNT	COMPOUND	MDL	AMOUNT
Acenaphthene	496.0	U	1,4-Dichlorobenzene	244.0	U
Acenaphtylene	208.0	U	3,3'-Dichlorobenzidine	32.0	U
Aniline	222.0	U	Diethyl phthalate	2700.0	U
Anthracene	258.0	U	Dimethyl phthalate	3800.0	U
Azobenzene	200.0		2,4-Dinitrotoluene	62.0	U
Benzidine	370.0		2,6-Dinitrotoluene	264.0	U
Benzo(a)anthracene	120.0	U	Di-n-octyl phthalate	490.0	U
Benzo(b)fluoranthene	170.0	U	Fluoranthene	106.0	U
Benzo( $k$ )fluoranthene	238.0	U	Fluorene	214.0	U
Benzoic Acid	70.0	U	Hexachlorobenzene	126.0	U
Benzo(a)pyrene	176.0		Hexachlorobutadiene	188.0	U
Benzo(ghi)perylene	112.0	U		76.0	
Benzyl Alcohol	272.0	U		220.0	
Bis(2-chloroethyl)ether	164.0	U	Indeno $(1,2,3$ -cd)pyrene	32.0	U
Bis(2-chloroethoxy)methane	188.0	U	Isophorone	208.0	U
Bis(2-chloroisopropyl)ether	164.0	U	2-Methylnaphthalene	226.0	1951.5
Bis(2-ethylhexyl)phthalate	170.0	U	Napthalene	214.0	3320.8
4-Bromophenylphenylether	94.0	U	2-Nitroaniline	176.0	U
Butylbenzylphthalate	200.0	U	3-Nitroaniline	124.0	
2-Chloronaphthalene	150.0	U	4-Nitroaniline	22.0	U
4-Chlorophenylphenylether	170.0	U	Nitrobenzene	138.0	U
Chrysene	126.0	U	N-nitrosodimethylamine	38.0	U
Dibenzo(a,h)anthracene	50.0	U	N-nitrosodiphenylamine	176.0	U
Dibenzofuran	200.0	U	N-nitrosodi-n-propylamine	176.0	U
Di-n-butylphthalate	452.0	U	Phenanthrene	156.0	U
1,2-Dichlorobenzene	144.0	U	Pyrene	194.0	U
1,3-Dichlorobenzene	176.0	U	1,2,4-Trichlorobenzene	176.0	U

NOTE: MDL = Method Detection Limit

If the result is equal to or greater than the MDL, the value is reported

U = compound analyzed for but not detected

J = estimated value

B = compound also found in Lab Blank



SEMIVOLATILE ORGANICS DATA SHEET

ACID EXTRACTABLES

USEPA METHOD 625

Sample No: 8937 Matrix: Water

Source: Old Loading Dock-12.5

Level: Low Extraction: Sep. Funnel pll: 6.50 Spl Size: 100 ml % Solids: N/A Dil. Factor: 200.0 Date Smpl: 11/21 Date Extr: 11/22 Date Anal: 12/2

Units: ug/l

COMPOUND	MDL AMO	UNT COMPOUND	MDL AMOUNT	
4-Chloro-3-methylphenol	150.0 U	4-Methylphenol	564.0 U	
2-Chlorophenol	132.0 U	2-Nitrophenol	138.0 U	
2,4-Dichlorophenol	120.0 U	4-Nitrophenol	62.0 U	
2,4-Dimethylphenol	276.0 U	Pentachlorophenol	76.0 U	
4,6-Dinitro-2-methylphenol	200.0 U	Phenol	226.0 U	
2,4-Dinitrophenol	18.0 U	2,4,5-Trichlorophenol	174.0 U	
2-methyl-4,6-dinitrophenol	100.0 U	2,4,6-Trichlorophenol	126.0 U	
2-Methylphenol	264.0 U		;	

NOTE: MDL = Method Detection Limit

If the result is equal to or greater than the MDL, the value is reported

U = compound analyzed for but not detected

J = estimated value

B = compound also found in Lab Blank



SEMIVOLATILE ORGANICS DATA SHEET ACID EXTRACTABLES USEPA METHOD 625

Sample No: 8938

Matrix: Water

Source: Old Loading Dock-14

Level: Low Spl Size: 100 ml Extraction:

Sep. Funnel

7.00 pII:

Date Smpl: 11/21

% Solids:

N/A Date Extr: 11/22 Dil. Factor: 600.0

Date Anal: 12/2

Units: ug/l

COMPOUND	MDL	AMOUNT	COMPOUND	MDL	AMOUNT
4-Chloro-3-methylphenol	450.0	U	4-Methylphenol	1692.0	Ü
2-Chlorophenol	396.0	U	2-Nitrophenol	414.0	U
2,4-Dichlorophenol	360.0	U	4-Nitrophenol	186.0	U
2,4-Dimethylphenol	828.0	U	Pentachlorophenol	228.0	U
4,6-Dinitro-2-methylphenol	600.0	U	Phenol	678.0	U
2,4-Dinitrophenol	54.0	U	2,4,5-Trichlorophenol	522.0	U
2-methyl-4,6-dinitrophenol	300.0	U	2,4,6-Trichlorophenol	378.0	U
2-Methylphenol	792.0	U			•

NOTE: MDL = Method Detection Limit

If the result is equal to or greater than the MDL, the value is reported

U = compound analyzed for but not detected

J = estimated value

B = compound also found in Lab Blank



SEMIVOLATILE ORGANICS DATA SHEET

BASE/NEUTRALS

USEPA METHOD 625

Sample No: 8938

Matrix: Water

Source: Old Loading Dock-14

Level: Low Extraction: Sep. Funnel pII: 7.00 Spl Size: 100 ml % Solids: N/A Dil. Factor: 600.0 Date Smpl: 11/21 Date Extr: 11/22 Date Anal: 12/2

Units: ug/l

COMPOUND	MDL	AMOUNT	COMPOUND	MDL	AMOUNT
Acenaphthene	1488.0	1369.8	1,4-Dichlorobenzene	732.0	U
Acenaphtylene	624.0	U	3,3'-Dichlorobenzidine	96.0	U
Aniline	666.0	U	Diethyl phthalate	8100.0	U
Anthracene	774.0	U	Dimethyl phthalate	11400.0	U
Azobenzene	600.0	U	2,4-Dinitrotoluene	186.0	U
Benzidine	1110.0	U	2,6-Dinitrotoluene	792.0	U
Benzo(a)anthracene	360.0	U	Di-n-octyl phthalate	1470.0	U
Benzo(b)fluoranthene	510.0	U	Fluoranthene	318.0	U
Benzo(k)fluoranthene	714.0	U	Fluorene	642.0	U
Benzoic Acid	210.0	U	Hexachlorobenzene	378.0	U
Benzo(a)pyrene	528.0	U	Hexachlorobutadiene	564.0	U
Benzo(ghi)perylene	336.0	U		228.0	U
Benzyl Alcohol	816.0	U	Hexachloroethane	660.0	U
Bis(2-chloroethyl)ether	492.0	U	Indeno(1,2,3-cd)pyrene	96.0	U
Bis(2-chloroethoxy)methane	564.0	U	Isophorone	624.0	U
Bis(2-chloroisopropyl)ether	492.0	U	2-Methylnaphthalene	678.0	2668.4
Bis(2-ethylhexyl)phthalate	510.0	U	Napthalene	642.0	28793
4-Bromophenylphenylether	282.0	U	2-Nitroaniline	528.0	U
Butylbenzylphthalate	600.0	U	3-Nitroaniline	372.0	U
2-Chloronaphthalene	450.0	U	4-Nitroaniline	66.0	
4-Chlorophenylphenylether	510.0	U	Nitrobenzene	414.0	U
Chrysene	378.0	U	N-nitrosodimethylamine	114.0	U
Dibenzo(a,h)anthracene	150.0	U	N-nitrosodiphenylamine	528.0	U
Dibenzofuran		1347.9	N-nitrosodi-n-propylamine	528.0	U
Di-n-butylphthalate	1356.0	U	Phenanthrene	468.0	
1,2-Dichlorobenzene	432.0	U	Pyrene	582.0	U
1,3-Dichlorobenzene	528.0	U	1,2,4-Trichlorobenzene	528.0	U

NOTE: MDL = Method Detection Limit

If the result is equal to or greater than the MDL, the value is reported

U = compound analyzed for but not detected

J = estimated value

B = compound also found in Lab Blank

Company Name	_									ГΕ	S	T S			
Proj. No.   Proj		e				No.		/	7	7/	7	7/	7/		
Samplers: (Signa	Λ					of con-	/	/ <del>\</del>	5		1	/,	//		
Sta. No. Date	Time	Comp.	Grab	Station	n Location	tainers	/-	3/					//	Re	marks
11/2/19	1:50		Χ	12/2	ry gock # standing water	4	V	/	\						
11/21/41	1:55		Х	01d lead # 14 5	ing Docke	4	V		1						
	-				·		<u> </u>					_	-		
											_	-	_		
					<del></del>							+	+		
					1			<u> </u>						,	
Relinquished by (Signature) Duu V			Date  2147	7 ime 3:00	Received by Signature	)		lin ign			l by	':   <sup>1</sup>	Date	Time	Received by (Signature)
Relinquished by: Date/Time Received			Received b (Signature	•		lin Sign			Ь	·:	Date	Time	Received by (Signature)		
Relinquished b (Signature)	y:		Date	Time	Received f		tory	у Бу	:	Dat	e/1	ime		Remar	ks



Jan. 2, 1932

Mr. Mike Bani Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 12/19:

Sample No: Source:	0080 <u>PVSC Discharge</u>	Analysis <u>Methad</u>
Sample Date: 12/18 - 12/19		
BOD-5, mg/l	74,950	507 ×
Total Suspended Solids, mg/l	52	209C*
рН, su	8.68	15().[**

\* 16th Edition "Standard Methods" \*\* USEPA

Note: nd = none detected


Very truly yours,

Sheila Durma

Sheila Druma

Ass't Lab Manager

QC Check: \_\_\_\_\_\_\_\_SD/df



_																	
Company	Name Nhol	J	<u> </u>							7	E	S	Т :	S			
Proj. No.	Proje	ect Nam	ie				No.			<u> </u>	7	1	1	7	///	7	
Samplers:	(Signat	ure)	ites	ml-	aftom	<i>\$</i> h	of con-	/									
	Date	Time	Comp.			Location	tainers								Re	marks	
	12/18/91 12/19/91	8'w 8'æ	V			nater	2	V									
		ļ					1										
			<u> </u>		<b>'</b>												
Relinqui (Signatu (Vina)	re) for	nen		12/91	/Time ////5	Received by (Stanture	)	(s	ling Inne	tur	e)	۸	':     	12/19	e/Time	(3) ggai	ture)
Relinqui (Signatu	•	:		Date	/Time	Received by (Signature	y: -	Re	lino	lu 1 s	shed		<b>/:</b>	Dat	te/Time	Receive (Signat	ed by
Relinqui (Signatu		' <b>:</b>		Date	e/Time	Received for (Signature		tory	by:		Dat	e/1	1me	2	Remar	ks	



Jan. 2, 1992

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 12/5:

Sample No: Source:	9446 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 12/5		
BOD-5, mg/l	1190	507 *
Total Suspended Solids, mg/l	16	2090*
pH. su	6.46	180.1**

\* 16th Edition "Standard Methods" \*\* USFP4

Note: nd = none detected

Very truly yours,

Sheila Duma

Sheila Druma

Ass't Lab Manager





																		7
Con		y Name		n														
	K	eich!	No/0	人			·				7	ΓЕ	Ş	T S	5			
Proj	. No		ect Nam					1			V.	Τ	7	7	7	/	1	
								No.			$\mathcal{O}_{\lambda}$			′ /	/	/ / /		
Samp	lers	Signal	ture)					of	/ <i>St</i> / / / / /									
	6/2	me.	,//65	me:	<u> </u>				/	/~/ / / / / /								
Olemas Jomen						con-	/	12/ / / / / / / / / / / / / / / / / / /								1		
St <b>a.</b>	No.	Date	Time	Сошр	Grab	Station	Location		1		/	/ /		/,	/	/ Re	marks	
		12/5	8/8	24 in			SC Dictte	2	V							(3.	46	
																······································		1
		<del> </del>				<u>-</u>							_					1
		<u> </u>	<del> </del>			<del> </del>		<del>                                     </del>										-}
		<u> </u>															··	
													,					
																		]
	<del>- 1 7 - 1 - 1</del>	<del> </del>						<del> </del>										1
	· · · .	<del> </del>	<del></del>															_
		<u> </u>																
Rel:	nqui	shed by	': 1			/Time	Received b	y:	Re	line	qui	shed	by	·: \	Dat	e/Time	Received by	·}
(218	JUL S	re)	mis of	z-	17/11	100	(Signature	Mod	7 (3	18hi	Atui Lia	re)	10.77	الزكير	2/5	B) B) LO	(Signeture)	40
		shed by	7:		Date	/Time	Received b	y: Z	1		1		by	1	Dat	e/Time		
(Sig	gnatu	re)					(Signature	2)	(S	ign	atui	re)					(Signature)	
	Inqui gnatu	shed by	7:		Date	e/Time	Received f		tory	by	:	Dat	e/1	ime	:	Remar	ks	-
()				ļ				•					1					



February 4, 1992

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 1/2/92:

Sample No: Source:	0263 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 1/1 - 1/2/92		
BOD-5, mg/l	2510	507 *
Total Suspended Solids, mg/l	220	209C*
pH, su	6.27	150.1**

\* 16th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours.

Shele Dunc

Sheila Durma

Ass't Lab Manager

QC Check:



Company		. 0																
K	reich	hold						TESTS										
Proj. No.	Proje	ect Nam	e								/	7	7	$\mathcal{T}$	777	7		
							No.			$\sigma_{x}$			/ /	/	/ / /			
Samplers	(Signat	ture)					of		/ v	$\gamma$					//			
Samplers:	me	1100	ra	£	<del></del>		con-	/		/	/ /	/	/ ,	/ ,	/ /			
Sta. No.	Date	Time	Совр.	Grab	Station	Location	tainers	12	3/					/	/ Re	marks		
	1/2/92	800	X		waster	vater	2	V	1									
															- · · · · · · · ·			
		<u> </u>				<del>"</del>	<u> </u>											
						<del></del>												
		<u> </u>										·						
<del> </del>	<u> </u>				<del></del>	<del></del>												
	<del> </del>	<del> </del>								<del> </del>						<del></del>		
							<u> </u>	-							<u> </u>		<i>t</i>	
			<u>L_</u>		<u> </u>		<u> </u>											
14 71	Relinquished by: (Signature) (Signature) (Signature)				/Time	Received b	•	1/0	10	qui:	\	-	1		te/Time	121	ved by: lature)	
Relinqui	Relinquished by: Date/Ti					Received b	y:	Re	l in	qui:	shed	b	<del>]  </del>	Dat	te/Time	Rece	ved by	
(Signatu	(Signature) (Sign					(Signature	)			atu		•				•	ature)	
Rel inqui	-	<b>/</b> :		Date	e/Time	Received f		tory	ьу	: ]	Dat	e/1	rime		Remar	ks		
(Signatu	Signature)					(Signature	ire)											



January 7, 1892

Mr. Mike Bani Reichhold Chemicals, Inc. 400 Doremus Ave. Newark, NJ - 07105

Ref: Monthly OCPSF Analysis

Dear Mr. Baxi:

Thank you for your request for quotation for the monthly analysis of PVSC wastewater for OCPSF categorical parameters. I am pleased to submit our Proposal 0107921 covering the analysis of samples taken by you and picked up by us on a monthly basis. Townley will provide sample bottles and preservatives.

We thank you for this opportunity to quote and look forward to hearing from you in this regard.

Very truly yours,

Albert M. Fischer

albert M. Fischer

AMF/df



### Proposal for Reichhold Chemicals OcPSF Analyses

Townley Laboratories agrees to perform the analyses and provide the services described below for the price listed.

For a fee of \$ 750/month, Townley Laboratories will pickup UCFSF samples taken by Reichhold and analyze the samples by the toilowing methods:

<u>Parameters</u>	Method
Volatile Organics	EPA 624 GC/NS
Acid Extractable Organics	EPA 625 GC/MS
Base/Neutrals Organics	EPA 625 GC/MS
Total Cyanide	EPA 335.2
Total Lead	EPA 239.1
Total Zinc	EPA 289.1

Townley will pickup samples on a prescheduled monthly basis at Reichhold and drop off bottles and preservatives at no additional cost.

Terms of payment are net 30 days.



· ..

Mr. Mike Baxi
Reichhold Chemicals
Plant #013
400 Doremus Ave.
Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one  $1 < 3 \, \rm ample = 17$  wastewater, sampled by your personnel and picked up by us on 2/27:

Sample No: Source:	2365 <u>PVSC Discharge</u>	Analysis M <u>eth</u> od
Sample Date: 2/26 - 2/27		
BOD-5, mg/l	7 9	507 *
Total Suspended Solids, mg/l	17	209C*
pH, su	7.22	150.1**

\* 16th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,

Shula During

QC Check: Sheila Durma
SD/df Ass't Lab Manager

## TOWNLEY GRAM

Townley Laboratories Plainfield, NJ

No. 6

"CONSTANT VIGILANCE"

Feb. 12, 1992

### **NEW INSTRUMENT**

We have recently purchased a Lachat QuikChem AE (2 Channel) Automated Analyzer for selected Wet Chemistry analyses. Initially, ammonia, cyanide, nitrate/nitrite, TKN and phosphorus will be automated. The instrument has been installed and our personnel are currently undergoing training in its operation.

This will allow us to increase our thruput, keep more comprehensive QC records and timately hold down the cost of the testing. A random access sampler was purchased with the instrument, which allows unattended operation.

This is part of our continuing program to keep up to date with the latest technology to ensure the best quality results with fast turnaround times at competitive prices.



April 6, 1992

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 3/19:

Sample No: Source:	3263 <u>PVSC Discharge</u>	Analvsis <u>Method</u>
Sample Date: 3/18 - 3/19		
BOD-5, mg/l	59	507 <b>*</b>
Total Suspended Solids, mg/l	33	209C*
pH, su	8.24	150.1**

\* 16th Edition "Standard Methods"
\*\* USEPA

Note: nd = none detected

Very truly yours,

Shala Duma

Sheila Durma

Ass't Lab Manager

QC Check: 12 SD:wo








							· · · · · · · · · · · · · · · · · · ·										
Company	Name CVV	الماه								<u> </u>	ΓE	S	т :	S	,		!
Proj. No.			ie				No.		_/	<del> </del>		Ť/	7	7	///		
Samplers:	(Signat	ure)			<del></del>	<del></del>	of		/5	?/				_/	/ /		
Cl	ient						con-	/	0/	/	/ /	/ ,	/	/,	//		
Sta. No.	Date	Time	Совр.	Grab	Station	Location	tainers	1							Rei	marks	
	3/18/92 3/19/92	8:00 8'00	X	·	wosten	vater									PH28	24	
	·																
									L								
																	,
Relinqui	shed by	:		Date	/Time	Received b	y:			qu1				Dat	te/Time	Recei	ved by
(Signatu	cy t				11:00	(Signature	Moody		DU	atu	M	viz	4	3/191	1 2:4	(\$1g)	ature)
Relinqui		;			/Time	Received b	y:	Re	lin	qu1	shed	1 b;	1:	Da	te/Time	Recei	ved by
(Signatu						(Signature				atu						(Sign	ature)
Relinqui (Signatu		<b>' •</b>		Date	2/Time	Received f (Signature		tory	Ъу	:	Dat	t e/'	Γím	e	Remar	ks	



1750 W. Front Street, Plainfield, N.J. 07063 • (9C \_ 3





CHAIN OF CUSTODY

=																	
Company Red	Name	old								T	ГЕ	Ş	T 5	5			
Proj. No.	Proje	ct Nam	е				No.		,	#/ 2/	//	1	1	7	///		
Samplers:							of		\2 \2								
$C_{i}$	li en t						con-	/	/ ~/	/ /	/ /	/ ,	/ ,	/ /	/ /		
Sta. No.	Date	Time	Comp.	Grab	Station	Location	tainers	200						/	Re	marks	
	2/26/92	8:00	入		Waste	nater		V							7.2	2	-
												-					
															· · · · · · · · · · · · · · · · · · ·		
Relinqui (Signatu	•	:		1 1	/Time	Received b (Signature		Re (S	line	u1s tur	hed e)	by	72/2	Dat	e/Time	Regeive Usignat Le Receive	d by ure)
Relinqui (Signatu	shed by				/Time	Received b (Signature	y: /	(S	igna	tur	hed e)	l by	,:	Dat	e/Time	Receive (Signat	d by ure)
Relinqui (Signatu	-	:		Date	e/Time	Received f (Signature		cory	by:		Dat	e/1	ime		Remar	ks	



March 13, 1992

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 2/27:

Sample No: Source:	2365 PVSC Discharge	Analysis <u>Method</u>
Sample Date: 2/26 - 2/27		
BOD-5, mg/l	79	507 *
Total Suspended Solids, mg/l	17	2090*
pH, su	7.22	150.1**

\* 16th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours.

Shula Durma

Sheila Durma

Ass't Lab Manager

QC Check: \_ SD/df



May 5, 1992

Mr. Mike Baxi Reichhold Chemicals Plant #013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 4/16:

Sample No: Source:	4334 PVSC Discharge	Analysis <u>Method</u>
Sample Date: 4/15 - 4/16		
BOD-5, mg/l	930	507 *
Total Suspended Solids, mg/l	72	209C*
pH, su	7.88	150.1**

\* 16th Edition "Standard Methods" \*\* USEPA


Note: nd = none detected

Very truly yours,

Shula Durma

QC Check: Sheila Durma
SD/df Ass't Lab Manager

:750 W. Front Street. Plainfield, NJ 07063 (908) 757-1137 - Fax (908) 757-0335



CHAIN OF CUSTODY

Company Name  Reconstruction  Remarks  Relinquished by: (Signature)																		
Proj. No. Project Name  No. Of Cicont  Sta. No. Date Time of Station Location  Sta. No. Date Time of Station Location  Remarks  ### ### ### ### ### ### ### ### ### #	• • • • •																	
Samplers: (Signature)  Click  Sta. No. Date Time & Station Location	Ke	ichh	615								7	E	S 7	r s				
Sta. No. Date Time of Station Location Remarks    Validation   Date   Time of Station Location   Remarks   Remarks	Proj. No.	Proje	ect Nam	e				] <sub>No</sub>		7	-/ /	7	1	7	1	///	7	
Relinquished by: (Signature)  Relinquished by: (Signature)  Pate/Time Received by: (Signature)  Relinquished by: (Signature)  Pate/Time Received by: (Signature)  Click  Relinquished by: (Signature)  Click  Remarks  Relinquished by: (Signature)  Relinquished by: (Signature)  Relinquished by: (Signature)  Received by: (Signature)  Signature)  Remarks  Remarks  Remarks								No.			Ž/					' / /		
Sta. No. Date Time & Station Location Station Location & Remarks  ### Station Location	•	_						of		1 2					/	/ /		
Relinquished by:  (Signature)  Relinquished by:  (Signature)  Date/Time Received by:  (Signature)  Pate/Time Received by:  (Signature)  Date/Time Received by:  (Signature)  Pate/Time Received by:  (Signature)  Relinquished by:  (Signature)  Received by:  (Signature)  Received by:  (Signature)  Received by:  (Signature)  Remarks	G	lien	r					con-	/	' /	′ /	/ /	/ /	/	' /	/ /		
Relinquished by: (Signature)  Date/Time Received by: (Signature)  Date/Time Received by: (Signature)  Relinquished by: (Signature)  Date/Time Received by: (Signature)  Relinquished by: (Signature)  Relinquished by: (Signature)  Relinquished by: (Signature)  Received for Laboratory by:  Remarks	Sta. No.	Date	Time	Сошр.	Grab	Station	Location	tainers	\ <u>C</u>	8/		/,	/,	//	/	/ Re	marks	
(Signature)  Cuent  (Signature)		4/15/42	8:00			Waster	rater		V									
(Signature)  Cuent  (Signature)																		
(Signature)  Cuent  (Signature)																		
(Signature)  Cuent  (Signature)																		
(Signature)  Cuent  (Signature)															1		· · · · · · · · · · · · · · · · · · ·	
(Signature)  Cuent  (Signature)								<del></del>	<del> </del>				_					
(Signature)  Cuent  (Signature)								<b> </b>	<del>                                     </del>				+	-	+			
(Signature)  Cuent  Hudan 11:40  Cuent  Relinquished by:  (Signature)  Relinquished by:  (Signature)  (Signature)  (Signature)  Relinquished by:  (Signature)  Relinquished by:  (Signature)  Relinquished by:  (Signature)  Remarks		<del> </del>		<del>                                     </del>					<del>                                     </del>				-	-	$\dashv$			
(Signature)  Cuent  (Signature)			<del> </del>	ļ				<del> </del>	-									
(Signature)  Cuent  (Signature)	Relingui	shed by	<u> </u>	<u> </u>	Date	/Time	Received b	<u> </u>	Re	lino	ule	shed	by		at	e/Time	Received	by
Relinquished by:  (Signature)  Date/Time Received by: Relinquished by: Date/Time Received by: (Signature)  Relinquished by: Date/Time Received for Laboratory by: Date/Time Remarks	(Signatu	re)				1	(SAPhature	2)	(S	∕ŋgna	tur	(e)	٨			ĺ		re)
Relinquished by: Date/Time Received for Laboratory by: Date/Time Remarks	Relinqui	shed by	·:				Received b	y:	Re	ling	qu 1 e	shed	Ву				Received	by
, , , , , , , , , , , , , , , , , , , ,	(Signatu	re)					(Signature	e)	(S	igna	tur	(e)					(Signatu	re)
	1	•	•		Date	/Time			tory	by:		Dat	e/T:	lme		Remar	ks	



June 5, 1992

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 5/21:

Sample No: Source:	5869 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 5/20 - 5/21		
BOD-5, mg/l	260	5210B *
Total Suspended Solids, mg/l	2.0	2540D *
pH, su	7,5	150.1**

\* 17th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,

Sharon drcollani

Sharon Ercoliani Lab Manager

QC Check:

SE/df

# SINCE 1980

CHAIN OF CUSTODY

Company	chha	,12								7	E	Ş	Т :	S			
Proj. No.	Proje	ct Nam	ie				No.			15/	//	1	1	1	///		
Samplers:	(Signat						of con-	/	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		/ ,	//	/,	//			
Sta. No.	Date	Time	Сошр.	Grab	Station	Location	tainers								Re	marks	
	5/20/92 5/21/92	8:00	X		waste	nater		V							PH 7	.5	
					-											··· ·	
										_	_	_					
																·	
												_	-				<del></del>
										_					· · · · · · · · · · · · · · · · · · ·		
					• • • • • • • • • • • • • • • • • • •												
					(m.;												
Relinqui (Signatu	re)				Time   12'10	Received b (Signature Duu Received b	Ň	10	11ng 19ns De	itur uk	e) W	אזמי	4, 5	Dat	e/Time	Received	d by ure)
Relinqui (Signatu		•		Date	2/Time	Received b (Signature	y; :)	Ré	lino igna	quie	hed	bу	<i>l</i> :	Dat	e/Time	Received (Signatu	d by
Relinqui (Signatu		•		Date	e/Time	Received f (Signature		tory	by:		Dat	e/T	ime		Remar	ks	•



July 1, 1992

Mr. Mike Baxi Reichhold Chemicals Plant =013 400 Doremus Ave. Newark, NJ 07105

#### Gentlemen:

Herewith our findings for the analysis of one (1) sample of wastewater, sampled by your personnel and picked up by us on 6/18:

Sample No: Source:	7125 <u>PVSC Discharge</u>	Analysis <u>Method</u>
Sample Date: 6/17 - 6/18		
BOD-5, mg/l	190	5210B *
Total Suspended Solids, mg/l	55	2540D *
pH, su	7.5	150.1**

\* 17th Edition "Standard Methods"

\*\* USEPA

Note: nd = none detected

Very truly yours,

QC Check: my

Sharon Ercoliani Lab Manager



CHAIN OF CUSTODY

							1										1
Company	/ Name				ſ	<b>4</b> )											1
				D	(Dorem	ius Air.)				7	C E	S '	T :	S			
Proj. No.	Proje	ct Nam	e							′	Γ	/ ,			///	/	
	İ						No.		$\frac{1}{6}$	<u>~</u> /			/	/ /	/ / /		
Samplers:	(Signat	ure)			<del> </del>		of		/	4					//		
		$\mathcal{C}$	lier	r t			con-	/	[2]								
Sta. No.	Date	Time	Сошр.	Grab	Station	Location	tainers	\\\d	\$\f			/,	/		/ Re	marks	
	6-17-92	9:00	X		PUSC U	Pischarge	1								oll on	ite - 7.5	$\exists$
															<b>T</b>		$\neg$
	<del> </del>		<u> </u>				<b></b>										$\dashv$
					·		ļ. <u></u>								·		$ \bot $
												Ì					
				<u> </u>								$\neg$					{
		ļ	<del> </del>					ļ									_
	<u> </u>																
}	<del> </del>	<b></b> -	<del> </del>		<u> </u>	<u>.</u>							$\dashv$			<del>.</del>	
	Ì			}												-	
Rel inqui	shed by	:	1	Date	/Time	Received b	y:	Re	line	qui:	shed	by	:	Dat	e/Time	Regetved	by :
(Signatu	$\mathcal{C}$	lient		6/8/92	10:15	(Signature	()	(S	1gna	tur	(e)	an	$ a ^{2}$	4/8/4	12 3:15	(Signatur	e)
Relinqui	ished by	:		Date	e/Time	Received t	у:	Re	lino	qui	shed		:	Dat	e/Time	Received	• 1
(Signatu	(Signature) (Signatu							(S	igna	atui	re)					(Signatur	e)
Relinqui (Signati	_	<b>':</b>		Dat	e/Time	Received f		tory	by	:	Dat	e/T	ime	2	Remar	ks	
	·																



## LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

SAMPLE

LAB No. DATE

TIME 20560 10/15/93

SAMPLER CLIENT

DELIVERY TO LAB

DATE TIME MATRIX

10/19/93 0900 WW

CLIENT STATION ID:

LAB #:

EFFLUENT 20560

DATE: 11/16/93

CYANIDE, TOTAL LEAD, TOTAL

ZINC, TOTAL

mg/L mg/L 0.04 <0.1

mg/L

0.31

LABORATORY DIRECTOR

(567-1337)

11D Route 4 @ Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

#### DATA REPORTING QUALIFIERS-ORGANIC

For reporting results, the following "Results Qualifiers" are used:

2015671333

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for, but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compound (library search hits, where a 1:1 response is assumed.)
    - 2) When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analyte's concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factor.

IA
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMP	LE NO.
------	--------

**EFFLUENT** 

Lab Name:	СНЕМТЕСН		Contract:	REICHHOLD CHE	MICAL,INC.
Project No.:	2922	Site:	Location:		Group:

Matrix: (soil/water) WATER Lab Sample ID: O20560

Sample wt/vol: 5 (g/mL) ML Lab File ID: V2797.D

Level: (low/med) Date Received: 10/15/93

% Moisture: not dec. 100 Date Analyzed: 10/19/93

GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

#### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q	
74-87-3	Chloromethane	10	U	
74-83-9	Bromomethane	10	U	
75-01-4	Vinyl Chloride	10	U	
75-00-3	Chloroethane	10	U	
75-09-2	Trichlorofluoromethane	10	U	
7 <b>5-</b> 09-2	Methylene Chloride	10		
67-64-1	Acetone	22		
75-15-0	Carbon Disulfide	5	U	
75-35-4	1,1-Dichloroethene	5	U	
75-34-4	1,1-Dichloroethane	5	U	
- 540-59-0	1,2-Dichloroethene (total)	5	Ū	
67-66-3	Chloroform	5	U	
107-06-2	1,2-Dichloroethme	5	U	
78-93-3	2-Butanone	10	U	
71-55-6	1,1,1-Trichloroethane	0.4	J	
56-23-5	Carbon Tetrachtoride	5	U	
75-27-4	Bromodichloromethane	5	U	
78-87-5	1,2-Dichloropropage	5	U	
10061-01-5	cis-1,3-Dichloropropene	5	U -	
79-01-6	Trichloroethene	5	U	
124-48-1	Dibromochloromethane	5	U	
79-00-5	1,1,2-Trichloroethane	5	U	
71-43-2	Benzene	5	U	/
10061-02-6	trans-1,3-Dichloropropene	5	U	
7 <b>5</b> -25-2	Bromoform	5	U	
108-10-1	4-Methyl-2-Peutanone	10	U	
591-78-6	2-Нехипопе	10	Ū	
127-18-4	Tetrachloroethene	5	U	
79-34-5	1,1,2,2-Tetrachloroethane	5	U	
108-88-3	Toluene	14		
108-90-7	Chlorobenzene	5	U	
100-41-4	Ethylhenzene	32		
100-42-5	Styrene	5	U	

Page 1 of 2

SAMPLE NO.

1A		
<b>VOLATILE ORGANICS ANALYSIS</b>	DATA	SHEET

Lab Name: CHEMTE		GANICS ANALYSIS DATA SHEET  Contract: REICHHOLD CHE	EFFLUENT MICAL, INC.
Project No.: 2922	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	-
Sample wi/vol:	5 (g/mL) <u>M</u>	Lab File ID:	V2797.D
Level: (low/med)		Date Received:	10/15/93
% Moisture: not dec.	100	Date Analyzed:	10/19/93
GC Column: DB-624	ID: 0.5	53 (mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
1330-20-7	m+ p-Xylenes	79	
1330-20-7	o-xylene	24	
	·		
		<del></del>	
	***		
		<del></del>	
<b></b>			<del></del>
ļ			

FORM I VOA

Page 2 of 2

3/90

10

112			
SEMIVOLATILE ORGANICS	<b>ANALYSIS</b>	DATA	SHEET

- 1	1	EFFL'	UE
TTN	7	****	

SAMPLE NO.

Lab Name: CHI	емтесн	C	ontract:	REICHHOLD CHEMICAL, INC
Project No.: 2922	2s	ite: Lo	ocation:	Group:
Matrix: (soil/wate	er) WATER			Lab Sample ID: 020560
Sample wt/vol:	1000.0(g/r	nL ML		Lab File ID: \$1615.D

Level: (low/med) Date Received: 10/19/93

% Moisture: 100 decanted: (Y/N): N Date Extracted: 10/20/93

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/2/93

Injection Volume: 1.0 (uL) Dilution Factor: (.0

GPC Cleanup: (Y/N) N pH:

#### Concentration Units:

		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	92	
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
95-50-1	1,2-Dichlorobenzene	10	υ
100-51-6	Benzyl alcohol	7.3	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	2-Methylphonol	5	J
108-60-1	bis(2-chloroisopropyl)ether	10	U
106-44-5	4-Methylphenol	10	U
621-64-7	N-Nitroso-di-n-propylamine	10	Ū
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	Ū
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	υ
120-83-2	2,4-Dichlorophenol	10	U
65-85-0	Benzoic Acid	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
106-47-8	4-Chlorosniline	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chioro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	Ū
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4.5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	Ū
88-74-4	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	6.1	J
208 <del>-9</del> 6-8	Acensphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	U

FORM I SV

Page 1 of 2

3/90

Level: (low/med)

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

	5	AN	1P	LE	N	۵
--	---	----	----	----	---	---

Date Received: 10/19/93

ाराज्य प	TIENT

Las Maile. CiteMie	Cn	Contract:	REICHHOLD CHEMICAL,INC
Project No.: 2922	Site:	Location:	Group:
Matrix: (soil/water)	WATER		Lab Sample ID: 020560
Sample wt/vol:	1000.0 (g/mL ML		Lab File ID: S1615.D

% Moisture; 100 decanted: (Y/N): N Date Extracted: 10/20/93

Concentrated Extract Volume: 1000 (uL)

Date Analyzed: 11/2/93

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) \_\_\_\_N \_\_\_\_PH: \_\_\_\_\_

#### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	υ
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4,6-Dinitro-2-methylphonol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phonanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	4.8	J
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	υ
85-68-7_	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	Ų
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylbexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
205-99-2	Benzo(b)tluoranthene	10	U
207-08-9	Benzo(k)fluoraothene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indexo[1,2,3-cd]pyrene	10	υ
53-70-3	Dibenz(a,h)anthracene	10	U
191-24-2	Benzo(g,h,i]perylene	10	U

### ADDITIONAL REQUIREME

RECCHAOLD CHEMICALS, IN 400 DOREMUS AVENUE Nowark, NJ 07/05

ATTN: Nite Ba

1		Cas #
	Early of Francisco	
(), <u>-</u>	CAMBRIC STREET	
1_	Benzené	71-43-2
2	Carbon Tetrachloride	<i>≤</i> 6 · <i>2</i> 3- <i>≤</i>
3	Chlorobenzene	108- 90-7
4	1,2,4,-Trichlorobenzene	120 - 82 - 1
5_	Hexachlorobenzene	118-74-1
- 6	1,2-Dichloroethane	107-06-5
7	1,1.1-Trichlomethane	71-55-6
8	Hexachloroethane	67-72-1
9	1,1-Dichloroethane	75-34-4
10	1,1,2-Trichlorgemene	79.00-5
_	Chloroethane	75-003
	Chioroform	67-66-3
	1,2-Dichlorobenzene	95.50-1
	1,3-Dichlorobenzene	541-73-1
_	1,4-Oichlorobenzene	106-46-7
-	1,1-Dichloroethylene	75-35-4
_	1,2-Trans-Dichlorgethylene	540-59-0
_		78.87.5
	1.2-Dichloropropane	1006-01-5
		100-41-4
	Ethylbenzane	75-09-2
_	Methlyene Chloride	- 10.2
	Methyl Chloride (Chloromathane)	87-68-3
	Hexachiorobutadiana	98,95.3
	Nitrobenzene	88.75.5
_	2-Nitrophenol	100-05-4
	4-Nitropnenol	
_	4,5-Dinitro-O-Cresci	534-52
	Tetrachloroethylane	127-18-4
_	Toluene	108.88.3
	Trichiaraethylene	79.01.6
31		75.01.4
	Total Cyanide	1
33		/
14	Total Zinc	

\*REGULATED VOLUME = GPD 0
# OF PRODUCTION DAYS = 21
MASS LIMITS (g/DAY, #/DAY, K/
COLUMN C = VOLUME
COLUMN D = AVERAGE REGUL/
COLUMN E = MAXIMUM REGUL

fat No '491-00 M. Bax 201-491-00 M. Bax 842893932

~

1A VOLATILE ORGANICS ANALYSIS DATA SHEET SAMPLE NO.

**EFFLUENT** 

Lab Name:	СНЕМТЕСН		Contract:	REICHHOLD CHEM	<u> IICAL</u>
Project No.:	3001	Site:	Location:		Group:

Matrix: (soil/water) WATER Lab Sample ID: O21266

Sample wt/vol: Lah File ID: V2999.D 5.0 (g/mL) ML

Level: (low/med) Date Received: 11/9/93

% Moisture: not dec. 100 Date Analyzed: 11/12/93

GC Column: DB624 ID: 0.53 Dilution Factor: 1.0 (mm)

Soil Aliquot Volume: (uL) Soil Extract Volume: \_(uL)

#### Concentration Units:

		Concentration Units:	
CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	52	
67-64-1	Acetone	13	
75-15-0	Carbon Disulfide	0.2	J
75-35-4	1,1-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	Ü
78-93-3	2-Butanone	17	
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	υ
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	Ü
71-43-2	Benzene	10	Ü
10061-02-6	trans-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	υ
79-34-5	1,1,2,2-Tetrachioroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzone	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U

1A VOLATILE ORGANICS ANALYSIS DATA SHEET				SAMPLE NO.		
		E ORGANIO			,	LUENT
Lab Name: CHEMTE	СН		Contract:	REICHHOLD CHEN	IICAL .	
Project No.: 3001	Site:		Location:		Group:	
Matrix: (soil/water)	WATER			Lab Sample ID:	O21266	_
Sample wt/vol:	5.0 (g/mL)	ML		Lab File ID:	V2999.D	_
Level: (low/med)				Date Received:	11/9/93	•
% Moisture: not dec.	100			Date Analyzed:	11/12/93	•
GC Column: DB624	ID:	<u>0.53</u> (n	m)	Dilution Factor:	1.0	-
Soil Extract Volume:	(uL)			Soil Aliquot Volume:		(uL)
		C	oncentration	n Units:		
CAS No.	Compound	(1)	ig/L or ug/]	Kg) ug/L	Q	
1330-20-7	m+ p-Xylenes			10	U	
1330-20-7	o-xylene			10	U	
		<del></del>	<del> </del>			
<u> </u>						}
			<b></b>			
<b></b>						
-	·					ı
						l

## 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

	-	-

SAMPLE NO.

Lab Name: CHEMIECH		Contract:	REICHHOLD CHEMICAL, INC		
Project No.:	3001	Site:	Location:		Group:

Matrix: (soil/water) WATER Lab Sample ID: O21266

Sample wt/vol: 1000.0 (g/mL ML Lab File ID: \$1703.D

flevel: (flow/med) Date Received: 11/9/93

Moisture: 100 decanted: (Y/N): N Date Extracted: 1/13/93

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/17/93

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N \_ pH:

#### Concentration Units:

		Concentration Units:		
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q	
108-95-2	Phenol	26		
111-44-4	bis(2-Chloroethyl)ether	10	Ų	
95-57-8	2-Chlorophenol	10	U	
95-50-1	1,2-Dichlorobenzene	10	U	
100-51-6	Benzyl alcohol	[0		
541-73-1	1,3-Dichlorobenzene	10	U	
106-46-7	1,4-Dichlorobenzene	10	U	
95-48-7	2-Methylphenol	10	U	
108-60-1	2,2'-oxybis(1-Chloropropane)	10	Ū	
106-44-5	4-Methylphenol	10	U	
621-64-7	N-Nitroso-di-n-propylamine	10	Ū	
67-72-1	Hexachloroethane	10	U	
98-95-3	Nitrobenzene	10	U	
78-59-1	Isophorone	2.6	J	
88-75-5	2-Nitrophenol	10	U	
105-67-9	2,4-Dimethylphenol	10	Ü	
111-91-1	bis(2-Chloroethoxy)methane	10	Ų	
120-83-2	2,4-Dichlorophenol	10	U	
65-85-0	Benzoic Acid	10	U	
120-82-1	1,2.4-Trichlorobenzene	10	U	
91-20-3	Naphthalone	3.3	J	
106-47-8	4-Chloroaniline	10	U	
87-68-3	Hexachlorobutadiene	10	U	
59-50-7	4-Chloro-3-methylphenol	10	U	
91-57-6	2-Methylnaphthalene	10	U	
77-47-4	Hexachlorocyclopentadiene	10	U	
88-06-2	2,4,6-Trichlorophenol	10	Ü	
95-95-4	2.4.5-Trichlorophenol	50	U	
91-58-7	2-Chloronaphthalene	10	U	
88-74-4	2-Nitroaniline	50	U	
131-11-3	Dimethylphthalate	10	U	
208-96-8	Acenaphthylene	10	U	
506-20-2	2,6-Dinitrotoluene	10	U	

ţ <b>B</b>	SAMPLE NO
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET	
	VI

Lab Name: CHEMTEC	CH		Contract:	REICHHOLD CHEMICAL, INC	
Project No.: 3001	_	Site:	Location:	Group:	
Matrix: (soil/water)	WATER	_		Lab Sample ID: O21266	
Sample wt/vol:	1000.0	_(g/mL ML		Lab File ID: S1703.D	
Level: (low/med)		_		Date Received: 11/9/93	
% Moisture: 100	_	decanted: (Y/N):	N	Date Extracted: 1/13/93	
Concentrated Extract Vol	ume:	1000 (uL)		Date Analyzed: 11/17/93	
Injection Volume:	1.0	_(uL)		Dilution Factor: 1.0	
GPC Cleanup: (Y/N)	N	рН	•		

#### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50	Ŭ
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	Ū
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	Ū
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	U
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	Ü
534-52-1	4,6-Dinitro-2-methylphenol	50	Ū
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	Ū
56-55-3	Benzo[a]anthracene	10	ט
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
205-99-2	Benzo[b]fluoranthene	10	U
2 <b>0</b> 7-0 <b>8</b> -9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	Ŭ
53-70-3	Dibenz[a,h]anthracene	10	Ū
191-24-2	Benzo[g,h,i]perylene	10	U

842893936



## LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC.

300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

SAMPLE

LAB No. DATE TIM

21266 11/09/93

DATE TIME SAMPLER

CLIENT

DELIVERY TO LAB

DATE TIME MATRIX

11/09/93 0900 WW

CLIENT STATION ID:

LAB #: 21266

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL mg/L

<0.01

EFFLUENT

DATE: 11/23/93

mg/L

<0.1 0.65

LABORATORY DIRECTOR

110 Route 4 ● Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

Chamtech (a boratory) -cc 567-1333 acr. Mélita, lab manager Mile Baxi Env Engr Reichhold Chamicals, Inc USO POREMUS AVE MEWANK, MT 07/05 Puge. Nov. (7, (273) Jake Placeze fill out the constitution TON MISC OCPSE Paralleter Cisted I affected sheet. Themle > -Aville Brien Called old - Mewant

#### ADDITIONAL REQUIREME

Car H.

REICHMOLD CHEMICAN, INC GOT TORE MUST FIVE MUCE NOWNE, NT 87/01 1 PTIN: ALIKE BUX

**************************************	
	EFFLUENT
#	CHARACTERISTICS
1	Benzene
2	Carbon Tetrachloride
3	Chlorobenzene
4	1,2,4,-Trichlorobenzene
5	Hexachiorobenzene
6	1,2-Dichloroethane
7	1,1,1-Trichloroethane
8	Hexachloroethane
9	1,1-Dichloroethane
10	1,1,2-Trichloroethane
11	Chloroethane
12	Chloroform
13	1,2-Dichlorobenzene
14	1,3-Dichlorobenzene
15	1,4-Dichlorobenzene
16	1,1-Dichloroethylene
17	1,2-Trans-Dichloroethylene
18	1,2-Dichloropropane
19	1,3-Dichloropropylene
20	Ethylbenzene
21	Methlyene Chloride
22	Methyl Chloride (Chloromethane)
23	Hexachlorobutadiene
24	Nitrobenzene
25	2-Nitrophenol
26	4-Nitrophenol
27	4,6-Dinitro-O-Cresol
28	Tetrachloroethylene
29	Toluene
30	Trichloroethylene
31	Vinyl Chloride
32	Total Cyanide
33	Total Lead
34	Total Zinc

\*REGULATED VOLUME = GPD D
# OF PRODUCTION DAYS = 211
MASS LIMITS (g/DAY, #/DAY, K
COLUMN C = VOLUME
COLUMN D = AVERAGE REGULA
COLUMN E = MAXIMUM REGUL

fax No. 491-0074. Baxi
201-491-M. Baxi

842893939

## P. TREATMENT MONTTORING REPOR

Name Reichhold	Chemicals Inc.
	400 Doremus Ave.
Facility Location	Newark, N.J. 07105
Category & Subpart_	40 CFR 414.55 & E Outlet 20406320~44100-0201
Contact Offical	Telephone 201-589-3709
Monitoring Period	
12 01 93 12 3 Mo. Day Yr. Mo. Da	Total Plow-gal/day
Start End	

1		<del></del>			<del></del>	<del></del>
		) 			No. of	Sample ty
Parameter		Mass Limi		112-14-2	-1	Comp./gri
		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	0101037	0.01095	GRAMS	1	
BENZENE	Permit requirement	1.74602	4.10469	GRAMS	11	CRAB
	Sample measurement	0.10.375	0.10946	GRAMS	1	
CARBON TETRA	Permit requirement	4.34974	11.64016	GRAMS	1	CRAB
011131111	Sample measurement	0.00830	0.00876	GRAMS	1	
CHLORO- BENZENE	Permit requirement	4.34974		CRAMS	1	CRAB
	Sample measurement	0.20749	0.21892	GRAMS		
1,2,4, TRI CHLOROBENZENE	Permit requirement	6.00387	-,	GRAMS	]	COMPOSITI
	Sample measurement	0.20749	0.21892	GRAMS	1	
HEXACHLORO RENZENE	Permit requirement		24.32181	GRIMS	11	COMPOSITE
	Sample measurement	0.00415	0.00438	GRAMS		_
1,2, DICHLORO	Permit requirement	5,51376	17.58277	GRAIS	1	GRAB
	Sample measurement	6.00622	0.00657	GRAMS		
1,1,1, TRI CHLOROETHANE	Permit requirement		1.80729	GRAUS	1	GRAB
	Sample measurement	0.20749	0.21842	GRAMS		
HEXACHLORO ETHANE	Permit requirement	6.00337	24.32181	Genns	1	COMPOSITE
	Sample measurement	0-10375	0.10946	GRAMS		
1,1, DICHLORO	Permit requirement		1.80729	GRAMS	1	GRAB

- MOULTORING BEEN I	
---------------------	--

Name Reichhold Chemicals Inc.					
Mailing Address 400 Doremus Ave.					
Pacility Location Newark, N.J. 07105					
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201				
Contact Offical	Telephone 201-589-3709				
Monitoring Period	Por Reporting Period				
12 61 93 (231 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5485 5787  Total Flow-gal/day 15,321  Method used				
Start End Production rate (if applicable)					

	<u> </u>						
	Parameter		Mass Limi	t		No. of	Sample typ
	Farameter		Average	Maximum	Units	Samples	Comp./gra
					1 0.2.5		1
1	<del></del>	Sample measurement	0.10575	0.10946	GRAMS	1	
	1,1,2, TRI-	Permit requirement	0.00000	7 6 9 4 3 4			CDAD
-	CHLOROETHANE			3.89026	GRANS	<del>                                     </del>	CRAB
l		Sample measurement	0.20749	0.21892	GRAMS	1	_
	CHLOROETHANE	Permit requirement	3.36952	9.03644	GRAMS	1	GRAB
1		Sample measurement	0.02282	0.02408	GRAMS	1	}
	CHLOROFORM	Permit requirement	3.40015	9.95540	62.7~15	1	GRAB
i		Sample measurement	C.20149	0.21842	GRAMS		
	1,2, DICHLORO BENZENE	Permit requirement		24.32181	CARTIS	1	COMPOSITE
1	<u> </u>	Sample measurement	0.2.749	0.21892	GRAMS		
	1,3, DICHLORO RENZENE	Permit requirement	4.34974	11.64016	GRAMS	1	COMPOSITE
I		Sample measurement	0.20749	0.21842	GRAMS	1	
	1,4, DICHLORO BENZENE	Permit requirement	4-34974	11.64016	GRANIS	1	COMPOSITE
Ţ		Sample measurement	0:10375	0.10446	GRAMS		
# 4	1,1, DICH <b>LO</b> RO ETHYLENE	Permit requirement	0.67390	1-83792	GRAMS	1	GRAB
H		Sample measurement	0110375	0.10946	GRAMS		
c	1,2, TRANS DI- HLOROETHYLENE	Permit requirement	0.76580	2.02171	627145	1	CRAB
1	·····	Sample measurement	0.10375	0.10946	ERAMS	1	
	1,2, DICHLORO PROPANE	Permit requirement	6.00587	24.32181	162ms	1	CRAB

## PRETERATMENT MONTTORING REPORT

Name Reichhold Chemicals Inc.	·				
Mailing Address 400 Doremus Ave.					
Pacility Location Newark, N.J. 07105					
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201				
Contact Offical	Telephone 1 201 500 3700				
Monitoring Period	Por Reporting Period				
12 01 93 12 31 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5,485 5,787  Total Flow-gal/day /5/32/  Method used				
Start End Production rate (if applicable)	<u> </u>				

Parameter		Mass Limi	t		No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./grai
	Sample measurement	0.26749	0,21842	GRAMS	1	
1,3, DICHLORO PROPYLENE	Permit requirement	6.00387	24.32181	GRAYS	1	GRAB
	Sample measurement	0122824	0.24081	GRAMS	1	
ETHYL BENZEN	Permit requirement	4,34974		GRAMS	1	CRAB
	Sample measurement	0-10447	0.11603	GRAMS		
METHYLENE CHLORIDE	Permit requirement		5.20744	G47115	11	CRAB
	Sample measurement	0.20749	0.21892	GRAMS		_
METHYL CHLORIDE	Permit requirement	3 36952		G23715	11_	CRAB
	Sample measurement	0.20749	0.21842	GRAMS		
HEXACHLORO BUTADIENE	Permit requirement	4.34974	11.64016	62.2245	1	COMPOSITE
	Sample measurement	0.20749	0.21842	GRAMS		
NITROBENZENE	Permit requirement		196.10610	GETHS	1	COMPOSITE
	Sample measurement	0.20749	0.21842	FRAMS	1	
2-NITRO PHENOL	Permit requirement	1.99108	7.07599	62245	11	COMPOSITE
	Sample measurement	1:03747	1.04459	GRAMS		_
4-NITRO PHENOL	Permit requirement		17.64403	G22-15	1	COMPOSITE
	Sample measurement	1,637K7	1.09459	GRAMS		_]
4,6, DINITRO OHEGRESOL	Permit requirement	2.38938	8.48507	624-15	}	COMPOSITE

	LKKIKKY	THERTM	DMITURING	REPORT		
. NameR	eichhold Chemicals I	nc.				
Mailing Add	iress 400 Doremus A	ve.				
Pacility Loc	ation Newark, N.J.	07105				
Category &	Subpart 40 CFR 414	.55 & E	Outl	et# 20406	320-44100-	-0201
Contact Off	Tical			none# 201-		
12 Ol 9 Mo Day Yr Start	ing Period  3 12 31 73  Mo. Day Yr.  End  ate (if applicable)	•	<del></del>	Reporting I w-gal/day_ al/day_	Period  AVG	MAX 5/787 3 <b>2</b> -1
		<u> </u>			1	
Parameter		Mass Limi Average	Maximum	Units	No. of Samples	Sample ty Comp./gr
TETRACHLORO ETHYLENE	Sample measurement Permit requirement	0.00830	5,02365	GRAMS	1	GRAB
	Sample measurement Permit requirement		2,26677	GRAMS	1	GRAB
TOLUENE  TRICHLORO ETHYLENE	Sample measurement Panmit requirement	0.00635	2.11361	GRAMS	<i>i</i>	GRAB
1,1111111111	Sample measurement		11.21842	(SEAMIC		

2.97130 526870

36.75841

2.18919

21,13608

6.78648

79.94953

0.83008

12.86544

2-07494

9,80224

6.43232

32.16361

GRAMS

GRAMS

GRAMS

GRAMS

GRAMS

GRAMS

GRAMS

1

1

GRAB

CRAB

COMPOSITE

COMPOSITE

PVSC Form MR-1 Rev. 4 6/87 P1

Permit requirement

Sample measurement Permit requirement

Sample measurement

Permit requirement

Sample measurement

Permit requirement

Sample measurement Permit requirement

Sample measurement Permit requirement

VINYL

TOTAL

TOTAL

LEAD

TOTAL

ZINC

CYANIDE

CHLORIDE

#### PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT REGULRED
Compliance or non compliance statement with compliance schedule (use additional shee
if necessary) for every parameter used.
MEET LIMITS & IN COMPLIANCE WITH
40 CFR 414.558 SUBPART & FOR DEC. 199
Explain Method for preserving samples
ATTACHED.
I certify under penalty of law that this document and all attachments were prepart under my direction or supervision in accordance with a system designed to assure the qualified personnel properly gather and evaulate the information submitted. Based on a inquiry of the person or persons who manage the system, or those persons direct responsible for gathering the information, the information submitted is, to the best of a knowledge and belief, true, accurate, and complete. I am aware that there a significant penalties for submitting false information, including the possibility of fine a imprisonment for knowing violations.  403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988  Signature of Ptincipal Executive or Authorized Agent
ARTHUR E. DIEFFEN BACH  PLANT ENGINEER  Type Name and Title  01/18/1994
842893944 Date

Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

WASTE WATER FLOW DIAGRAM - OCPSF REGULATED

DECEMBER - 1993

		FOR MONTH OF:	CC19(BEX = 1(93)	4,7	
	REGULATED FLOW FROM DOREMUS AVENUE	00,000 GAL.	49,365 GAL.	REGULATED FLOW FROM  ALBERT AVENUE	
•					
	DOREMUS AVE. NON-OCP 425,600 G	PROCESS WARLLONS REGULATED 49,36	WATER		
PH MONITORING AN SAMPLING POINT	ID	PRE TREATM	ENT SYSTEM		
USER CHARGES		OCPSF EFFLUENT	<del>,</del>	PRETREATMENT SAMPLING POINT FOR OCPSF DISCHARGE	
PLANT DISCHARGE	E TO PVSCY		<u> </u>		
474,96	5 gallows	OCPSF REGULATED F			
we for	+74,965	NON-OCPSF FLOW:	425,600 GAI		
month.	5 galous +74,965 31 gallary 15,321	TOTAL FLOW:	474,965 GA	L. SIGNED: Albert fenback	(
=	15,30			DATE: 1/14/94	
			•		

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

Log of OCPSF Pretreatment Unit Operation

DECEMBER - 1993.

1. Days unit operated during the month:

2. Average volume processed per day: 5485 gal.

3. Volume recieved from Albert Ave. plant: 49,365 gal.

4. Volume generated at Doremus Ave. plant: 0 gal.

5. Total water treated during the month: 49,365 gal.

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

#### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM: DEC. 01, 93 TO: DEC. 31, (993.

19,863 CU. FT. WATER USED @ 390 DOREMUS AVE. -----

WATER USED @ 400 DOREMUS AVE. -----

TOTAL WATER USED AT THE PLANT --

CONVERSION FACTOR X 7.48 GAL/CU. FT.

448,000 GALLONS. WATER USAGE

NET WATER USAGE

PROCESS WATER RECEIVED 49,365 GALLONS. FROM ALBERT AVE. PLANT

TOTAL WATER INTO DOREMUS AVE. ---- 474, 965 GALLONS.

-----474,965 GALLONS. NET DISCHARGE TO P.V.S.C.

#### REICHHOLD CHEMICALS, INC. 400 DOREMUS AVENUE NEWARK, NEW JERSEY 07105

OCPSF Process Water Shipments from Reichhold, Albert Ave Plant.

Date c	of Shipment Li	os. of Water Ga	llons of Water
1. 12	2/03/93	34,380	4,122
2. 12	2/09/93	45,570	5,464
3. 12	2/09/93	46,520	5,578
4. 12	2/14/93	47,820	5,734
5. 12	2/17/93	47,880	5,741
6. 12	2/20/93	47,890	5,742
7. 12	2/21/93	48,260	5,787
8. 12	2/23/93	45,760	5,487
9. 12	2/30/93	47,620	5,710

Total Gallons Received from Albert Avenue: 49,365

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

and the state of the second of

BOTTLE.

FOR CYANIDES:

2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS


BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.



RONALD W. GIACONIA CHAIRMAN JAMES KRONE

VICE CHAIRMAN

DANIEL F. BECHT ROBERT M. BURKE, JR. THOMAS J. CIFELLI DOMINIC W. CUCCINELLO RAYMOND LUCHKO FRANK ORECHIO DONALD TUCKER COMMISSIONERS 600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951

January 20, 1994

CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHIEF COUNSEL

> LOUIS LANZILLO CLERK

Reichhold Chemical Inc. 300-400 Doremus Avenue Newark NJ 07105 Arthur Diffenbach

Dear Mr. Diffenbach:

As requested, we are attaching a copy of the lab results from our sampling at your plant.

If you have any further questions, please contact Mario Graglia at (201) 817-5724.

Very truly yours,

PASSAIC VALLEY-SEWERAGE COMMISSIONERS

Joseph Smith

JS/mc

Attachments

## MONITORING REPORT 7/1/93 THRU 9/30/93

the state of			
and the state of t	Q-14		
e e e e e e e e e e e e e e e e e e e	69P.		
 	155 955 894 1853	- 4804 - 1 1004 - 5006 1.8	1991 1990 (5) 1980 (5)
, 1 4 , 79	71. 68% 71. 68% 71. 68%	54 <b>1</b> 990 54 7990	10.3800
	e de pro-		12,7906

## FEETERATMENT MONTTORING REPORT

Name Reichhold Chemicals Inc.					
Mailing Address 400 Doremus Ave.					
Facility Location Newark, N.J. 07105					
Category & Subpart 40 CFR 414.	55 & E Outlet 20406320-44100-0201				
Contact Offical	Telephone 201-589-3709				
Monitoring Period	Por Reporting Period				
1 0 93 1 30 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5614 5863  Total Flow-gal/day 17,048  Method used				
Start End					

<del> </del>	1		<del></del>		<del>                                     </del>	T
Parameter		Mass Limi	t		No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./gral
	Sample measurement	0.21237	0.22179	GRAMS		
1,1,2, TRI- CHLOROETHANE	Permit requirement	0.98022	3.89026	GRAMS	1	CRAB
	Sample measurement	0.21237	0.22179	GRAMS		
CHLOROETHANE	Permit requirement	3.3645z	9.03644	GRAMS	1	ÇRAB
	Sample measurement	0.21237	0.27179	GRAMS	<u> </u>	_
CHLOROFORM	Permit requirement	3,40015		GRAMIS	11	GRAB
		0.21237	0.22179	GRAMS		_
1,2, DICHLORO BENZENE	Permit requirement		24.32181	GRATIS	11	COMPOSITE
	Sample measurement	0.21237	0.22179	GRAMS		
1,3, DICHLORO BENZENE	Permit requirement		11.64016	GRAMS	1	COMPOSITE
	Sample measurement	0.51537	0.22179	GRAMS		
BENZENE	Permit requirement		11.64016	GRANIS	1	COMPOSITE
		0.21237	0.22179	GRAMS		
1,1, DICHLORO ETHYLENE	Permit requirement	0.67390		GRAMS	11	GRAB
		0.21237	0.22179	GRAMS		_
CIILOROETHYLENE	Permit requirement		2.0217/	GRANS	1	GRAB
		0.21237	0.22179	GRAMS		
1,2, DICHLORO TROPANE	Permit requirement	6.00587	24. 32/8/	162ms	1	GRAB

## ARTERATMENT MONTTORING REPORT

Reichhold Chemicals Inc.					
Mailing Address 400 Doremus Ave.					
Pacility Location Newark, N.J. 07105					
Category & Subpart 40 CFR 414.55 &	E Outlet 20406320-44100-0201				
Contact Offical	Telephone 1 201 589 3709				
Monitoring Period	For Reporting Period				
11 01 93 11 30 93	Regulated flow-gal/day 56/4 5863  Total Plow-gal/day 17,048				
Mo. Day Yr. Mo. Day Yr.  Start End  Production rate (if applicable)	Method used				

L					<del></del>	<del></del>
Parameter		Mass Limit			No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./grat
			· · · · · · · · · · · · · · · · · · ·			
	Sample measurement	0.42475	0.44359	GRIAMS		_
1,3, DICHLORO PROPYLENE	Permit requirement	6.00387	24.32181	GRAYS	1	GRAB
	Sample measurement	0.21237	0.22179	GRAMS		
ETHYI. BENZEN	Permit requirement		11.64016	GRAMS	11	CRAB
	Sample measurement	1.10434	1.15333	GRAMS		
METHYLENE CHLORIDE	Permit requirement	1.10275	5.20744	GLAMS	1	CRAB
		6.21237	0.22179	GRAMS		
METHYL CHLORIDE	Permit requirement	3 36952		62775	_ 1	CRAB
	Sample measurement	0.21237	0.22179	GRAMS		
HEXACHLORO RUTADI ENE	Permit requirement	4:34974	11.64016	62.2145	1	COMPOSITE
	Sample measurement	0.21237	0.22179	GRAMS		
NITROBENZENE	Permit requirement	68.52380	196.10610	GRANS	1	COMPOSITE
	Sample measurement	0.21237	0.22179	GRAMS		
2-NITRO PHENOL	Permit requirement	1.99108	7.07599	<b>62245</b>	1	COMPOSITE
	Sample measurement	1.06187	1.10897	GRAMS		_
4-NITRO PHENOL	Permit requirement	4.96238	17.64403	G2315	1	COMPOSITE
	Sample measurement	1.06187	1.10 847	GRAMS		<u> </u>
4,6, DINITRO	Permit requirement					
OHEGRESOL		2.38938	8.48507	GRAMS	1	COMPOSITE

#### ENTIRKATMENT MONITORING B. OKT

Name Reichhold Chemicals Inc.									
Mailing Address 400 Doremus Ave.									
Pacility Location Newark, N.J. 07105	Pacility Location Newark, N.J. 07105								
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201								
Contact Offical	Telephone 201-589-3709								
Monitoring Period	For Reporting Period								
11 01 93 11 30 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 56/4 5863  Total Plow-gal/day 17,048  Method used								
Start End Production rate (if applicable)	· ·								

	<del></del>	T	1				
			1			1	
	Parameter	1	Mass Limi	t.		No. of	Sample ty
			Average	Maximum	Units	Samples	Comp./gra
		Sample measurement	0.21237	0.55122	GRAMS		
	TETRACHLORO ETHYLENE	Permit requirement	1.59286	5,02365	GRAMS	_ 1	GRAB
1		Sample measurement	0.21237	0.22179	GRAMS		
١	TOLUENE	Permit requirement	0.85770	2, 26677	GRAMS	1	GRAB
İ		Sample measurement	0.21237	0.22179	GRAMS		}
	TRICHLORO ETHYLENE	Penmit requirement		2.11361	GRAMS	1	GRAB
Ì		Sample measurement	0.51537	0.22179	GRAMS		
	VINYL CHLORIDE	Permit requirement		526870	GRAMS	1	GRAB
Į			0.21237	0.25128	GRANTS		
	TOTAL CYANIDE	Permit requirement		36.75841	GRAMS	1	GRAB
I	_	Sample measurement	2.12374	2.21794	GRAMS		
	TOTAL LEAD	Permit requirement		21,13608	GRAMS	1	COMPOSITE
	1	Sample measurement	13.8043	14.41660	GRAMS		
	TOTAL ZINC	Permit requirement	32.16361	79.94953	GRAMS	1	COMPOSITE
		Sample measurement					
		Permit requirement					
		Sample measurement					
	· T	Permit requirement	·	1			
١				<u> </u>			<u> </u>

## . RETREATMENT MONTTORING REPORT

Name Reichhold	Chemicals Inc.	
Mailing Address	400 Doremus Ave.	
Pacility Location	Newark, N.J. 0710	5
Category & Subpart	40 CFR 414.55 & E	Outlet# 20406320-44100-9201
Contact Offical		Telephone    201-589-3709
Contact Offical		
Monitoring Peri	iod	For Reporting Period  AVG MAX
11 1 62 11	20 03	Regulated flow-gal/day 5,614 5,863
11 01 43 11	ا كرا ودا	Total Plow-gal/day 17,048
Mo. Day Yr. Mo.	Day Yr.	Method used
Start End		
Production rate (if a	pplicable	••

		Mass Limit			No. of	Sample ty
Parameter		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	0.21237	0.22179	GRAMS		4
	Permit requirement	1 1	4.10469	GRMS	1	CRAB ·
BENZENE	Sample measurement	0.21237	0.22179	GRAMS	1	_
Guildon	Permit requirement	4.34974	11.64016	GRAMS	1	GRAB
CHLORIDE	Sample measurement	0.21237	0.22179	GRAMS		4
CHLORO-	Permit requirement	4.34914		GRAMS	1	CRAB
BENZENE	Sample measurement	0.21237	0.22179	GRAMS		-
1,2,4, TRI	Permit requirement	6.00387		GRAMS	11	COMPOSITI
CHLOROBENZENE	Sample measurement	0.21237	0.22179	GRAMS	<u> </u>	-
HEXACHLORO	Permit requirement	l l	24.32181	Gams	1	COMPOSITI
DENZENE	Sample measurement	0.21237	0.22179	GRAMS		-{
1,2, DICHLORO	Permit requirement	3	17.58277	GRN15	1	CRAB
ETHANE	Sample measurement	0.21237	0.22179	GRAMS		
1,1,1, TRI	Permit requirement	0.67390	1.80729	GRAMS	11	CRAB
CIILOROETIIANE	Sample measurement	0.21237	0.22179	GRAMS		-[
HEXACHLORO ETHANE	Permit requirement	6.00337	24.32181	GRAMS	1	COMPOSITE
ETHUM	Sample measurement	10.21237	0.22179	GRAMS		4
1,1, DICHLORO	Permit requirement		1.80729	GRAMS	. 1	CRAB

## PRETREATMENT MONITORING REPORT

	if applicable (use additional sheets)	
Not	REQUIRED	
Compliance or non compl	iance statement with compliance sche	dule (use additional sheets
if necessary) for every pa		
MEET LIMI	ITS & IN COMPLIANCE L	VITH
40 CFR 4	14,558 SUBPART E	FOR NOV1993
Explain Method for prese	rving samples	
,	ATTACHED	
under my direction or su qualified personnel prope inquiry of the person o responsible for gathering knowledge and belief,	of law that this document and all at apervision in accordance with a syste rly gather and evaulate the information persons who manage the system, the information, the information submittue, accurate, and complete. I a submitting false information, including g violations.	m designed to assure that in submitted. Based on my or those persons directly nitted is, to the best of my m aware that there are
403.6(a)(2)(ii) revised by	53 FR 40610, October 17, 1988	•
	Athen Caleffentad Signature of Principal	
	Executive or Authorized Agent	
·	ARTHUR E. DIEFFENBACH	
	PLANT ENGINEER	
<u> </u>	Type Name and Title	
	12/20/93	The second second second second second second second second second second second second second second second se

# WASTE WATER FLOW DIAGRAM - OCPSF REGULATED FOR MONTH OF: NOVEMBER 1993

	101011	THE OIL PURCH	Up CIC I E	1 3		· 🕉
REGULATED FLOW DOREMUS AVENUE	( )	GAL.	44,910 G	AL.	REGULATED FLOW FROM ALBERT AVENUE	
DOREMUS AVE. NO 466,530		PROCESS WATER, REGULATED WATE 44,90				
				•		
PH MONITORING AND SAMPLING POINT		PRE TREATMENT	SYSTEM			
USER CHARGES	OCPSF EFFLUEN	r			PRETREATMENT SAMPI FOR OCPSF DISCHARG	A Committee of the Comm
PLANT DISCHARGE TO PVSC	1	,				
511,440 gallone	OCPSF	REGULATED FLOW:	44,910	GAL.	<u> </u>	LIFT STATION
of 511,440	NON-O	CPSF FLOW:	466,530			<u></u>
511,440 gallone  se for 511,440  month 30 gals/day  = 17,048 /day	TOTAL	FLOW:	511,440	O GAL.	SIGNED: Olole	henbad
= 11/2					DATE: 12/20/	93

### Log of OCPSF Pretreatment Unit Operation

- 1. Days unit operated during the month: 8
- 2. Average volume processed per day: 5,614. gal.
- 3. Volume recieved from Albert Ave. plant: 44,419 gal.
- 4. Volume generated at Doremus Ave. plant: 0 gal.
- 5. Total water treated during the month: 44,910 gal.

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM:		TO:	
WATER USED @ 390 DOREMUS AVE.		28,593	CU. FT.
WATER USED @ 400 DOREMUS AVE.		37,060	CU. FT.
TOTAL WATER USED AT THE PLANT		69,653	
CONVERSION FACTOR	· .	X 7.48 GA	L/CU. FT.
ATER USAGE		491,084	GALLONS.
5% EVAPORATION		X 0.95	
NET WATER USAGE		466,530	GALLONS.
PROCESS WATER RECEIVED			
FROM ALBERT AVE. PLANT		44,910	CALLONS.
TOTAL WATER INTO DOREMUS AVE.		511,440	
NET DISCHARGE TO P.V.S.C.		511,440	GALLONS.

OCPSF Process Water Shipments From Reichhold, Albert Ave.

PLANT to DOREMUS AVE PLANT.

Date of Shipment	Lbs. of Water	Gallons of Water	
1. 11(02/93	48,900	5,863	
2. 11/05/93	48,440	5,808	
3. 11/08/93	46,620	5,590	
4 11/11/93	48,760	5,847	
5. 11/16/93	46,800	5,612	
6. 11/22/93	48,460	5,811	
7. 11/24(93	47,080	4,734	
8. ((30(93) Total Gallons Recieve	39,480		
Tabil Tank		44,910 gallous_	
Tabil I amk	$\mathcal{N} \sim q  \mathcal{M}  \mathcal{A}$		

Total Tankwagory

<del>-</del>8

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES:

2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

## PRETERATMENT MONITORING PORT

Name Reichhold Chemicals Inc.							
Mailing Address 400 Doremus Ave.							
Pacility Location Newark, N.	J. 07105						
Category & Subpart 40 CFR 41	4.55 & E Outlet ₹ 20406320-44100-0201						
Contact Offical	Telephone   201-589-3709						
Monitoring Period	For Reporting Period						
10 01 93 10 31 93	Regulated flow-gal/day 5769 6058						
Mo. Day Yr. Mo. Day Yr.	Total Flow-gal/day /3, (-32 Method used						
Start End Production rate (if applicable)							

					N	Sample 40
Parameter		Mass Limi Average	Maximum	Units	No. of Samples	Sample ty Comp./gr
<del></del>	Sample measurement	<0.10912	40.11459	/		
BENZENE	Permit requirement	1.74602	4,10469	GRMS	1	GRAB
	Sample measurement	20,10912	CO.1 459			
CARBON TETRA	Permit requirement		11.64016	GRAMS	1	GRAB
	Sample measurement	10912	<0.11454	<u> </u>		_
CHLORO- BENZENE	Permit requirement	4.34914	///	CRAMS	1	GRAB
	Sample measurement	20.21824	20.22917	ļ		_
1,2,4, TRI CULOROBENZENE	Permit requirement	6.00387	24.32181	GRAMS	]	COMPOSITI
	Sample measurement	Ko121824	10.22917			
HEXACHLORO BENZENE	Permit requirement	6.00387		GRIMS	11	COMPOSITI
	Sample measurement	Le. 10912	60.11459	<b></b>		-1
1,2, DICHLORO	Permit requirement	5,51376	17.58277	GRAIS	. 1	GRAB
	Sample measurement	50.00873	(0.00417			_
1,1,1, TRI CHLOROETHANE	Permit requirement	<u> </u>	1.80729	GRAMS	11	GRAB
	Sample measurement	Co. 21824	20.22917			-1
HEXACHLORO ETHANE	Permit requirement		24.32181	GRAMS	1	COMPOSITE
	Sample measurement	20.10412	20.11459			
1,1, DICHLORO ETHANE	Permit requirement	0.67390	1.80729	GRAMS	1	GRAB

## PRETERATMENT MONITORING . PORT

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Pacility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet 20406320-44100-0201
Contact Offical	Telephone 201-589-3709
Monitoring Period	For Reporting Period
10 61 93 10 31 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5769 6058  Total Plow-gal/day 13632  Method used
Start End Production rate (if applicable)	

A					<del>. ,</del>	
Parameter		Mass Limi	<b>t</b>		No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	10.10412	La. 11459			
1,1,2, TRI- CHLOROETHANE	Permit requirement	0.98055	3.89026	GRAITS	1	GRAB
	Sample measurement	cc.21824	60.22917			
CHLOROETHANE	Permit requirement	3.36452	9.03644	GRAMS	11	GRAB
	Sample measurement	20.10412	2011459	<u> </u>		_
CHLOROFORM	Permit requirement		9.95540	GRAMIS	11	GRAB
	<del></del>	< 0.5187A	(0.22917			_
1,2, DICHLORO BENZENE	Permit requirement		24.32101	G27+15	1	COMPOSITE
	Sample measurement	CO.51854	20.22917	ļ		_
1,3, DICHLORO BENZENE	Permit requirement		11.64016	GRAMS	1	COMPOSITE
_	Sample measurement	120.51854	20122917			
1,4, DICHLORO	Permit requirement		11.64016	922115	1	COMPOSITE
	Sample measurement	20.10412	60.11472			
1,1, DICHLORO	Permit requirement		1.83792	Gennis	1	GRAB
	Sample measurement	20.10912	C0-11459			_
CIILOROETHYLENE	Permit requirement	<u></u>	2.02171	GRIMS	1	GRAB
	Sample measurement	4110412	20.11459			
1,2, DICHLORO PROPANE	Permit requirement	6.00587	24. 32/8/	162415	1	GRAB
······································			<del></del>			

## PRETREATMENT MONITORING ! PORT

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
Contact Offical	Telephone 201 589 3709
Monitoring Period	For Reporting Period
10 01 93 10 31 93	Regulated flow-gal/day 5769 6058  Total Flow-gal/day 12632
Mo Day Yr. Mo. Day Yr. Start End	Method used
Production rate (if applicable)	

	1					
Parameter	1	Mass Limi	t	No. of	Sample typ	
		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	(0.21824	20.22917			
1,3, DICHLORO PROPYLENE	Permit requirement	6.00387	24.32181	GRAYS	1	GRAB
	Sample measurement	0.69836	0.73335			
ETHYL BENZEN	Permit requirement		11.64016	GRAMS	11	GRAB
<del></del>	Sample measurement	0.21824	0.22917			
METHYLENE CHLORIDE	Permit requirement	1.10275	5.20744	GLAMS	1	CRAB
	Sample measurement	60.21824	Cc:22917			
METHYL CHLORIDE	Permit requirement	1 _	9,03644	GRAMS	1	CRAB
	Sample measurement	C0121854	21.52917	I		
HEXACHLORO BUTADIENE	Permit requirement	4:34974	<u> </u>	G2.2M5	11	COMPOSITE
	Sample measurement	20.21824	222417			_
NITROBENZENE	Permit requirement		196.10610	GRANS	1	COMPOSITE
	Sample measurement	Cc. 21824	20.22917			-
2-NITRO PHENOL	Permit requirement	1.99108	7.07599	G2245	11	COMPOSITE
	Sample measurement	L1.041189	<1.14585			_[
4-NITRO PHENOL	Permit requirement	4.96238	17.64403	G2215	1	COMPOSITE
	Sample measurement	<1.091189	<1.14585			
4,6, DINITRO	Permit requirement	2.38938	8.48507	GRAMS	}	COMPOSITE

## PRETERATMENT MUNITURING REPORT

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Pacility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
Contact Offical	Telephone 201-589-3709
Monitoring Period	Por Reporting Period
10 01 93 10 31 93	Regulated flow-gal/day 5769 MAX Total Plow-gal/day /3632
Mo Day Yr. Mo. Day Yr.	Method used
Start End	
Production rate (if applicable)	

Parameter		Mass Limi	t	No. of	Sample ty	
T and a meter		Average			Samples	Comp./gr
	Sample measurement	2119110	10.11459			
TETRACHLORO ETHYLENE	Permit requirement	129286	5,02365	GRANIS	1	GRAB
	Sample measurement	0.30553	0.32054			
TOLUENE	Permit requirement	0.85770	2,26677	GRAMS	1	GRAB
	Sample measurement	2010912	2011459			_
TRICHLORO ETHYLENE	Panmit requirement	0.79643		GRAMS	1	GRAB
	Sample measurement	20.51854	20.22917			_
VINYL CHLORIDE	Permit requirement		526870	GRAMS	1	GRAB
	Sample measurement	0.87295	0.91668	ļ	<u> </u>	_
TOTAL CYANIDE	Permit requirement	<u>i · </u>	36,75641	GRAMS	1	GRAB
		2-18238	2,2917/			_
TOTAL LEAD	Permit requirement	9,80224	21,13608	GRAMS	1	COMPOSITE
	Sample measurement	6.76537	7-10429			_
TOTAL ZINC	Permit requirement	32.16361	79.94953	GRAMS	1	COMPOSITE
	Sample measurement					_[
	Permit requirement					
	Sample measurement					
•	Permit requirement					

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

#### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM: OCT. 01, 93 TO: OCT. 31, 93.

WATER USED @ 390 DOREMUS AVE. ----- 16,021 CU. FT.

WATER USED @ 400 DOREMUS AVE. ...... 35,330 CU. FT.

TOTAL WATER USED AT THE PLANT ...... 51,351 C4. Ft.

CONVERSION FACTOR X 7.48 GAL/CU. FT.

WATER USAGE 384, 105 GALLONS.

<u>5% EVAPORATION</u> .... X 0.95

NET WATER USAGE ----- 364,900 GALLONS.

PROCESS WATER RECEIVED FROM ALBERT AVE. PLANT 57,692 GALLONS.

TOTAL WATER INTO DOREMUS AVE. ----- 422,592 GALLONS.

NET DISCHARGE TO P.V.S.C. 422,592 GALLONS.

OCPSF Process Water Shipment from Reichhold, Albert Ave.

OCT. 01, 1993 to oct. 31, 1993.

Date of Shipment	Lbs. of Water	Gallons of Water
1. 10/02/93	47,180	5,657
2.10105/93	48,060	5,763
3. 10/09/93	50,520	6,058
4.10/13/93	48,260	5,787
5.101/6/93	47,940	5,748
6.10120193	48,320	5,794
7.10121193	45,340	5,436
8.10/25/93	48,280	<b>5</b> ,789
9. 10/27/93	48,960	5,871
(0.10129193	48,280	5,789
		57,692


Total Gallow Received from Albert Are:

= 57,692 .

#### Log of OCPSF Pretreatment Unit Operation

## OCTUBER 1993

- 1. Days unit operated during the month: / o
- 2. Average volume processed per day: 5769 . gal.
- 3. Volume recieved from Albert Ave. plant: 57,692 gal.
- 4. Volume generated at Doremus Ave. plant: 0 gal.
- 5. Total water treated during the month: 57,692 gal.



### PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT REGULRED
Compliance or non compliance statement with compliance schedule (use additional sheet
if necessary) for every parameter used.
MEET LIMITS & IN COMPLIANCE WITH
40 CFR 414, 558 SUBPART E FOR OCT 1993
Explain Method for preserving samples
ATTACHED
I certify under penalty of law that this document and all attachments were prepare under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaulate the information submitted. Based on m inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of m knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  403.6(aX2Xii) revised by 53 FR 40610, October 17, 1988  **Lettu Edicated**  Signature of Principal Executive or Authorized Agent**
ADITHUR F. DIEFFENBACH  PLANT ENGINEER  Type Name and Title
11/18/93

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES:

2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR  $\Lambda/B/N$ :

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.



REICHHOLD CHEMICALS, INC. 400 DOREMUS AVENUE NEWARK, NEW JERSEY 07105

#### PRETREATMENT MONITORING REPORT

PVSC MR-1

FOR THE MONTH OF OCTOBER 1993.

AVE FLOW FOR MONTH = 5769 GALLONS MAXIMUM FLOW FOR MONTH = 6058 GALLONS

NO 	PARAMETER		FACTOR			MASS LIMIT AVERAGE	MASS LIMIT MAXIMUM
001	BENZENE		0.021823	0.022917	5 MICGR/L	0.109118921	0.114585270
002	CARBON TETRA CHLORIDE		0.021823	0.022917	5 MICGR/L	0.109118921	0.114585270
003	CHLOROBENZENE		0.021823	0.022917	5 MICGR/L	0.109118921	0.114585270
004	1,2,4, TRICHLOROBENZENE		0.021823	0.022917	10 MICGR/L	0.218237843	0.229170541
005	HEXACHLOROBENZENE		0.021823	0.022917	10 MICGR/L	0.218237843	0.229170541
006	1,2, DICHLOROETHANE		0.021823	0.022917	5 MICGR/L	0.109118921	0.114585270





007 1,1,1, TRICHLOROETHANE	0.021823 0.022917 0.4 MICGR/L 0.008729513 0.009166821	
008 HEXACHLOROETHANE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
009 1,1, DICHLOROETHANE	0.021823 0.022917 5 MICGR/L 0.109118921 0.114585270	
010 1,1,2, TRICHLOROETHANE	0.021823 0.022917 5 MICGR/L 0.109118921 0.114585270	
011 CHLOROETHANE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
012 CHLOROFORM	0.021823 0.022917 5 MICGR/L 0.109118921 0.114585270	
013 1,2, DICHLOROBENZENE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
014 1,3, DICHLOROBENZENE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
015 1,4, DICHLOROBENZENE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
016 1,1, DICHLOROETHYLENE	0.021823 0.022917 5 MICGR/L 0.109118921 0.114585270	
017 1,2, TRANS DICHLOROETHYLENE	0.021823 0.022917 5 MICGR/L 0.109118921 0.114585270	
018 1,2, DICHLOROPROPANE	0.021823 0.022917 5 MICGR/L 0.109118921 0.114585270	
019 1,3, DICHLOROPROPYLENE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
020 ETHYLBENZENE	0.021823 0.022917 32 MICGR/L 0.698361098 0.733345733	
021 METHYLENE CHLORIDE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
022 METHYL CHLORIDE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
023 HEXACHLOROBUTADIENE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
024 NITROBENZENE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
025 2-NITROPHENOL	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541	
026 4-NITROPHENOL	0.021823 0.022917 50 MICGR/L 1.091189216 1.145852707	
027 4,6, DINOTRO O-CRESOL	0.021823 0.022917 50 MICGR/L 1.091189216 1.145852707	
028 TETRACHLOROETHYLENE	0.021823 0.022917 5 MICGR/L 0.109118921 0.114585270	



029 TOLUENE	0.021823 0.022917 14 MICGR/L 0.305532980 0.320838758
030 TRICHLOROETHYLENE	0.021823 0.022917 5 MICGR/L 0.109118921 0.114585270
031 VINYL CHLORIDE	0.021823 0.022917 10 MICGR/L 0.218237843 0.229170541
032 TOTAL CYANIDE	21.82378 22.91705 0.04 GR/L 0.872951372 0.916682166
033 TOTAL LEAD	21.82378 22.91705 0.10 GR/L 2.182378432 2.291705415
034 TOTAL ZINC	21.82378 22.91705 0.31 GR/L 6.765373139 7.104286788

Reichhold Chemicals, Inc.
Coating Polymers & Resins Division
400 Doremus Avenue
Newark, NJ 07105

### REICHHOLD

October 14, 1993

Passaic Valley Sewerage Comm. 600 Wilson Ave. Newark.NJ 07105 Attn. Industrial Dept.

Dear Sir,

Attached you will find the completed MR-1 report for Sept., 1993 for our facility at 400 Doremus Ave., Newark,NJ. If you require any additional information regarding this report please contact me at (201)-589-3716 during business hours.

Sincerel Abure.

Within Chiefferbach

Anthur E. Diefferbach

Plant Engineer

### RETREATMENT MONITORING REP RT

Name Reichhold Chemical	a Inc.
Mailing Address 400 Dore	emus Ave.
Pacility Location Newark, N	V.J. 07105
Category & Subpart 40 CFR 4	014.55 & E Outlet \$ 20406320-44100-9201
Contact Offical	Telephone 201-589-3709
Monitoring Period	For Reporting Period  AVG MAX
09 01 93 09 30 93	Regulated flow-gal/day 5636 5897  Total Plow-gal/day 27574
Mo Day Yr. Mo. Day Yr.	Method used
Start End Production rate (if applicable)	

Parameter		Mass Limi	<b>.</b>	No. of	Sample ty	
rarameter		Average Maximum		Units	Samples	Comp./gr
	Sample measurement	KO.53302	20,55771	GRAMS	7'	
BENZENE	Permit requirement	1.74602	4.10469	GRMS	11	GRAB
	Sample measurement	<0.59302	CO.55771	GRAMS		
CARBON TETRA	Permit requirement		11.64016	GRAMS	11	GRAB
Oli il ol	Sample measurement	<0.53302	20.55771	arams		is 1
CHLORO- BENZENE	Permit requirement	4.34914	11.64016	GRAMS	1	GRAB
	Sample measurement	CO, 21321	60522308	GRAMS	1	
1,2,4, TRI CHLOROBENZENE	Permit requirement	6.00387	24.32181	GRAMS	1	COMPOSITE
	Sample measurement	Kc. 21821	40,22308	GRAMS		
HEXACHLORO RENZENE	Permit requirement	6.00387	24.32181	GRIMS	1	COMPOSITE
	Sample measurement	KO.53302	40.53771	GRAMS		_
ETHANE	Permit requirement	5,51376	17.58277	GRANS	1	GRAB
	Sample measurement	<0.53302	40,55371	GRAMS		_1 .
CHLOROETHANE	Permit requirement		1.80729	GRAM'S	11	GRAB
		< , 2/32/	26.22308	GRAMS		_
ETHANE	Permit requirement	6.00337	24.32181	GRAMS	1	COMPOSITE
	Sample measurement	<0.53302	<0.55771	GRAMS		
1,1, DICHLORO DETHANE	Permit requirement		1.80729	GRAMS	1	GRAB

### AN LERVIN RULL NONLIGHTHOL STRING

, Na	ıme	Rei	chho1	d Ch	emical	s Inc.	·						•
Me	illing	Addre	ss	400	Doremus	s Ave.							
Pa	cility	Locat	ion_	Newa	rk, N.J	7. 07105	·····						
Ca	tegor	y & Su	bpart	40	CFR 4	14.55 & E		Outlet	<i>i</i>	20406320-4	4100-02	01	
Co	ntact	Office	al					Telephon	ne#_	201-589-3	709		
	Mon	itoring	z Per	iod	<u>'</u>	]				ting Period	V.C	MAX	
09	O/ Day	93	09 Mo.	30	ł		Regula Total I Method		-gal day	/day <u>56.</u> 2	36 7574	<u> 5897</u> 	
Sta		·	End										

\					<del></del>	<del></del>
Parameter		Mass Limi	•		No. of	Sample typ
Parameter		Average	Maximum	Units	Samples	Comp./gra
}			·			
	Sample measurement	<0.5330Z	60.55771	GRAMS		
1,1,2, TRI- CHLOROETHANE	Permit requirement	0.98022	3.89026	GRAMS	1	GRAB
CHECKOETHINE	Sample measurement	<1.06605	<1.11542	grams	1	
CHLOROETHANE	Permit requirement	3.36452	9.03644	GRAMS	1	GRAB
CHECKCETHIELE	Sample measurement		20,55771	GRAMS	1	
CHLOROFORM	Permit requirement	3.40015		GRAMIS	1	GRAB
	Sample measurement	<0.21321	20,22308	GRAMS	1	
1,2, DICHLORO BENZENE	Permit requirement	6.00387	24-32181	GRAMIS	1	COMPOSITE
	Sample measurement	40,21821	CO. 22308	GRAMS		
1,3, DICHLORO RENZENE	Permit requirement	4.34974	11.64016	GRAMS	1	COMPOSITE
	Sample measurement	(0.2132)	80655.0>	GRAMS	1	
BENZENE	Permit requirement		11.64016	GRANIS	1	COMPOSITE
	Sample measurement	<0.53302	CO. 55771	GRAMS	1	
1,1, DICHLORO ETHYLENE	Permit requirement	0.67390	1.83792	GRAMS	1	GRAB
	Sample measurement	<0.53302	40.55771	GRAMS		
1,2, TRANS DI- CHLOROETHYLENE	Permit requirement	0.76580	2.02171	GRINS	1	CRAB
	Sample measurement	<0.53302	60.55771	coms		
1,2, DICHLORO PROPANE	Permit requirement	1	24. 32/8/	1612775	1	CRAB

#### STREATMENT MONITORING REP

Name Reichhold Chemicala Inc.					
Mailing Address 400 Doremus Ave.					
Pacility Location Newark, N.J. 07105					
Category & Subpart 40 CFR 414.55 &	E Outlet 20406320-44100-0201				
Contact Offical	Telephone 1 201 3707				
Monitoring Period	For Reporting Period AVG MAX				
09 01 93 09 30 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 57.36 5897  Total Plow-gal/day 27.574  Method used				
Start End					

Parameter		Mass Limit			No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./grat
<del></del>	Sample measurement	40.5330Z	40,55771	GRAMS		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1,3, DICHLORO PROPYLENE	Permit requirement	6.00387	24.32181	GRAYS	1	GRAB
	Sample measurement	0.09594	0.10039	GRAMS	1	
ETHYI. BENZENI	Permit requirement	4, 34974	11.64016	GRAMS	1	CRAR
	Sample measurement	CC.53302	Le,55771	GRAMS		
METHYLENE CHLORIDE	Permit requirement	1	5.20744	GLAMS	11	CRAB
	Sample measurement	<1.06605	21.11542	GRAMS		_
METHYL CHLORIDE	Permit requirement	3 36952		GRAMS	1	CRAB
		<0.21321	40,22308	ARAMS		
HEXACHLORO RUTADIENE	Permit requirement	4:34974	11.64016	G2.7M5	1	COMPOSITE
		20,21821	<0,22308	GRAMS		_
NITROBENZENE	Permit requirement	68.52380	196.10610	GRAHS	11	COMPOSITE
0	Sample measurement	CO.21321	TO.22308	GRAMS		_
2-NITRO PHENOL	Permit requirement	1.99108	7.07599	G2245	11	COMPOSITE
	Sample measurement	<1.0405	<1.11542	GRAMS		_
PHENOL	Permit requirement	4.96238	17.64403	GLVIS	1	COMPOSITE
	Sample measurement	<1.06605	<1.11542	aram s	/	
4,6, DINITRO OHEGRESOL	Permit requirement	2.38938	8.48507	GRA-15	1	COMPOSITE

#### FREIRRATMENT MUNITUEDIC ERPORT


Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E Outlet 20406320-44100-020	1
Contact Offical Telephone 201-589-3709	<del></del>
Monitoring Period For Reporting Period	MAY
09 01 93 09 30 93  Regulated flow-gal/day 57.36  Total Flow-gal/day 27.5.74	MAX 5897
Mo. Day Yr. Mo. Day Yr. Method used	,
Start End Production rate (if applicable)	

Parameter		Mass Limit			No. of	Sample ty:
		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	10,53302	40.55771	GRAMS		
TETRACHLORO ETHYLENE	Permit requirement	126586	5,02365	GRANIS	1	GRAB
	Sample measurement	0.09168	0.09593	GRAMS	1	
TOLUENE	Permit requirement	0.85770		GRAMS	11	GRAB
	Sample measurement	0.09381	0.09816	GRAMS	1	- N.
TRICHLORO ETHYLENE	Penmit requirement	0.79643	2,11361	GRAMS	1	GRAB
	Sample measurement	<1.06605	21.11542	BRAMS	1	-{ •
VINYL CHLORIDE	Permit requirement		526870	GRAMS	1	CRAB
	Sample measurement	CO.21371	<0,22308	GRAMS		-
TOTAL CYANIDE	Permit requirement	12.86544	36,75841	GRAMS	1	GRAB
	Sample measurement	<2,13211	< 2.2308	GRAMS		4
TOTAL LEAD	Permit requirement	9.80224	21,13608	GRAMS	11	COMPOSITE
	Sample measurement	15.5244	16.2851	GRAMS		1
TOTAL ZINC	Permit requirement	32.16361	79.94953	GRAMS	1	COMPOSITE
	Sample measurement					
	Permit requirement					
_	Sample measurement					. A P.
•	Permit requirement					

### Log of OCPSF Pretreatment Unit Operation

## SEPT 1993

- 1. Days unit operated during the month: //
- 2. Average volume processed per day: 56 36 gal.
- 3. Volume recieved from Albert Ave. plant: 62,000 gal.
- 5. Total water treated during the month: 62,000 gal.



OCPSF Process Water Shipments from Reichhold, Albert Ave.

SEPT, 1, 1993 to SEPT. 30, 1993

Date	of Shipment	Lbs. of Water,	Gallons of Water
1.	9/2/93	49,180	5897
2.	9/3/93	48,240	5784
3.	9/8/93	48,260	5830
4.	9/10/93	48,300	5791
5.	9/13/93	48900	6863
6.	9/16/93	48480	5813
7.	9/18/93	47540	5700
8.	9/22/93	34400	4125
9	9/24/93	49120	5890
10,	9/27/93	47220	5662
//.	9/29/93	47080	5645
		1 1 Asmala	62 000

TOTAL GALLONS RECEIVED FROM PROBLETANE 62,000

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

#### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM: SEPT 1, 1993 TO: SEPT 30, 1993 22,015 CU. FT. WATER USED @ 390 DOREMUS AVE. -----85,670 CU. FT. WATER USED @ 400 DOREMUS AVE. -----TOTAL WATER USED AT THE PLANT -----X 7.48 GAL/CU. FT. CONVERSION FACTOR 805,484 GALLONS. WATER USAGE 5% EVAPORATION 765, 210 GALLONS. **NET WATER USAGE** PROCESS WATER RECEIVED 62,000 GALLONS. FROM ALBERT AVE. PLANT TOTAL WATER INTO DOREMUS AVE. ----- 827, 210 GALLONS. NET DISCHARGE TO P.V.S.C. ----- 827, 210 GALLONS.

## PRETREATMENT MONITORING REPORT

	n-use if applicable (use additional sheets)
	SOT REQUIRED
Compliance or non c	compliance statement with compliance schedule (use additional sheet
•	
if necessary) for eve	
MEET	IMITS & IN COMPLIANCE WITH
40 CFR	414,558 SUBPART E FOR SEPT 1993
Explain Method for p	preserving samples
	ATTACHED
under my direction qualified personnel p inquiry of the pers responsible for gathe knowledge and beli significant penalties imprisonment for kn	alty of law that this document and all attachments were prepared or supervision in accordance with a system designed to assure that properly gather and evaulate the information submitted. Based on my son or persons who manage the system, or those persons directly ering the information, the information submitted is, to the best of my ief, true, accurate, and complete. I am aware that there are for submitting false information, including the possibility of fine and lowing violations.  If by 53 FR 40610, October 17, 1988    White Delphale   Signature of Principal   Executive or Authorized Agent
	_

#### SAMPLE PRESERVATION METHOD

FOR METALS: 2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES: 2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N: NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA: 25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

and the state of t

TEFLON SEPTUM.

**Reichhold Chemicals, Inc.**Coating Polymers & Resins Division 400 Doremus Avenue
Newark, NJ 07105

### REICHHOLD

September 17, 1993

Passaic Valley Sewerage Comm. 600 Wilson Ave. Newark,NJ 07105 Attn. Industrial Dept.

Dear Sir,

Attached you will find the completed MR-1 report for Aug.1993 for our facility at 400 Doremus Ave, Newark, NJ. If you require any additional information regarding this report please contact me at (201)-589-3716 during business hours.

Plant Engineer

1

(201) 589-3709 (201) 817-9173 (Facsimile)

## RETREATMENT MONITORING RE RT

Name Reichhold Chemicals Inc.
Mailing Address 400 Doremus Ave.
Pacility Location Newark, N.J. 07105
Category & Subpart 40 CFR 414.55 & E Outlet \$20406320-44100-0201
Contact Offical A. DIEFFENBACH Telephone 201-589-3709
Monitoring Period For Reporting Period
C8 O1 93 C8 31 93  Mo. Day Yr. Mo. Day Yr.  Regulated flow-gal/day 5790 5952  Total Plow-gal/day 37741  Method used
Start End

Parameter		Mass Limit			No. of	Sample ty
Parameter	·	Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	40,546.12	20.56151	GRAMS		
BENZENE	Permit requirement	<del></del>	4.10469	GRMS	1	CRAB
	Sample measurement	20.54622	20,56,151	G124MS	,	
CARBON TETRA	Permit requirement	4.34974	11.64016	GRAMS	1	CRAB
	Sample measurement	20.54622	10,56151	G.2.74 5	,	
CHLORO- BENZENE	Permit requirement	4.34974	11.64016	CRAMS	1	GRAB
	Sample measurement	10.21549	KC. 22460	GRAMS		_
1,2,4, TRI CHLOROBENZENE		6.00387		GRAMS	1	COMPOSITI
	Sample measurement	CC.21849	22.22460	G.27ms		
HEXACHLORO RENZENE	Permit requirement	<del></del>	24.32181	GRIMS	1	COMPOSITI
	Sample measurement	40.54621	20,56151	GRAMS		_
1,2, DICHLORO	Permit requirement	5,51376	17.58277	GRANIS	1	CRAB
	Sample measurement	20.54622	Koiskisi	GRAMS		_
CHLOROETHANE	Permit requirement	0.67390	1.80729	GRAMS	]	CRAB
	Sample measurement	20,21949	LC, 17 460	G.2.3MS		-1
ETHANE	Permit requirement	6.00337	24.32181	GRAMS	<u>l</u>	COMPOSITE
	Sample measurement	10.54622	20,56151	GRAMS	1	
I,I, DICHLORO	Permit requirement	0.67390	1.80729	GRAMS	1	GRAB

PVSC Form MR-1 Rev. 4 6/87 P1

"ed"

#### ETHEATMENT MONITORING REPORT

Name Reichhold Chemicals	Inc.
Mailing Address 400 Doremus	Ave.
Pacility Location Newark, N.J.	07105
Category & Subpart 40 CFR 41	4.55 & E Outlet   20406320-44100-0201
Contact Offical A. DIETA	Telephone 201-589-3709
Monitoring Period	For Reporting Period
ee 01 93 08 31 93	Regulated flow-gal/day 5790 5452 Total Plow-gal/day 37741
Mo. Day Yr. Mo. Day Yr.  Start End  Production rate (if applicable)	Method used

Parameter		Mass Limit			No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./grail
	Sample measurement	2054622	KC.57.151	GRAYS		
1,1,2, TRI- CHLOROETHANE	Permit requirement	0.98022	389026	GRAMS	1	GRAB
	Sample measurement	Ti. 0924	<1.12302	612345		
CHLOROETHANE	Permit requirement	3.36452	9.03644	GRAMS	11	ÇRAB
	Sample measurement	0.02622	0.02695	GRAMS	1	_
CHLOROFORM	Permit requirement	3.40015	9.95540	GRAMIS	1	GRAB
	Sample measurement	10.21849	<0.22460	CAMUS		
1,2, DICHLORO BENZENE	Permit requirement	I -	24.32181	GRAMIS	1	COMPOSITE
	Sample measurement	20.21549	20-22460	6,2,245		
1,3, DICHLORO BENZENE	Permit requirement	4.34974	11.64016	GRAMS	11	COMPOSITE
	Sample measurement	21849	22460	G12.9MS		_
1,4, DICHLORO	Permit requirement	4-34974	11.64016	GRANIS	11	COMPOSITE
L L DICUIORO	Sample measurement	<c.54622< td=""><td>20.56151</td><td>(727M5</td><td>1</td><td>_  </td></c.54622<>	20.56151	(727M5	1	_
ETHYLENE	Permit requirement	0.67390		GRAMS	1	GRAB
) 0 mp. () 0 pr	Sample measurement	< 0.54622	<0.56151	612,7MS		-1
CHLOROETHYLENE	Permit requirement	0.76580	i	GR7145	11	CRAB
	Sample measurement	20,54622	40,56,151	CIRAMS		_
1,2, DICHLORO PROPANE	Permit requirement	6.00587	24. 32181	162ms	1	GRAB

## ARTERATMENT MONITORING REP. AT

Name Reichhold Chemicals Inc.										
Mailing Address 400 Doremus Ave.										
Facility Location Newark, N.J. 07105										
Categor	Category & Subpart 40 CFR 414.55 & E Outlet 20406320-44100-0201									
Contact	Contact Ullical A. DICTFENBACH Telephone 201 500 3700									
Mon	Monitoring Period For Reporting Period									
CO OI Mo Day	93 Yr.	08 Mo.		93 Yr.	Regulated flow-gal/day 5 790 5 952  Total Plow-gal/day 37741  Method used					
Start End										
Production rate (if applicable)										

Parameter		Mass Limit			No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./grat
	Sample measurement	10.54622	LCISUISI	G12/1.45		
1,3, DICHLORO PROPYLENE	Permit requirement	6.00387		GRAMS	1	GRAB
	Sample measurement	0,12017	e.12353	GAMS	1	_
ETHYL BENZEN	Permit requirement	4.34974	11.64016	GRAMS	11	GRAR
	Sample measurement	<1.0474	<1.12302	GRAMS		_
METHYLENE CHLORIDE	Permit requirement	1.10275	5.20144	GRAMIS	11	GRAB
	Sample measurement	<1.09245	<1.12302	GPAM'S		
METHYL CHLORIDE	Permit requirement	3 36952	9.03644	GRAMS	1	GRAB
		CO.21849	20.22460	GRAMS		
HEXACHLORO BUTADIENE	Permit requirement	4.34974	11.64016	GRAMS	11	COMPOSITE
	Sample measurement	20:21349	20.22460	412.245	1	_
NITROBENZENE	Permit requirement	68.52380	196.10610	GRANS	11	COMPOSITE
	Sample measurement	20.21849	20.22460	C.2.AMS		-
2-NITRO PHENOL	Permit requirement	1.99108	7.07549	G2245	]	COMPOSITE
	Sample measurement	2109245	21.12302	GRAMS		_
PHENOL	Permit requirement	4.96238	17.64403	GRAIS	l	COMPOSITE
	Sample measurement	<1.09245	L1.12302	C.2.2m5		<b></b>
4,6, DINITRO TO OHEGRESOL	Permit requirement	2.38938	8.48507	G24~15	1	COMPOSITE

# MELERATMENT MONITORING BY VET

Name Reichhold Chemicals	Inc.						
Mailing Address 400 Doremus	Ave.						
Facility Location Newark, N.J. 07105							
Category & Subpart 40 CFR 41	4.55 & E Outlet 20406320-44100-0201						
Contact Offical A. DIEFE	Telephone 201-589-3709						
Monitoring Period	For Reporting Period						
08 01 93 08 31 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5790 5932 Total Plow-gal/day 37741 Method used						
Start End Production rate (if applicable)							

Parameter		Mass Limi	i <b>t</b>	No. of	Sample ty	
		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	KO.54622	<0.56151	623415		
TETRACHLORO ETHYLENE	Permit requirement	1.592.86	5,02365	GRAMIS	1	GRAB
	Sample measurement	0.0 3277	0.03369	CICAMS	1	
TOLUENE	Permit requirement	0.85770		GRAMS	1	GRAB
	Sample measurement	<0.54E12	2025151	GRAMS	/	
TRICHLORO ETHYLENE	Parmit requirement	0.79643	2,11361	GRAMS	1	GRAB
	Sample measurement	<1.09245	< 1.12302	GRAMS		_
VINYL CHLORIDE	Permit requirement	2.97130	526870	GRAMS	1	CRAB
	Sample measurement	<0.21849	20,22460	GRAMS		
TOTAL CYANIDE	Permit requirement	<del></del>	36,75841	GRAMS	11	GRAB
ا.	Sample measurement	C.21849	2022460	G.2.7m5	<u> </u>	
TOTAL LEAD	Permit requirement	9,80224	21,13608	GRAMS	1	COMPOSITE
_	Sample measurement	12,23544	12,57781	GIZAMS		_ [
TOTAL ZINC	Permit requirement	32.16361	79.94953	GRAMS	1	COMPOSITE
	Sample measurement					_1
	Permit requirement					1
	Sample measurement				·	
	Permit requirement					7

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

Reichhold Chemics Inc 400 Doremus Ave. Newark, N.J. 07105

WASTE WATER FLOW DIAGRAM - OCPSF REGULATED FOR MONTH OF: REGULATED FLOW FROM REGULATED FLOW FROM - O - GAL. 63,688 GAL. DOREMUS AVENUE ALBERT AVENUE DOREMUS AVE. NON-OCPSF FLOW PROCESS WATER, OCPSF 1,106,304 GALLONS REGULATED WATER 63,688 GALLONS PH MONITORING AND PRE TREATMENT SYSTEM SAMPLING POINT USER CHARGES PRETREATMENT SAMPLING POINT FOR OCPSF DISCHARGE OCPSF EFFLUENT PLANT DISCHARGE TO PVSC LIFT OCPSF REGULATED FLOW: 63.688 GAL. STATION 1, 106, 304 GAL. NON-OCPSF FLOW: 1,169,992 GAL. TOTAL FLOW:

42893992

### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

#### Log of OCPSF Pretreatment Unit Operation

- 1. Days unit operated during the month: //
- 2. Average volume processed per day: 5790 gal.
- 3. Volume recieved from Albert Ave. plant: 63,688 gal.
- 4. Volume generated at Doremus Ave. plant: 6 + 9 gal.
- 5. Total water treated during the month: 63,688 gal.

Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments From Reichhold, Albert Ave.

# AUG 1, 1993 to AUG 31, 1993

Date	of Shipment	Lbs. of Water	Gallons of Water
1.	8/4	48,560	5823
2.	8/9	49,420	5426
3.	8/10	49,640	5952
4.	8/12	46, 260	5547
5.	8/16	48,400	5803
G,	8/18	47540	5700
7.	6/18	48,020	5 758
$\epsilon$	8/20	48420	5806
9.	8/24	47,840	5736
, ن	8/26	48,140	5772
/1.	8/30	48,920	5866
<i>T</i>	d Por	<i>5</i>	<b>.</b>
1017	IL 'LECEIVED	FROM ALBERT AVE	63,688 GAL

### PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT REQUIRED
Compliance or non compliance statement with compliance schedule (use additional sheet
if necessary) for every parameter used.
MEET LIMITS & IN COMPLIANCE WITH
MEET LIMITS & IN COMPLIANCE WITH  40 CFR 414,558 SUBPART E FOR AUG 1993
Explain Method for preserving samples
ATTACHED
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure the qualified personnel properly gather and evaulate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988
Signature of Principal Executive or Authorized Agent
ARTHUR E. DIEFFENBACH
Type Name and Title
· · ·
9/17/93 Date

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES:

2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR  $\Lambda/B/N$ :

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

# PRETREATMENT MONITORING EPORT Name Reichhold Chemicals Inc. 400 Doremus Ave.

Category & Subpart 40 CFR 414.55 & E Outlet # 20406320-44100-0201

Contact Offical Telephone # 201-589-3709

Newark, N.J. 07105

Monitoring Period 93 07 01 93 07 131 Mo Day Yr. |Mo. Day Yr. End Start Production rate (if applicable)

Mailing Address\_

Pacility Location

For Reporting Period AVG Regulated flow-gal/day 5600 Total Flow-gal/day\_\_\_ Method used

					No. of	
Parameter	1		Mass Limit			Sample ty
		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	20.095	20.0998	GIRMIS	,	-
BENZENE	Permit requirement	1.739	4.087	GRMS	1	CRAB
· <del></del>	Sample measurement	KC.095	<0.0998	GRAMS	1	
CARBON TETRA	Permit requirement	4.331	11.591	GRAMS	1	CRAB
	Sample measurement	<0.095	CO.0998	GRAMS	1	
CHLORO- BENZENE	Permit requirement	4,331	11.591	GRAMS	1	GRAB
	Sample measurement	C0.190	cc,1997	GRAMS	1	
1,2,4, TRI CHLOROBENZENE	Permit requirement	5.978	24.219	GRAMS	1	COMPOSITI
	Sample measurement	<0.190	CC.1997	Colams		
HEXACHLORO BENZENE	Permit requirement	5.978	24.219	GRIMS	11	COMPOSITE
	Sample measurement	20.095	20.0998	GRAMS	(	
1,2, DICHLORO	Permit requirement	5490	17.508	GRAIS	1	GRAB
	Sample measurement	<0.095	<0.099B	GRAMS	l	_
CHLOROETHANE	Permit requirement	0.674	1.800	GRAYS	1	GRAB
	Sample measurement	<0.19C	Kr. 1997	GRAMS		_
ETHANE	Permit requirement	5.978	24.2.19	Gens	1	COMPOSITE
	Sample measurement	<0.095	CC.0998	GRAMS	1	
1,1, DICHLORO ETHANE	Permit requirement	0.671	1.200	GRAMS	1	GRAB

### PRETERATMENT MONTTORING .PORT

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet 20406320-44100-0201
Contact Offical	Telephone   201 589 3709
Monitoring Period	For Reporting Period
07 01 93 07 31 93	Regulated flow-gal/day 5600 585  Total Plow-gal/day 37,635
Mo Day Yr. Mo. Day Yr.  Start End  Production rate (if applicable)	Method used

<u> </u>		<b></b>				
Parameter		Mass Limi	t		No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	20.095	40.0998	GRAMIS	1	
1,3, DICHLORO PROPYLENE	Permit requirement	5.978	24.219	GRAYS	1	GRAB
	Sample measurement	0,0361	0.0379	GRAMS	1	
ETHYL BENZEN	Permit requirement	4.331	11.591	GRAMS		GRAB
	Sample measurement	40,095	<0.0998	G12AMS		
METHYLENE CHLORIDE	Permit requirement	1.089	5,185	GLAMIS	]	GRAB
	Sample measurement	20,190	6.0.1997	GRAMS	<u> </u>	
METHYL CHLORIDE	Permit requirement	3.355	8.998	GRAMS	11	CRAB
	Sample measurement	<0,190	<0.1997	GRAMS		
HEXACIILORO BUTADI ENE	Permit requirement	4.331	711.591	GR.7M5	1	COMPOSITE
J	Sample measurement	<0,190	Cc.1997	GRAMS	1	
NITROBENZENE	Permit requirement	68.234	195277	GRAIS	11	COMPOSITE
0. 117770	Sample measurement	KO.190	<0.1997	GRAMS		_ ]
2-NITRO PHENOL	Permit requirement	1.983	7.046	62245	1	COMPOSITE
	Sample measurement	10.95c	<0.998	G.ZAMS		_{
PHENOL	Permit requirement	4.941	17.569	G23415	11	COMPOSITE
	Sample measurement	<0.9.50	<6.996	GRAMS	1	4
4,6, DINITRO OHUGRESOL	Permit requirement	2.379	8.449	GRAMS	1	COMPOSITE

# PRETERATMENT MONITORING L PORT

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Pacility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
Contact Offical	Telephone
Monitoring Period	For Reporting Period
07 01 93 07 31 93	Regulated flow-gal/day 5600 5885 Total Plow-gal/day 37,635
Mo Day Yr. Mo. Day Yr.  Start End  Production rate (if applicable)	Method used

<u></u>					<del></del>	
		<u>.</u>				
Parameter		Mass Limi		<del></del>	No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	<0.095	40,0996	GRAMS	1	
1,1,2, TRI- CHLOROETHANE	Permit requirement	0.976	3.874	GRAMS	I	GRAB
<del></del>	Sample measurement	× C.190	KC. 1996	GRAMS	7	
CHLOROETHANE	Permit requirement	3.355	8.998	GRAMS	1	GRAB
	Sample measurement	0.019	0-1996	GRAMS	1	
CHLOROFORM	Permit requirement	3.366	9.913	G2,7~15	1	GRAB
	Sample measurement	60,190	20.01997	Gilians	1	
1,2, DICHLORO BENZENE	Permit requirement	5.979	24.219	CRAMIS	I	COMPOSITE
	Sample measurement	K01190	<€.1996	GRAMS		
1,3, DICHLORO BENZENE	Permit requirement	4,331	11.591	GRAMS	1	COMPOSITE
	Sample measurement	<0,190	<0.1996	GRAMS	1	
1,4, DICHLORO	Permit requirement	4.331	11,591	GRANIS	1	COMPOSITE
	Sample measurement	<0.095	<0.0998	6,2,7415	7	
1,1, DICHLORO ETHYLENE	Permit requirement	0.671	_1.830	GRAMS	1	GRAB
	Sample measurement	10.095	<0.0998	GRAMS	i	_
1,2, TRANS DI	Permit requirement	0.763	2.013	GRIMS	1	CRAB
	Sample measurement	20.095	<0.0998	GRIMIS		
1,2, DICHLORO PROPANE	Permit requirement	5,979	24.219	1612775	1	CRAB

# PRETERATMENT MUNITURING RPORT

, Na	me	Rei	chho1	d Ch	emical	s Inc.				
Ma	Mailing Address 400 Doremus Ave.									
Pa	cility	Loca	tion	Newa	rk, N.	J. 07105				
Ca	tegor	y & Su	ibpart	40	CFR 4	414.55 & E	Outlet# 20406320-44100-0201			
Co	ntact	Offic	al	<b>_</b>			Telephone 201-589-3709			
	Monitoring Period						For Reporting Period			
67	01	93	07	1	93		Regulated flow-gal/day 5700 585  Total Flow-gal/day 37,635	-		
Mo. Star	Day	Yr.	Mo.	Day	Yr.		Method used			
		n rat	e (if a	pplic	able)	ī				

Parameter		Mass Limi	•		No. of	Sample ty	
ran ameter		Average	Maximum	Units	Samples	Comp./gr	
	Sample measurement	0.0304	0.03195	Gerris		- Carrier	
TETRACHLORO ETHYLENE	Permit requirement	1.586	5002	GRAMIS	1	GRAB	
	Sample measurement	04/33	0.1398	GRAMS	/		
TOLUENE	Permit requirement	0.854	2.257	GRAMS	1	GRAB	
	Sample measurement	10.095	<0.099B	GRAMS	1		
TRICHLORO ETHYLENE	Permit requirement	0.793	2.105	GRAMS	1	GRAB	
	Sample measurement	20.190	<0. <b>69</b> 96	GRAMS	1	_	
VINYL CHLORIDE	Permit requirement	2,959	5, 246	GRAMS	11	CRAB	
	Sample measurement	KO.190	cc. 1996	CRAMS	/	_	
TOTAL CYANIDE	Permit requirement	12.811	36.603	GRAMS	1	GRAB	
	Sample measurement	<1.90	<1.9967	GRAMS	/	_	
TOTAL LEAD	Permit requirement	9.761	21.046	GRAMS	1	COMPOSITE	
_	Sample measurement	13,11	13.778	GRAMS	/	_	
TOTAL ZINC	Permit requirement	32,028	79.612	CRAMS	<u> </u>	COMPOSITE	
	Sample measurement					_{	
	Permit requirement			[	_		
	Sample measurement						
•	Permit requirement						

### PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT REQUIRED
Compliance or non compliance statement with compliance schedule (use additional sheets
if necessary) for every parameter used.
•
MEET LIMITS & IN COMPLIANCE WITH  40 CFR 414, 558 SUBPART E FOR JULY 1993
TO CITE TITLE BOOK VOLTITIES
Explain Method for preserving samples
ATTACHEU
ATTACAEO
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaulate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988
Signature of Principal Executive or Authorized Agent  Another E. DIEFFENBACH
PLANT ENCINEER  Type Name and Title
Type Name and Title
8/09/93

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM:	JULY O	TO: JUL	731,1993
WATER USED @ 390 DOREMUS AVE.		9, 33	CU. FT.
WATER USED @ 400 DOREMUS AVE.		148,5	SOCUL FT.
TOTAL WATER USED AT THE PLANT		157,8	tel Fr3
CONVERSION FACTOR		X 7.48 GA	L/CU. FT.
WATER USAGE		1,180,950	GALLONS.
5% EVAPORATION		X 0.95	
NET WATER USAGE		1,121,902	GALLONS.
PROCESS WATER RECEIVED FROM ALBERT AVE. PLANT		44,799	GALLONS.
TOTAL WATER INTO DOREMUS AVE.		1,166,701	GALLONS.
NET DISCHARGE TO P.V.S.C.		1,166,701	GALLONS.

### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

Log of OCPSF Pretreatment Unit Operation

## JULY 1993

- 1. Days unit operated during the month:  $m{\mathcal{E}}$
- 2. Average volume processed per day: 5600 gal.
- 3. Volume recieved from Albert Ave. plant: 44,799 gal.
- 4. Volume generated at Doremus Ave. plant: ⊘ ↔ gal.
- 5. Total water treated during the month: 44,799 gal.


### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments From Reichhold, Albert Ave.

# July et to July 31, 1993

Date of Shipment	Lbs. of Water	Gallons of Water
1. 7/1/93	44,760	<i>5</i> 367
2. 7/7/93	46,520	5578
3. 7/9/93	49,080	5885
4. 7/12/93	45,020	<i>5</i> 5398
5. 7/19/93	46,280	5549
6 7/22/93	48,260	5787
7. 9/23/93	46,420	5566
8. 7/28/93 Total Gallons Recie	47280 ved From Albert Ave.:	5669 —
		44,799 GAC

Reichhold Chemicas Inc. 400 Doremus Ave. Newark, N.J. 07105



4289400

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES:

2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR  $\Lambda/B/N$ :

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

**Reichhold Chemicals, Inc.**Coating Polymers & Resins Division 400 Doremus Avenue
Newark, NJ 07105

### REICHHOLD

July 20, 1993

Passaic Valley Sewerage Comm., 600 Wilson Ave. Newark, NJ 07105 Attn. Industrial Dept.

Dear Sir.

Attached you will find the completed MR-1 report for June 1993 for our facility at 400 Doremus Ave, Newark, NJ. If you require any additional information regarding this report please contact me at (201)-589-3716 during business hours.

Sincerely yours,

Arthur E. Dieffenbach Plant Engineer

# PRETREATMENT MONITORING REPORT

Nar	ne	Reich	hold.	Che	emical	ls Inc.
Mai	Mailing Address 400 Doremus Ave.					
Pac	Facility Location Newark, N.J. 07105					
Cat	egory	& Sul	part	40	CFR	414.55 & E Outlet # 20406320-44100-θ201
Con	tact	Offica	1	Azr	mnt	DIEFFENBACH Telephone \$ 201-589-3709
	Moni	toring	Peri	od		For Reporting Period
1	CC 01 93 06 30 93  Mo. Day Yr. Mo. Day Yr.  Regulated flow-gal/day 5719 5873  Total Flow-gal/day 31, 402  Method used					
Star		n rate	End (if a	pplic	able)	

Parameter		Mass Limi	<b>†</b>		No. of	Sample ty
racameter		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	< 0.108	CO111	GRAMS	/	· · · · · · · · · · · · · · · · · · ·
BENZENE	Permit requirement	2.616	7.911	GRAMS	1	GRAB
	Sample measurement	<0.10€	<b>∠</b> 0.111	GRAMS	/	
CARBON TETRA CHLORIDE	Permit requirement	6:518	22,435	GRAMS	11	GRAB
	Sample measurement	<0.108	20,111	GRAMS		_
CHLORO- BENZENE	Permit requirement	6.518	22.435	GRAMS	11	GRAB
	Sample measurement	Ce.216	60,222	Groms	1	
1,2,4, TRI CHLOROBENZENE	Permit requirement	0.994	48.018	GRAMS	1	COMPOSITE
	Sample measurement	20.216	<0.222	GRAMS		
HEXACHLORO RENZENE	Permit requirement	8.996	48.878	GRAMS	1	COMPOSITE
	Sample measurement	10108	<0.111	GRAMS		_
1,2, DICHLORO ETHANE	Permit requirement	8.362	33.889	GRAMS	1	GRAB
	Sample measurement	<0.108	<0.111	GRAMS	1	_
1,1,1, TRI CHLOROETHANE	Permit requirement	1.01	3.483	GRAMS	11	GRAB
	Sample measurement	20.216	<c.222< td=""><td>GRAMS</td><td></td><td>_ </td></c.222<>	GRAMS		_
HEXACHLORO ETHANE	Permit requirement	8.996	48.878	GRAMS	1	COMPOSITE
	Sample measurement	LC. 108	< 6.111	GRAMS	1	_
1,1, DICHLORO ETHANE	Permit requirement	1.01	3.483	GRAMS	1	GRAB

# PRETREATMENT MONTTORING F ORT

Na	me	Reid	chhol	d Cho	emicals	Inc
Ma	iling .	Addre	<b>3</b> 5	400 E	oremus	Ave.
Fac	ility	Locat	ion_1	Newar	k, N.J	. 07105
Cat	едогу	r & Su	bpart	40	CFR 4	14.55 & E Outlet 20406320-44100-0201
Cui	ilact	Ullica	al_A	12 171	wet.	DIEFFENBACH Telephone 201 589 3709
	Mon	itoring	Per	iod		For Reporting Period
96 Mo.	⊘/ Day	93 Yr.	1	ろの Day	1	Regulated flow-gal/day 5719 5873  Total Flow-gal/day 31,402  Method used
Star	ŧ	n rate	End			

Parameter	J	Mass Limi	t		No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./grai
	Sample measurement	CC.108	<0.111	GRAMS		
1,3, DICHLORO PROPYLENE	Permit requirement	8.996	48.878	GRAYS	1	GRAB
	Sample measurement	0,026	0.0266	GRAMS	1	
ETHYL BENZEN	Permit requirement	6.518	22.435	GRAMS	11	CRAB
	Sample measurement	0.086	0.0889	Gams		
METHYLENE CHLORIDE	Permit requirement	1.652	10.037	GRAMIS	1	CRAB
	Sample measurement	20.216	<0.222	GRAMS	1	
METHYL CHLORIDE	Permit requirement	5.049	17.417	GRAMS	1	CRAB
	Sample measurement	20.216	<0.222	GIZAMS		
HEXACHLORO BUTADIENE	Permit requirement	6.518	74435	GRAMS	1	COMPOSITE
	Sample measurement	20.216	<0,222	GRAMS		_
NITROBENZENE	Permit requirement	102.68	377.97	GRAHS	1	COMPOSITE
4	Sample measurement	<0.216	<6.555	GRAMS	1	_
2-NITRO PHENOL	Permit requirement	2.484	13.638	62245	11	COMPOSITE
	Sample measurement	<1.08	<1.11	GRAMS		~-l
4-NITRO PHENOL	Permit requirement	7,436	34.007	G2345	1	COMPOSITE
	Sample measurement	<1.08	41.11	GRAMS		
4,6, DINITRO	Permit requirement					ľ
OHUCRESOL		3,580	16.354	GRAMS	1	COMPOSITE

## PRETREATMENT MONITORING & ORT

Name Reichhold Chemicals Inc.						
Mailing Address 400 Doremus Ave.						
Facility Location Newark, N.J. 07105						
Category & Subpart 40 CFR 414.55 & E Outlet # 20406320-44100-0201						
Contact Offical AnTHUR DIEFFENBACH Telephone \$ 201-589-3709						
Monitoring Period For Reporting Period						
06 01 93 06 30 93  Mo. Day Yr. Mo. Day Yr.  Regulated flow-gal/day 57.9 5673  Total Flow-gal/day 31,402  Method used						
Start End Production rate (if applicable)						

_						Samula Au-
Parameter		Mass Limi Average	Maximum	Units	No. of Samples	Sample typ Comp./gra
	Sample measurement	<0.108	< 0.111	GRAMS	1	
1,1,2, TRI- CHLOROETHANE	Permit requirement	1.469	7.498	GRAMS	11	GRAB
	Sample measurement	<0.216	20,222	GRAMS		
CHLOROETHANE	Permit requirement	5.049	17.417	GRAMS	11	GRAB
	Sample measurement	0.0216	0.022	CHZAMS		
CHLOROFORM	Permit requirement	5.095	19.188	GRAMIS	1	GRAB
	Sample measurement	20,216	<0.22L	GRAMS	1	_
1,2, DICHLORO BENZENE	Permit requirement	8.996	46.878	GRANIS	1	COMPOSITE
J	Sample measurement	<0.216	<0.262	GRAMS	ļ	-
1,3, DICHLORO BENZENE	Permit requirement	6.518	22,435	GRAMS	11	COMPOSITE
	Sample measurement	10.216	C0.722	GRAMS		_
1,4, DICHLORO BENZENE	Permit requirement	6.518	22,435	GRANIS	1	COMPOSITE
	Sample measurement	CC.108	Ko. 111	GRAMS		_
I,I, DICHLORO ETHYLENE	Permit requirement	1.01	3.542	GRAMS	11	GRAB
	Sample measurement	₹0.108	20.111	GRAMS		_
1,2, TRANS DI- CHLOROETHYLENE	Permit requirement	1.748	3697	GRAMS	1	GRAB
	Sample measurement	<0.10€	<0.111	GRAMS	1	_
1,2, DICHLORO PROPANE	Permit requirement	8946	46 878	1612hrs	1	GRAB

### LERLERVIMENT MONITORING & ROOKI.

Name Reichhold Chemicals Inc.						
Mailing Address 400 Doremus Ave.						
Pacility Location Newark, N.J. 07105						
Category & Subpart 40 CFR 414.55	& E Outlet					
Contact Offical ARTHUR DIETE	FENBACH Telephone 201-589-3709					
Monitoring Period For Reporting Period						
OG O1 93 OG 30 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5719 573  Total Flow-gal/day 31,402  Method used					
Start End Production rate (if applicable)						

Parameter		Mass Limi	•		No. of	Sample ty
rarameter		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	100,091	0.093	GRAMS	/	
TETRACHLORO ETHYLENE	Permit requirement	2.367	9.683	GRANIS	1	GRAB
	Sample measurement	0,0627	0.064	GRAMS	1	
TOLUENE	Permit requirement	1.265	<b>4.</b> 369	GRAMS	1	GRAB
	Sample measurement	CO.108	20.111	GRAMS		
TRICHLORO ETHYLENE	Permit requirement	1.193	4,074	GRAMS	1	GRAB
	Sample measurement	<0.216	(C,222 L	GRAMS		_
VINYL CHLORIDE	Permit requirement	4.452	10.155	GRAMS	11	CRAB
	Sample measurement	CO.216	<0.222.	GAMIS		
TOTAL CYANIDE	Permit requirement	19.278	70.848	GRAMS	<u> </u>	GRAB
	Sample measurement	K2.163	<2.221	GRAMS		
TOTAL LEAD	Permit requirement	14.628	40 738	G2AM5	1	COMPOSITE
	Sample measurement	17.74	18.218	GRAMS		
TOTAL ZINC	Permit requirement	48.195	154.094	GRAMS	11	COMPOSITE
	Sample measurement					_{
	Permit requirement					
	Sample measurement	-	<del> </del>			1
	Permit requirement	<u> </u>				7

### PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT REGULED
Compliance or non compliance statement with compliance schedule (use additional sheet
if necessary) for every parameter used.
MEET LIMITS & IN COMPLIANCE WITH
40 CFR 414, 558 SUBPART E FOR JUNE 1993
Explain Method for preserving samples
ATTACHED
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaulate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  403.6(a)(2)(ii) revised by 53 PR 40610, October 17, 1988
Signature of Principal Executive or Authorized Agent
ANTHUR E. DIEFFENBACH
Type Name and Title
7/20/93

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES:

2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments from Reichhold, Albert Ave.

# JUNE , 1993 to JUNE 30, 1993

Date of Shipment	Lbs. of Water	Gallons of Water
1. 6/01/93	47,800	573 <i>i</i>
2. 6/03/93	47,480	5793
3. 6/07/93	48,820	5854
4. 6/09/93	48,980	5873
5. 6/12/93	47,680	5717
6. 6/16/93	42,820	5134
7. 6/21/93 8. 6/24/93	48240	5784
8. 6/24/93	48 580	5825
9. 6/26/97	48860	5859
<del>10</del> .		
	TOTAL	51,470 GAL

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

JUNE 1, 1993 TO: JUNE 30, 1993 PERIOD FROM: 13,590 CU. FT. WATER USED @ 390 DOREMUS AVE. -----WATER USED @ 400 DOREMUS AVE. ----- /11,740 CU. FT. TOTAL WATER USED AT THE PLANT ----- /25,330 ----- X 7.48 GAL/CU. FT. CONVERSION FACTOR ----- 937,468 GALLONS. WATER USAGE 5% EVAPORATION ---- X 0.95 ..... 890, 595 GALLONS. NET WATER USAGE PROCESS WATER RECEIVED 57,470 GALLONS. FROM ALBERT AVE. PLANT TOTAL WATER INTO DOREMUS AVE. -----942,065 GALLONS. NET DISCHARGE TO P.V.S.C.

WASTE WATER FLOW DIAGRAM - OCPSF REGULATED JUNE 1993 FOR MONTH OF: REGULATED FLOW FROM REGULATED FLOW FROM 51,470 GAL. -0 -GAL. ALBERT AVENUE DOREMUS AVENUE DOREMUS AVE. NON-OCPSF FLOW PROCESS WATER, OCPSF **890 59.5** GALLONS REGULATED WATER 51,4 70 GALLONS PH MONITORING AND PRE TREATMENT SYSTEM SAMPLING POINT USER CHARGES PRETREATMENT SAMPLING POINT FOR OCPSF DISCHARGE OCPSF EFFLUENT PLANT DISCHARGE TO PVSC LIFT 51,470 OCPSF REGULATED FLOW: GAL. STATION 890,595 GAL. NON-OCPSF FLOW: 941, GAL. TOTAL FLOW:

### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

### Log of OCPSF Pretreatment Unit Operation

### JUNE 1993

1. Days unit operated during the month:  $m{9}$ 

2. Average volume processed per day: 5719 gal.

3. Volume recieved from Albert Ave. plant: 57,470 gal.

4. Volume generated at Doremus Ave. plant: - O + gal.

5. Total water treated during the month: 57, 470 gal.

AVG FROW = 5,719 X10 369L X 8.34 15 X :4536X10 CM 21.635 X106 GRAMS

GAL 16 = 0.021635 X109 6M.

MAXFROW = 5,873×103 GAL X8.34 X,4536×103= 22,2177×106
= ,0227177×109

#### Reichhold Chemicals, Inc.

Coating Polymers & Resins 46 Albert Avenue Newark, New Jersey 07105

Receipt for Certified Mail

No Insurance Coverage Provided

Do not use for International Mail

(See Reverse)

See Reverse

June 1

PASSAIC VALLEY SEWERAGE COMMISSIONERS 600 Wilson Avenue Newark, NJ 07105

Attn.: Industrial Dept.

Dear Sirs:

Enclosed you will find a completed MR-1 reportour facility at 400 Doremus Avenue, Newark, N any additional information regarding this report me at (201) 589-3716 during business hours.

Sin

Arthur E. Dieffenbach Plant Engineer

Thank you for using Return Receipt Sei ddress (Only if requested MESTIC RETURN RECEIPT ₫ Addressee's Address following services (for an ext Restricted Delivery Receipt fee Return Receip Merchandise ξ | Insured | COD | Return R Consult postmaster 0 565 Article Number 236 080 Service Type Registered (ee Certified whom the article was delivered and the date on the mailpiece below the article number address on the reverse of this form so that we can or on the back if space #□ 🖪 #U.S. GPO: 1982-323-402 ٠٤, nd/m-3 for additional services Industrial Dept mailpiece, **3811**, December 1991 07105 the Avenue Write "Return Receipt Requested" The Return Receipt will show to w Attach this form to the front of does not permit. Signature (Addressee) Article Addressed 600 Wilson N Newark, Attn.: Signatura Print your n return this car Form က S 3 نوا Is your RETURN ADDRESS completed on the reverse side

### PRETREATMENT MONITORING REPORT

Name Reichhold (	Chemicals Inc.				
Mailing Address	400 Doremus Ave.				
Facility Location 1	Newark, N.J. 07105				
Category & Subpart_4	40 CFR 414.55 & E Outlet  20406320-44100-0201				
Contact Offical	Telephone#_201-589-3709	·			
Monitoring Period					
O5 01 93 05 31 93  Mo. Day Yr. Mo. Day Yr.  Regulated flow-gal/day 5657 5892  Total Flow-gal/day 20062  Method used					
Start End	plicable				

Parameter			t or Concent		No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./gral
	Sample measurement	<5	<5	198	/	
	Permit requirement					7
BENZENE.		57	134	PPB	1	GRAB
	Sample measurement	<5°	<5	PPB	/	
CARBON TETRA _CHLORIDE	Permit requirement	142	380	PPB	1	GRAB
CHEOKIDE	Sample measurement	<del></del>	<.5	PPB	7	
CHLORO-	Permit requirement		,			_
BENZENE	<u> </u>	142	380	PPB	1	GRAB
	Sample measurement	<10	<10	PPB		
1,2,4, TRI	Permit requirement					
CHLOROBENZENE		196	794	PPB	1, 1,	COMPOSITE
_	Sample measurement	0</td <td>&lt;10</td> <td>PPB</td> <td></td> <td></td>	<10	PPB		
HEXACHLORO RENZENE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	<5	<3 <sup>-</sup>	PPB	/	
	Permit requirement					
ETHANE	G1	180	574	PPB	1	GRAB
1 1 1 mpr '	Sample measurement Permit requirement	<5	<5	PPB	/_/	<b>-</b>
1,1,1, TRI CHLOROETHANE	Permit requirement	22	59	PPB	1	GRAB
0201.0 222	Sample measurement	<10	<10	PPB	1	
HEXACHLORO	Permit requirement	1				_]
ETHANE		196	794	PPB	1	COMPOSITE
	Sample measurement	<5	<3	PPB	1	
1,1, DICHLORO ETHANE	Permit requirement	22	59	PPB	1	GRAB

#### LUCATE DITTOTION TOWNS TOWNS

Nan	n e	Reic	hhold	Che	micals	s Inc.	
Mai	ling A	.ddres	<b>is</b> 4	00 D	oremus	s Ave.	
Fac	ility l	Locati	ion_N	ewar	k, N.J	J. 07105	
Cat	egory	& Su	bpart_	40	CFR 4	414.55 & E Outlet 20406320-44100-0201	
Con	tact	Office	al			Telephone # 201-589-3709	
	Mon	toring	g Peri	od		For Reporting Period	
05	01	93	05	{	93	Regulated flow-gal/day S657 5892 Total Flow-gal/day 2062	-
Star	t	<del></del>	End			method used	
Mo. Star	Day	Yr.	Mo.	Day	1	Regulated flow-gal/day 5657 5892	-

Parameter		Mass Limi	t or Concent	No. of	Sample typ	
		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	<5	<5	PPB	-	
1,3, DICHLORO PROPYLENE	Permit requirement	196	794	PPB	1	GRAB
	Sample measurement	10	10	PPB	1	
PRINT DEMTER	Permit requirement	1/2	380	PPB	,	GRAB
ETHYL BENZEN	Sample measurement	142	16	PPB	<b>—</b>	GRAB
METHYLENE	Permit requirement		,			_
CHLORIDE		36	170	PPB	1, -	GRAB
METHYL	Sample measurement Permit requirement	<10	<10	PPB		_
CHLORIDE	r et inte requirement	110	295	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	/	
HEXACHLORO	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	1	
NITROBENZENE	Permit requirement	2237	6402	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	1	
2-NITRO PHENOL	Permit requirement	65	231	PPB	1	COMPOSITE
	Sample measurement	<50	<50	PPB	1	
4-NITRO PHENOL	Permit requirement	162	576	PPB	1	COMPOSITE
	Sample measurement	<5°	<5°	PPB	1	
	Permit requirement					
OHEGRESOL	1	78	277	PPB	1	COMPOSITE

PVSC Form MR-1 Rev. 4 6/87 P1

# PRETREATMENT MONITORING REPORT

Nar	Name Reichhold Chemicals Inc.									
Mailing Address 400 Doremus Ave.										
Facility Location Newark, N.J. 07105							<del></del>			
Category & Subpart 40 CFR 414.55 & E Outlet # 20406320-44100-0201										
Contact Offical										
Monitoring Period				For Reporting Period						
05 01 93 05 31 93 Mo Day Yr. Mo. Day Yr.							Regulated flow-gal Total Flow-gal/day Method used			MAX 5892
Start End Production rate (if applicable)										

D		Mara Timi	t or Concent	notion.	No. of	Sample ty
Parameter		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	25	<5	PPB	/	
1,1,2, TRI- CHLOROETHANE	Permit requirement	32	127	PPB	1	GRAB
	Sample measurement		<10	PPB	1	
CHLOROETHANE	Permit requirement	110	295	PPB	1	GRAB
	Sample measurement		<5	PPB	1	
CHLOROFORM	Permit requirement	111	325	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	/	
1,2, DICHLORO BENZENE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB		
1,3, DICHLORO BENZENE	Permit requirement	142	380	PPB	1	COMPOSITE
_	Sample measurement	<10	<10	PPB	1	
1,4, DICHLORO BENZENE	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	<5	<5	PPB		
1,1, DICHLORO ETHYLENE	Permit requirement	22	60	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	/	_
1,2, TRANS DICHLOROETHYLENE	L	25	66	PPB	11	GRAB
	Sample measurement	<5	<5	PPB	1	
1,2, DICHLORO PROPANE	Permit requirement	196	794	PPB	1	GRAB

### PRETERATMENT MONTTORING B ORT

Name Reichhold Chemicals Inc.						
Mailing Address 400 Doremus Ave.						
Facility Location Newark, N.J. 07105						
Category & Subpart 40 CFR 414.55 & E Outlet \$ 20406320-44100-0201						
Contact Offical Telephone 201-589-3709						
1						
Monitoring Period	For Reporting Period					
Monitoring Period  05 01 93 05 31 93	Regulated flow-gal/day $\frac{AVG}{5657}$ $\frac{MAX}{5892}$					
	AYG MAX					

Parameter		Mass Limit	or Concent	ration	No. of	Sample ty
		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	<5	<5	PPB		
TETRACHLORO ETHYLENE	Permit requirement	52	164	PPB	1	GRAB
DIMIDLAND	Sample measurement		11	PPB	1	
mot HENE	Permit requirement	28	74	РРВ	1	GRAB
TOLUENE	Sample measurement	<5	<5	PPB	1	GIGID
TRICHLORO	Permit requirement	26	69	PPB	1	GRAB
BINIBENE	Sample measurement		0</td <td>PPB</td> <td>1</td> <td></td>	PPB	1	
VINYL CHLORIDE	Permit requirement	97	172	PPB	1	GRAB
CHECKIBE	Sample measurement		Z10	PPB	7	
TOTAL CYANIDE	Permit requirement	420	1200	PPB	1	GRAB
	Sample measurement	<100	<100	PPB	1	
TOTAL _LEAD	Permit requirement	320	690	PPB	1	COMPOSITE
	Sample measurement	920	920	PPB	1	_
TOTAL ZINC	Permit requirement	1050	2610	PPB	1	COMPOSITE
	Sample measurement					_
	Permit requirement					
	Sample measurement					
	Permit requirement			1		

### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES: 2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

### Log of OCPSF Pretreatment Unit Operation

# MAY 1993

1. Days unit operated during the month:

2. Average volume processed per day: 5657 gal.

3. Volume recieved from Albert Ave. plant: 50914 gal.

4. Volume generated at Doremus Ave. plant: - o - gal.

5. Total water treated during the month: 50914 gal.


### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments From Reichhold, Albert Ave.

MAY 1 1993 to MAY 81, 1993

Date of Shipment	Lbs. of Water	Gallons of Water
1. 5/01/93	48260	5814
2. 5/05/93	42,300	5096
3. 5/07/93	47,760	5754
4. 5/13/93	48,160	5802
5. 5/17/93	47, 180	5684
6, 5/19/93	47,840	5764
7. 5/22/93	45,260	5453
6. 5-125/93	46,940	5655
9. 5/28/93 Total Gallons Reciev	ed From Albert Ave.:	5892
TOTAL GALLOUS RECIEV	ca from hiperc ave	50914 GAL

Reichhold Challas Inc. 400 Doremus A... Newark, N.J. 07105



REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

#### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM: MAY 1,1993 TO: MAY 31,1993 WATER USED @ 390 DOREMUS AVE. ..... 5426 CU. FT. WATER USED @ 400 DOREMUS AVE. ----- 74930 CU. FT. B0356 TOTAL WATER USED AT THE PLANT ---------- X 7.48 GAL/CU. FT. CONVERSION FACTOR 601,063 GALLONS. WATER USAGE 5% EVAPORATION X 0.95 571,010 GALLONS. NET WATER USAGE PROCESS WATER RECEIVED 50914 GALLONS. FROM ALBERT AVE. PLANT TOTAL WATER INTO DOREMUS AVE. ---- 621, 924 GALLONS. 621,924 GALLONS. NET DISCHARGE TO P.V.S.C.

### RETREATMENT MONITORING RE. RT

Certification of Non-use if applicable (use additional sheets)
NOT REGUIRED
Compliance or non compliance statement with compliance schedule (use additional sheet
if necessary) for every parameter used.
MEET LIMITS & IN COMPLIANCE WITH
40 CFR 414, 558 SUBPART E FOR MAY 1993
Explain Method for preserving samples
ATTACHED
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaulate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.
403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988
Signature of Principal Executive or Authorized Agent
ARTHUR E. DIEFFENBACH
PLANT ENGINEER  Type Name and Title
(100/00

Reichhold Chemicals, Inc.

Coating Polymers & Resins Division 400 Doremus Avenue Newark, NJ 07105

### REICHHOLD

MAY 20, 1993

Passaic Valley Sewerage Comm. 600 Wilson Ave. Newark.NJ 07105 Attn. Industrial Dept.

Dear Sir,

MILIL

Attached you will find the completed MR-1 report for May 1993, for our facility at 400 Doremus Ave, Newark, NJ. If you require any additional information regarding this report please contact me at (201)-589-3716 during business hours.

withen chicks

Plant Enginéer

### PRETREATMENT MONITORING PORT

Nar	ne	Reich	hold.	Che	mical	s Inc.			
Mai	ling A	Addres	s	400	Dor	emus Ave.			
Pac	ility l	Locati	ion	New	ark,	N.J. 07105			
Cat	egory	& Sui	bpart	40	CFR -	414.55 & E	Outlet# 20406	320-44100-020	)1
Cor	tact	Office	ıl	<u>.                                    </u>		·	Telephone # 201	-589-3709	
	Mon	itoring	Peri	boi			For Reporting		
04 Mo.	OI Day	93 Yr.	04 Mo.	30 Day	. •		Regulated flow-gal/day Total Flow-gal/day Method used		MAX 5795
Star	· E	on rate	End			<u>1</u>			
			•		- •				

Parameter		Mass Limi	t or Concent	ration	No. of	Sample typ
1 44 4 0 001		Average	Maximum	Units	Samples	Comp./grat
	Sample measurement	2.5	< 5	PPB	-	
BENZENE	Permit requirement	57	134	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
CARBON TETRA CHLORIDE	Permit requirement	142	380	PPB	1	GRAB
	Sample measurement	<5	<5°	PPB	1	
CHLORO- BENZENE	Permit requirement	142	380	PPB	1	GRAB
	Sample measurement	<1C	<10	PPB	1	
1,2,4, TRI CHLOROBENZENE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	,	
HEXACHLORO  BENZENE	Permit requirement	196	794	PPB	11	COMPOSITE
	Sample measurement	<5	<5	PPB	1	
1,2, DICHLORO ETHANE	Permit requirement	180	574	PPB	1	GRAB
_	Sample measurement	<5	<5	PPB		
1,1,1, TRI CHLOROETHANE	Permit requirement	22	59	PPB	1	GRAB
	Sample measurement	<10	<10	PPB		
HEXACHLORO ETHANE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	<.5	<b>&lt;</b> 5	PPB	1	
1,1, DICHLORO ETHANE	Permit requirement	22	59	PPB	1	GRAB

## PRETREATMENT MONITORING PORT

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
Contact Offical	Telephone 201-589-3709
Monitoring Period	For Reporting Period
04 01 93 04 30 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5040 5749  Total Flow-gal/day 21956  Method used
Start End Production rate (if applicable)	

<b></b>	<del></del>	<del></del>			<del></del>	<del></del>
Parameter		Moss Limi	t or Concent	ration	No. of	Sample typ
Parameter		Average	Maximum	Units	<b>-</b> ∤	Comp./grat
	•	Average	Maximum	Omics	Samples	Comp./gran
	Sample measurement	<b>25</b>	<b>&lt;</b> 5	+	PPB	
1,3, DICHLORO	Permit requirement			1	1.0	
PROPYLENE		196	794	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
	Permit requirement					
ETHYL BENZEN	_	142	380	PPB	1	GRAB
	Sample measurement	13	13	PPB	1	
METHYLENE	Permit requirement					
CHLORIDE		36	170	PPB	1	GRAB
	Sample measurement	< 10	<10	PPB	1	
METHYL	Permit requirement					
CHLORIDE		110	295	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	<u> </u>	
HEXACHLORO	Permit requirement	1	000	222	,	COMPOCITE
BUTADIENE		142	380	PPB	<del>                                     </del>	COMPOSITE
	Sample measurement	<10	<10	PPB		
WEED OR THE STATE	Permit requirement	0007	6400	222		201/2047
NITROBENZENE		2237	6402	PPB	ļ	COMPOSITE
2 NITTO	Sample measurement	<10	<10	PPB		_
2-NITRO	Permit requirement	( -	1001	722	1 ,	COMPOSITE
PHENOL		65	231	PPB	1	COMPOSITE
/ MITTED	Sample measurement	<50	<50	PPB	<del>                                     </del>	
4-NITRO	Permit requirement	160	576	DDD	l ,	
PHENOL		162	576	PPB	<del>                                     </del>	COMPOSITE
/ C DINITEDO	Sample measurement	<50	<50	PPB	<b></b>	-
4,6, DINITRO	Permit requirement	1		4		
OHECRESOL	1	78	277	PPB	1	COMPOSITE

## PRETERATMENT MONTTORING LPORT

Name	Reichho	ld Che	micals	Inc.	
Mailing A	Address_	400 I	oremus	Ave.	
Facility 1	Location_	Newar	k, N.J	. 07105	
Category	& Subpar	t40	CFR 4	14.55 & E	Outlet # 20406320-44100-0201
Contact	Offical		<del></del>		Telephone # 201-589-3709
Moni	itoring Pe	riod	<u> </u>		For Reporting Period
04 01	1 • -	4 30	1 -		Regulated flow-gal/day 5040 5749  Total Flow-gal/day 21,956
Mo Day Start	En				Method used
Production	on rate (11	appli	cable)		

<b></b>			<del> </del>		<del></del>	<del>,</del>
Parameter		Mass Limi	tor Concent	ration	No. of	Sample ty
	!	Average	Maximum	Units	Samples	Comp./gr
	  Sample measurement			000		
1 1 0 770 7	Permit requirement	<b>&lt;</b> 5	<i>&lt;</i> 5	PPB	<del>}</del>	4
1,1,2, TRI- CHLOROETHANE	rei mic requirement	32	127	PPB	1	GRAB
	Sample measurement		<10	PPB		
	Permit requirement		]		1	7
CHLOROETHANE		110	295	PPB	11	GRAB
	Sample measurement	<5	<5	PPB	<u> </u>	
į	Permit requirement			`		
CHLOROFORM		111	325	PPB	1	GRAB
	Sample measurement	<10	<10	PPB		_[
1,2, DICHLORO	Permit requirement					
BENZENE		196	794	PPB	1 1	COMPOSITE
	Sample measurement	<10	<10	PPB	ļ	
	Permit requirement	1,,,	200	DDD	,	COMPOSITE
BENZENE		142	380	PPB	1	COMPOSITE
. /	Sample measurement	<10	<10	PPB	<u> </u>	4
BENZENE	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	<5	<5	PPB	7	
1,1, DICHLORO	Permit requirement					1
ETHYLENE		22	60	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
1,2, TRANS DI	Permit requirement					1
CHLOROETHYLENE		25	66	PPB	1	GRAB
	Sample measurement	<b>\&lt;5</b>	<5	PPB		]
1,2, DICHLORO	Permit requirement		1	1		1
PROPANE		196	794	PPB	1	GRAB

## PRETREATMENT MONITORING \_EPORT

Nar	Name Reichhold Chemicals Inc.						
Mai	ling A	Addres	s4	00 D	oremus	s Ave.	
Fac	ility l	Locati	on N	ewar	k, N.J	07105	
Cat	Category & Subpart 40 CFR 414.55 & E Outlet # 20406320-44100-0201						
Contact Offical Telephone 201-589-3709							
Monitoring Period						For Reporting Period	
04 01 93 04 30 93  Regulated flow-gal/day 5040 5749  Total Flow-gal/day 21,956  Method used							
Sta	t	on rate	End e (if a	pplic	able)		

_						S 1
Parameter			t or Concent		No. of	Sample ty
		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	<b>45</b>	<5	PPB		
TETRACHLORO	Permit requirement					
ETHYLENE		52	164	PPB	1	GRAB
	Sample measurement	3.1	3.i	PPB	<u> </u>	
	Permit requirement		l _,			CDAD
TOLUENE		28	74	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	/	
TRICHLORO	Permit requirement	26	69	PPB	1	GRAB
ETHYLENE	Sample manufacture	26			<del>                                     </del>	GIALD
********	Sample measurement Permit requirement	<10	<10	PPB	+	
VINYL CHLORIDE	Permit requirement	97	172	PPB	1	GRAB
CHLOKIDE	Sample measurement	<del></del>	<10	PPB	1	
TOTAL	Permit requirement	+	<del>                                     </del>			
CYANIDE	1	420	1200	PPB	/ 1	GRAB
	Sample measurement	148	148	PPB	1	
TOTAL	Permit requirement				_	
LEAD		320	690	PPB	11	COMPOSITE
	Sample measurement	695	695	PPB	1	_
TOTAL	Permit requirement	1050	2610	777	1 ,	COMPOSITE
ZINC		1050	2610	PPB	1	COMPOSITE
	Sample measurement			<u> </u>	<del></del>	
	Permit requirement					Ì
	Sample measurement	<del>-</del>			<del> </del>	
	Permit requirement	1		1		

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

in 1915 - The Common Market State (1915) (1915) (1916) (1916) (1916) (1916) (1916) (1916) (1916) (1916) (1916) The Common Market State (1916) (1916) (1916) (1916) (1916) (1916) (1916) (1916) (1916) (1916) (1916) (1916) (1

BOTTLE.

FOR CYANIDES:

2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR  $\Lambda/B/N$ :

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

### Log of OCPSF Pretreatment Unit Operation

## APRIL 1993

1.	Days unit operated during the month:
2.	Average volume processed per day: 5040 gal.
3.	Volume recieved from Albert Ave. plant: 45366 gal.
4.	Volume generated at Doremus Ave. plant: 0 gal.
5.	Total water treated during the month: 45366 gal.

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments From Reichhold, Albert Ave.

### APRILI 1993 to April 30, 1992

Date	of Shipment	Lbs. of Water	Gallons of Water
. 1,	4/1/93	46440	5595
<b>2</b> .	4/7/93	35,420	4267
3,	417193	36,240	4366
•	4/14/93	36260	4368
4.	4/16/93	40 200	4843
5,	4/22/93	47460	5718
۴. ٦.	4/28/93	41,300	4976
8.	4/26/93	45520	5484
9.	4/28/93	47720	5749
Total	Gallons Recieved	From Albert Ave.:	45,366

Reichhold Chemic. Inc. 400 Doremus Ave. Newark, N.J. 07105

WASTE WATER FLOW DIAGRAM - OCPSF REGULATED APRIL 1993 FOR MONTH OF: 842894037 REGULATED FLOW FROM REGULATED FLOW FROM - O - GAL. 45366 GAL. ALBERT AVENUE DOREMUS AVENUE DOREMUS AVE. NON-OCPSF FLOW PROCESS WATER, OCPSF 613, 325 GALLONS REGULATED WATER 45366 GALLONS H MONITORING AND PRE TREATMENT SYSTEM AMPLING POINT ISER CHARGES PRETREATMENT SAMPLING POINT FOR OCPSF DISCHARGE OCPSF EFFLUENT PLANT DISCHARGE TO PVSC LIFT 45366 GAL. OCPSF REGULATED FLOW: STATION 613, 325 GAL. NON-OCPSF FLOW: 658,691 GAL. TOTAL FLOW: DATE:

#### REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

#### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM: APRIL 1 TO: APRIL 30, 1993 WATER USED @ 390 DOREMUS AVE. ------ 4431 CU. FT. WATER USED @ 400 DOREMUS AVE. ----- 8188 O CU. FT. TOTAL WATER USED AT THE PLANT ----- 86311 CONVERSION FACTOR ----- X 7.48 GAL/CU. FT. 645, 606 GALLONS. WATER USAGE X 0.95 5% EVAPORATION 613, 325 GALLONS. NET WATER USAGE PROCESS WATER RECEIVED 45,366 GALLONS. FROM ALBERT AVE. PLANT 658691 GALLONS. TOTAL WATER INTO DOREMUS AVE. ---------- 658691 GALLONS. NET DISCHARGE TO P.V.S.C.

## PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT REQUIRED
Compliance or non compliance statement with compliance schedule (use additional sheets
if necessary) for every parameter used.
MEET LIMITS & IN COMPLIANCE WITH  40 CFR 414, 558 SUBPART E FOR
40 CFR 414, 558 SUBPART E FOR
Explain Method for preserving samples
ATTACHED
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaulate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  403.6(aX2)(ii) revised by 53 FR 40610, October 17, 1988
Signature of Pencipal Executive or Authorized Agent
ARTHUR E. DIEFFENBACH
PLANT ENGINEER Type Name and Title
5/12/93 Date

Reichhold Chemicals, Inc.

Coating Polymers & Resins Division 400 Doremus Avenue Newark, NJ 07105

### REICHHOLD

April 14, 1993

Passaic Valley Sewerage Commissioners 600 Wilson Avenue Newark, NJ 07105 Attn: Industrial Dept.

Dear Sirs:

Attached you will find our completed MR-1 report for March 1993 for discharge from our facility at 400 Doremus Avenue.

If you have any questions regarding this report, please contact me at (201) 589-3816 during business hours.

Sincerely yours,

thu Chieffenlach
Arthur E. Dieffenbach

Plant Engineer

Name Reichhold Chemicals Inc.	Name Reichhold Chemicals Inc.				
Mailing Address 400 Doremus Ave.					
Facility Location Newark, N.J. 07105					
Category & Subpart 40 CFR 414.55 & E	Outlet 20406320-44100-9201				
Contact Offical	Telephone # 201-589-3709				
Monitoring Period	For Reporting Period				
03 01 93 03 31 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5605 5773  Total Flow-gal/day 49,758  Method used				
Start End Production rate (if applicable)					

Parameter		Mass Limi	it or Concent	No. of	Sample typ	
	}	Average	Maximum	Units	Samples	Comp./grat
	Sample measurement	<5	<b>25</b>	PPB	+	
BENZENE	Permit requirement	57	134	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
CARBON TETRA CHLORIDE	Permit requirement	142	380	PPB	1	GRAB
	Sample measurement	<b>₹</b>	<5	PPB	1	
CHLORO- BENZENE	Permit requirement	142	380	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	1	
1,2,4, TRI CHLOROBENZENE		196	794	PPB	1	COMPOSITE
·	Sample measurement	<10	<10	PPB		
HEXACHLORO  BENZENE	Permit requirement	196	794	PPB	1	COMPOSITE
_	Sample measurement	<5	<5	PPB	/	_
1,2, DICHLORO ETHANE	Permit requirement	180	574	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	/	_
1,1,1, TRI CHLOROETHANE	Permit requirement	22	59	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	/	_
HEXACHLORO ETHANE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	<5	<5	PPB	/	_
1,1, DICHLORO ETHANE	Permit requirement	22	59	PPB	1	GRAB .

Name Reichhold Chemicals Inc.							
Ma	iling A	Addres	<b>IS</b>	400 D	oremus	Ave.	
Pac	ility :	Locati	on N	lewar	k, N.J	07105	
Cat	egory	& Sul	bpart <sub>.</sub>	40	CFR 4	14.55 & E	Outlet# 20406320-44100-0201
Cor	tact	Office	1				Telephone
	Mon	itoring	Peri	od	<u>'</u>		For Reporting Period
03	01	93	03	31	93		Regulated flow-gal/day 5605 5773  Total Plow-gal/day 49,758
Mo Day Yr. Mo. Day Yr.			Yr.	.]	Method used		
Star		on rate	End e (if a	polic	able)	1	
			- \4.	- F	,		

Parameter		Mass Limi	t or Concent	No. of	Sample typ	
2 42 41110001		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	<i>&lt;5</i>	<5	PPB	+	
1,3, DICHLORO PROPYLENE	Permit requirement	196	794	PPB	1	GRAB
	Sample measurement		1.2	PPB	1	
	Permit requirement					7
ETHYL BENZENI		142	380	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	/	_
METHYLENE	Permit requirement	<b>\</b>		`		
CHLORIDE		36	170	PPB	1 - 1	GRAB
ACTION AND ADDRESS OF THE ACTION AND ADDRESS	Sample measurement	<10	<10	PPB	<del>                                     </del>	_
METHYL CHLORIDE	Permit requirement	110	295	PPB	,	GRAB
CHLUKIDE	Sample measurement	</td <td><!--0</td--><td>PPB</td><td>1</td><td>GRAD</td></td>	0</td <td>PPB</td> <td>1</td> <td>GRAD</td>	PPB	1	GRAD
HEXACHLORO	Permit requirement	1 3/3	1	1	<del>                                     </del>	
RUTADIENE		142	380	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	1	
NITROBENZENE	Permit requirement	2237	6402	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	/	
2-NITRO	Permit requirement	<del>                                     </del>			· · · · · · · · · · · · · · · · · · ·	-
PHENOL		65	231	PPB	11	COMPOSITE
	Sample measurement	<50	<50	PPB	/	_[
4-NITRO PHENOL	Permit requirement	162	576	PPB	1	COMPOSITE
	Sample measurement	<50	<50	PPB		
4,6, DINITRO	Permit requirement		1	1		
OHECRESOL		78	277	PPB	1 1	COMPOSITE

### PRETREATMENT MONTTORING EP

842894043

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
Contact Offical	Telephone# 201-589-3709
Monitoring Period	For Reporting Period

Monitoring Period					
03	01	93	03	31	93
Mo	Day	Yr.	Mo.	Day	Yr.
Star		<u> </u>	End		
Production rate (if applicable)					

For Reporting 1	Period	
	AVG	MAX
	5605	5773
Total Flow-gal/day	49,75	58
Method used		<del></del>

				<del></del>	<del></del>	
Parameter		Mass Limi	t or Concent	ration	No. of	Sample ty
		Average	Maximum	Units	Samples	Comp./gra
			•		•	
	Sample measurement	<b>&lt;</b> 5	<5	PPB		
1,1,2, TRI-	Permit requirement					٦
CHLOROETHANE		32	127	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	1	
'	Permit requirement					
CHLOROETHANE		110	295	PPB	<u> </u>	GRAB
	Sample measurement	<5	<5	PPB	/	_
<b>!</b>	Permit requirement		1	`		
CHLOROFORM		111	325	PPB	1 1	GRAB
	Sample measurement	<10	<10	PPB	/	_
	Permit requirement	1			١,	COMPOSTER
BENZENE		196	794	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB		
1) ' '	Permit requirement	1	200	222	J ,	COMPOSITE
RENZENE		142	380	PPB	ļ	COMPOSITE
	Sample measurement	<10	<10	PPB	/	_
	Permit requirement	1			[ ,	COMPOSE
BENZENE		142	380	PPB	1	COMPOSITE
	Sample measurement	<5	<5	PPB	/	_
	Permit requirement		1.0	222	١,	CDAD
ETHYLENE	<u> </u>	22	60	PPB	1	GRAB
	Sample measurement	25	<5	PPB		<b>_</b> }
1,2, TRANS DI-	Permit requirement		1	1	]	1
CHLOROETHYLENE		25	66	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	_
	Permit requirement		1	4	]	l
PROPANE	)	196	794	PPB	1	GRAB

Mailing Address	Name Reichhold Chemicals Inc.	
Category & Subpart 40 CFR 414.55 & E Outlet 20406320-44100-0201  Contact Offical Telephone 201-589-3709  Monitoring Period For Reporting Period  Regulated flow-gal/day 5605 5773  Mo. Day Yr. Mo. Day Yr. Mo. Day Yr.  Start End	Mailing Address 400 Doremus Ave.	
Telephone   201-589-3709	Facility Location Newark, N.J. 07105	
Monitoring Period  For Reporting Period  Regulated flow-gal/day 5605 5773  Mo. Day Yr. Mo. Day Yr. Method used  For Reporting Period  Regulated flow-gal/day 5605 5773  Method used	Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
O3 01 93 03 31 93  Mo. Day Yr. Mo. Day Yr.  Start End  Regulated flow-gal/day 5605 5773  Regulated flow-gal/day 49,758  Method used	Contact Offical	Telephone
O3 O1 93 O3 31 93  Mo. Day Yr. Mo. Day Yr.  Start End  Regulated flow-gal/day 5605 5773  Total Flow-gal/day 49,758  Method used	Monitoring Period	•
Mo. Day Yr. Mo. Day Yr. Method used	03 01 93 03 31 93	Regulated flow-gal/day 5605 5773
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Production rate (if applicable)	Start End Production rate (if applicable)	

Parameter		Mass Limi	t or Concent	ration	No. of	Sample ty
Parameter		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	<b>25</b>	<b>45</b>	PPB	7	
TETRACHLORO ETHYLENE	Permit requirement	52	164	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
TOLUENE	Permit requirement	28	74	PPB	11	GRAB
	Sample measurement	<5	<5	PPB	/	_
TRICHLORO ETHYLENE	Penmit requirement	26	69	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	/	
VINYL CHLORIDE	Permit requirement	97	172	PPB	11	GRAB
	Sample measurement	<10	<10	PPB	/	
TOTAL CYANIDE	Permit requirement	420	1200	PPB	1	GRAB
	Sample measurement	<100	<100	PPB	1	
TOTAL LEAD	Permit requirement	320	690	PPB	1	COMPOSITE
	Sample measurement	5/6	516	PPB	7	_
TOTAL ZINC	Permit requirement	1050	2610	PPB	1	COMPOSITE
	Sample measurement					_
	Permit requirement					
<del></del>	Sample measurement		<del> </del>	1	1	
	Permit requirement			1		

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES: 2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

#### Log of OCPSF Pretreatment Unit Operation

#### 1992

- 1. Days unit operated during the month: 7
- 2. Average volume processed per day: 5605 gal.
- 3. Volume recieved from Albert Ave. plant: 39,239 gal.
- 4. Volume generated at Doremus Ave. plant: \_ O 4 gal.
- 5. Total water treated during the month: 39,239 gal.

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments from Reichhold, Albert Ave.

## MARCH 1, 1993 to MARCH 31, 1993

Date of Shipment	Lbs. of Water	Gallons of Water
1. 3/01/93	45,960	5537
2. 3/07/93	47,080	56.72
3.3/11/93	47,360	5706
4. 3/17/93	45,620	5496
5. 3/19/93	44,600	5313
6, 3/28/93	47,920	5173
7. 3/29 / 93	47,160	5682
Total Gallons Reciev	red From Albert Ave.:	39,239

Reichhold Chemid Inc. 400 Doremus Ave.
Newark, N.J. 07105

#### WASTE WATER FLOW DIAGRAM - OCPSF REGULATED

FOR MONTH OF: MARCH 1993 REGULATED FLOW FROM REGULATED FLOW FROM 39 239 GAL. - O - GAL. DOREMUS AVENUE ALBERT AVENUE DOREMUS AVE. NON-OCPSF FLOW PROCESS WATER, OCPSF 1,503,260 GALLONS REGULATED WATER 39,239 GALLONS PH MONITORING AND PRE TREATMENT SYSTEM SAMPLING POINT USER CHARGES PRETREATMENT SAMPLING POINT FOR OCPSF DISCHARGE OCPSF EFFLUENT PLANT DISCHARGE TO PVSC LIFT 39,239 GAL. OCPSF REGULATED FLOW: STATION 1,503 260 GAL. NON-OCPSF FLOW: 1,542,499 GAL. TOTAL FLOW:

4289404

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

#### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM: MARCH 1, 1993 TO: MARCH 31, 1993

WATER USED @ 390 DOREMUS AVE. ----- /, 888 CU. FT.

WATER USED @ 400 DOREMUS AVE. ----- 209,660 CU. FT.

TOTAL WATER USED AT THE PLANT ----- 211,548 Fr 3

CONVERSION FACTOR ----- X 7.48 GAL/CU. FT.

water usage ----- 1, 582, 379 gallons.

<u>5% EVAPORATION</u> \_\_\_\_\_ X 0.95

NET WATER USAGE ...... 1,503,260 GALLONS.

PROCESS WATER RECEIVED FROM ALBERT AVE. PLANT ----- 39, 239 GALLONS.

TOTAL WATER INTO DOREMUS AVE. ----- 1,542,499 GALLONS.

NET DISCHARGE TO P.V.S.C. ----- 1,542,499 GALLONS.

# PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT REGUIRED
Compliance or non compliance statement with compliance schedule (use additional shee
if necessary) for every parameter used.
MEET LIMITS & IN COMPLIANCE WITH
MEET LIMITS & IN COMPLIANCE WITH  40 CFR 414, 558 SUBPART & FOR MARCH 1993
Explain Method for preserving samples
ATTACHED
I certify under penalty of law that this document and all attachments were prepare under my direction or supervision in accordance with a system designed to assure the qualified personnel properly gather and evaulate the information submitted. Based on $\pi$
inquiry of the person or persons who manage the system, or those persons direct responsible for gathering the information, the information submitted is, to the best of manage and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine are imprisonment for knowing violations.
403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988
Signature of Principal
Executive or Authorized Agent
ARTHUR E. DIETERBACH
PLANT ENGINEER
Type Name and Title
4/16/93
Date

Reichhold Chemicals, Inc.
 Coating Polymers & Resins Divis
 400 Doremus Avenue
 Newark, NJ 07105

R	Certified Mail Receipt
4	No Insurance Coverage Provided
<u></u>	Do not use for International Mail
UNITED STATES	(See Reverse)

	Sent to		
	Passaic Valley Se	ewerage Cor	nm .
	600 Wilson Ave.		
	PO. State & ZIP Code		
	Newark, NJ 07105	<u> </u>	
	Postage	\$	
	Certified Fee		93
	Special Delivery Fee		
	Restricted Delivery Fee		
06	Return Receipt Showing to Whom & Date Delivered		
ne 15	Return Receipt Showing to Whom, Date, & Address of Delivery		
<b>0</b> , Ju	TOTAL Postage & Fees	\$	
PS Form <b>3800</b> , June 1990	Postmark or Date		
-			i

REICHHOLD

Passaic Valley Sewerage ( 600 Wilson Avenue Newark, NJ 07105 Attn: Industrial Dept.

Dear Sirs,

Attached you will find our completed MR-1 report for February 1993 for discharge from our facility at 400 Doremus Avenue.

#### LAGIATAL MUNICULAU KKMUKI

.Name Reichhold	Chemicals Inc.
Mailing Address	400 Doremus Ave.
Facility Location	Newark, N.J. 07105
Category & Subpart	40 CFR 414.55 & E Outlet 20406320-44100-θ201
Contact Offical	Telephone
Monitoring Peri	<del></del>
O2 01 93 02 Mo. Day Yr. Mo.	Regulated flow-gal/day 5796 6048  Total Flow-gal/day 50,65  Method used
Start End Production rate (if a	pplicable)

Parameter		Mass Limi	t or Concent	ration	No. of	Sample typ
1 at a meter		Average	Maximum	Units	Samples	Comp./grat
	Sample measurement	<5	<5	PPB	1	
BENZENE	Permit requirement	57	134	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
CARBON TETRA CHLORIDE	Permit requirement	142	380	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
CHLORO- BENZENE	Permit requirement	142	380	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	1:	_
1,2,4, TRI CHLOROBENZENE	Permit requirement	196	794	PPB	1	COMPOSITE
-	Sample measurement	<10	<10	PPB		
HEXACHLORO BENZENE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	1	<5	PPB	1	_
1,2, DICHLORO ETHANE	Permit requirement	180	574	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	_1
1,1,1, TRI CHLOROETHANE	Permit requirement	22	59	PPB	1	GRAB
· · · · · · · · · · · · · · · · · · ·	Sample measurement	<10	<10	PPB	1	{
HEXACHLORO ETHANE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	<5	<5	PPB	1	
1,1, DICHLORC ETHANE	Permit requirement	22	59	PPB	1	GRAB

#### · ALLACATALLI BUNITUDINU KAMURI

Name Reichhold Chemicals Inc.						
Mailing Address 400 Doremus Ave.						
Facility Location Newark, N.J. 07105						
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201					
Contact Offical Telephone 201-589-3709						
Monitoring Period	For Reporting Period					
02 01 93 02 28 93 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5696 4048  Total Flow-gal/day 50165  Method used					
Start End Production rate (if applicable)						

Parameter		Mass Limi	t or Concent	ration	No. of	Sample typ
		Average	Maximum	Units	Samples	Comp./grat
	Sample measurement	<.5	<.5	PPB	7	
1,3, DICHLORO PROPYLENE	Permit requirement	196	794	PPB	1	GRAB
	Sample measurement		<5	PPB	1	
	Permit requirement					
ETHYL BENZENI		142	380	PPB	<del>  </del>	GRAB
	Sample measurement	<5 <sup>-</sup>	<5	PPB	<del>                                     </del>	_
METHYLENE CHLORIDE	Permit requirement	36	170	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	. /	
METHYL CHLORIDE	Permit requirement	110	295	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	1	
HEXACHLORO RUTADIENE	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	/	
NITROBENZENE	Permit requirement	2237	6402	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	1	
2-NITRO PHENOL	Permit requirement	65	231	PPB	1	COMPOSITE
	Sample measurement	150	<50	PPB	1	
4-NITRO PHENOL	Permit requirement	162	576	PPB	1	COMPOSITE
	Sample measurement	<50	<50	PPB	1	
4,6, DINITRO	Permit requirement			1		
OHECRESOL		78	277	PPB	1	COMPOSITE

### PRETREATMENT MONITORING REPORT

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
Contact Offical	Telephone # 201-589-3709
Monitoring Period  O2 O1 93 O2 28 93  Mo Day Yr. Mo. Day Yr.  Start End  Production rate (if applicable)	For Reporting Period  AVG MAX  Regulated flow-gal/day 5696 6048  Total Flow-gal/day 50,165  Method used
Parameter Mass Li	mit or Concentration No. of Sample ty

<b></b>	T					T
Parameter		Mass Limit or Concentration			No. of	Sample ty
}		Average	Maximum	Units	Samples	Comp./gra
†					,,	
	Sample measurement	<5°	<5	PPB	/	
1,1,2, TRI-	Permit requirement					7
CHLOROETHANE		32	127	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	/	
	Permit requirement					
CHLOROETHANE		110	295	PPB	1	GRAB
	Sample measurement	<5	<5	PPB		
į	Permit requirement		,	•		
CHLOROFORM		111	325	PPB	1	GRAB
i	Sample measurement	<10	<10	PPB	/	╛
1,2, DICHLORO	Permit requirement					
BENZENE		196	794	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	/	
1,3, DICHLORO	Permit requirement					
BENZENE		142	380	PPB	1	COMPOSITE
	Sample measurement	< 10	<10	PPB	/	
1,4, DICHLORO	Permit requirement					
BENZENE		142	380	PPB	11	COMPOSITE
!	Sample measurement	<5	<5	PPB		_
	Permit requirement					-
ETHYLENE		22	60	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	/	_{
	Permit requirement			1	}	1
CHLOROETHYLENE	1	25	66	PPB	1	GRAB
	Sample measurement	<.5	<5	PPB	1	_
1,2, DICHLORO	Permit requirement			1		
PROPANE		196	794	PPB	1	GRAB
L	Į.	J	)	1	1	_1

### PRETREATMENT MONITORING PYPORT

842894055

	•					
Name Re	ichhold Chemicals In	с				<del></del>
Mailing Addr	ess 400 Doremus Av	e				
Facility Loca	ition Newark, N.J.	07105			<del></del>	
Category & S	Subpart 40 CFR 414.	55 & E	Outle	et# 20406	320-44100-0	)201
Contact Offi	cal		Teleph	one# 201-	589-3709	
Monitori OZ OI 93 Mo Day Yr. Start	ng Period  3 O2 25 93  Mo. Day Yr.  End	T	For legulated flo lotal Flow-ga Method used_	al/day	AVG 5696 50165	MAX 6048
Production re	ate (if applicable)					
Paramete <b>r</b>			t or Concent Maximum		No. of Samples	Sample ty Comp./gr
	Sample measurement	<:5	<5	PPB	/	
TETRACHLORO ETHYLENE	Permit requirement	52	164	PPB	1	GRAB
LIMELNE	Sample measurement		<5	PPB	/	
	Permit requirement					
TOLUENE	C1	28	74	PPB	1 1	GRAB
TRICHLORO	Sample measurement Permit requirement	<5	<5	1775	<u>                                     </u>	-
ETHYLENE	Lamit regariement	26	69	PPB	1	GRAB
İ	C		0,	PPD	1 1	1 Grown
u	Sample measurement	<10	<10	PPB	1	GIGAD
VINYL	Permit requirement		<10	PPB	1	
VINYL CHLORIDE	Permit requirement	97	172	PPB PPB		GRAB
CHLORIDE TOTAL		97	172 172	PPB PPB	1 1	GRAB
CHLORIDE	Permit requirement  Sample measurement  Permit requirement	97 <b><!--0,0</b--> 420</b>	172	PPB PPB PPB	1	
CHLORIDE  TOTAL  CYANIDE  TOTAL	Permit requirement  Sample measurement	97 <b><!--0.0</b--> 420 <b><!--00</b--></b></b>	172 1200	PPB PPB	1 1 1	GRAB GRAB
CHLORIDE  TOTAL  CYANIDE	Permit requirement  Sample measurement  Permit requirement  Sample measurement	97 <b>420</b> <b>420</b> <b>320</b>	172 1200 2/00 690	PPB PPB PPB	1 1 1	GRAB
CHLORIDE  TOTAL  CYANIDE  TOTAL	Permit requirement  Sample measurement  Permit requirement  Sample measurement  Permit requirement	97 <b><!--0.0</b--> 420 <b><!--00</b--></b></b>	172 1200	PPB PPB PPB PPB	1 1 /	GRAB GRAB
TOTAL CYANIDE  TOTAL LEAD  TOTAL	Permit requirement  Sample measurement  Permit requirement  Sample measurement  Permit requirement  Sample measurement	97 420 00<br 320 /62 1050	172 1200 100 690 162	PPB PPB PPB PPB	1 1 / 1 1 /	GRAB GRAB COMPOSITE
TOTAL CYANIDE  TOTAL LEAD  TOTAL	Permit requirement  Sample measurement  Permit requirement  Sample measurement  Permit requirement  Sample measurement  Permit requirement	97 420 00<br 320 /62 1050	172 1200 100 690 162	PPB PPB PPB PPB	1 1 / 1 1 /	GRAB GRAB COMPOSITE
TOTAL CYANIDE  TOTAL LEAD  TOTAL	Permit requirement  Sample measurement  Permit requirement  Sample measurement  Permit requirement  Sample measurement  Permit requirement  Sample measurement  Sample measurement	97 420 00<br 320 /62 1050	172 1200 100 690 162	PPB PPB PPB PPB	1 1 / 1 1 /	GRAB GRAB COMPOSITE

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

Carried Brill Of the training of the responsibility of the Alberta Control of the State of

BOTTLE.

FOR CYANIDES: 2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

#### Log of OCPSF Pretreatment Unit Operation

# FEBRUARY 1993

Days unit operated during the month: 5
 Average volume processed per day: 5696 gal.
 Volume recieved from Albert Ave. plant: 28478 gal.
 Volume generated at Doremus Ave. plant: — 0 — gal.
 Total water treated during the month: 28478 gal.

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments from Reichhold, Albert Ave.

Feb 1, 1993 to FEB 28, 1993

Date o	of Shipment	Lbs. of Water	Gallons of Water
	, ,		
1.	2/6/93	44,360	5345
2.	2/12/93	47,380	5680
3.	2/17/93	48,180	5805
4.	2/22/93	50,200	6048
5.	2/20/93	46480	57.00
Total	Gallons Recieved	From Albert Ave.:	28,478

Reichhold Che als Inc. 400 Doremus Ave. Newark, N.J. 07105

WASTE WATER FLOW DIAGRAM - OCPSF REGULATED FEB 1993 FOR MONTH OF: REGULATED FLOW FROM REGULATED FLOW FROM 28,478 GAL. - 0 - GAL. ALBERT AVENUE DOREMUS AVENUE DOREMUS AVE. NON-OCPSF FLOW PROCESS WATER, OCPSF 1,376,148 GALLONS REGULATED WATER 28478 GALLONS PH MONITORING AND PRE TREATMENT SYSTEM SAMPLING POINT USER CHARGES PRETREATMENT SAMPLING POINT FOR OCPSF DISCHARGE OCPSF EFFLUENT PLANT DISCHARGE TO PVSC LIFT OCPSF REGULATED FLOW: 28478 GAL. STATION 1, 376,148 GAL. NON-OCPSF FLOW: 1,404,626 GAL. TOTAL FLOW:

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

#### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

#### PERIOD FROM:

TO:

WATER USED @ 390 DOREMUS AVE.		3220 CU. FT.
WATER USED @ 400 DOREMUS AVE.		190,440 CU. FT.
TOTAL WATER USED AT THE PLANT		193,660 Fr3
CONVERSION FACTOR		X 7.48 GAL/CU. FT.
WATER USAGE	•••••	/ 4 48,577GALLONS.
5% EVAPORATION		X 0.95
NET WATER USAGE		1,376,148 GALLONS.
PROCESS WATER RECEIVED		20.420
FROM ALBERT AVE. PLANT		28,478 GALLONS.
TOTAL WATER INTO DOREMUS AVE.		1,404,626 GALLONS.
NET DISCHARGE TO P.V.S.C.		1,404,626 GALLONS.

Certification of Non-use if applicable (use additional sheets)	
NOT REQUIRED	
Compliance or non compliance statement with compliance schedule (use add	ditional sheet
if necessary) for every parameter used.	
MEET LIMITS & IN COMPLIANCE WITH	
MEET LIMITS & IN COMPLIANCE WITH  40 CFR 414,558 SUBPART E FOR FE	3 1993
Explain Method for preserving samples	
4	
ATTACHED	
I certify under penalty of law that this document and all attachments wunder my direction or supervision in accordance with a system designed to qualified personnel properly gather and evaulate the information submitted. Inquiry of the person or persons who manage the system, or those per responsible for gathering the information, the information submitted is, to to knowledge and belief, true, accurate, and complete. I am aware the significant penalties for submitting false information, including the possibility imprisonment for knowing violations.  403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988	to assure that Based on m rsons directl the best of m at there are
Signature of Principal	
Executive or Authorized Agent	
ARTHUR E. DIEFFENBACH	
PLANT ENGINEER	
3/09/93	
Date	



NO CARBON REQUIRED

Sender retains Canary copy TRIPLICATE

2/22/93

TO PASSAIC VALLEY SELECAGE COMM

SUBJECT

REIGHHOLD CHEMICHES INC

MR-1 REPORT JAN 1993

DATE

RECEIVED FROM MESSAGE

REICHHOLD CHEMICALS INC MR-1 REPORT FOR

JAN 1993 FOR FACILITY AT 400 DOREMUS AVE

NEWARK NJ

SIGNED DATE

REPLY

10PS 👺 FCRM 3801

THE NUMBER

**SIGNED** 

RECIPIENT: REPLY ON PINK COPY — RETAIN WHITE COPY SENDER ... RETAIN THIS COPY

### PRETREATMENT MONITORING REPORT

Mailing Address 400 Doremus Ave.  Facility Location Newark, N.J. 07105  Category & Subpart 40 CFR 414.55 & E Outlet 20406320-44100-0201  Contact Offical A. DIEFFENBACH Telephone 201-589-3709  Monitoring Period For Reporting Period Regulated flow-gal/day 5593 573  Mo. Day Yr. Mo. Day Yr. Mo. Day Yr. Method used Production rate (if applicable)	Нап	ne	Reich	hold.	Che	mical	s Inc.	
Category & Subpart 40 CFR 414.55 & E Outlet 20406320-44100-0201  Contact Offical A. DIEFFENBACH Telephone 201-589-3709  Monitoring Period Por Reporting Period  Regulated flow-gal/day 5593 573  Mo Day Yr. Mo. Day Yr. Method used  Start End	Mai	ling A	\ddres	s	400	Dor	emus Ave.	
Contact Offical A. DIEFFENBACH  Monitoring Period  For Reporting Period  Regulated flow-gal/day 5593 573  Mo. Day Yr. Mo. Day Yr.  Mothod used  Telephone 201-589-3709  For Reporting Period  Regulated flow-gal/day 5593 5776  Method used	Fac	ility l	Locati	on	New	ark, l	N.J. 07105	
Monitoring Period  For Reporting Period  Ol Ol 93 Ol 31 93  Regulated flow-gal/day 5593 5731  Total Flow-gal/day 35576  Method used	Cat	egory	& Sul	part	40	CFR 4	414.55 & E	Outlet# 20406320-44100-0201
CI OI 93 OI 31 93  Mo. Day Yr. Mo. Day Yr.  Start  Regulated flow-gal/day 5593 5731  Total Flow-gal/day 35576  Method used	Con	tact	Offica	.1	A. I	IEFA	ENBACH	Telephone # 201-589-3709
CI OI 93 OI 31 93  Mo. Day Yr. Mo. Day Yr.  Start  Regulated flow-gal/day 5593 5731  Total Flow-gal/day 38576  Method used		Moni	toring	Per	iod			. •
Start End	01 Mo	0/ Day		1	-	•		Regulated flow-gal/day 5593 5731  Total Flow-gal/day 38576
	Star	ŧ	<u> </u>	End			<u> </u>	

Parameter		Mass Timi	t or Concent	ration	No. of	Sample type
ranietei		Average	Maximum	Units	Samples	Comp./grat
	Sample measurement	<5	<5	PPB	1	
BENZENE	Permit requirement	57	134	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
CARBON TETRA	Permit requirement	142	380	PPB	1	GRAB
·	Sample measurement	<5	<b>45</b>	PPB	1	
CHLORO- BENZENE	Permit requirement	142	380	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	1	
1,2,4, TRI CHLOROBENZENE	Permit requirement	196	794	PPB	11	COMPOSITE
_	Sample measurement	<10	<10	PPB	1	
HEXACHLORO BENZENE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	<5	<5	PPB	/	
1,2, DICHLORO	Permit requirement	180	574	PPB	1	GRAB
	Sample measurement	<5	<5	PPB		
1,1,1, TRI CHLOROETHANE	Permit requirement	22	59	PPB	11	GRAB
	Sample measurement	<10	<10	PPB	1	_
HEXACHLORO ETHANE	Permit requirement	196	794	PPB	1	COMPOSITE
	Sample measurement	<5	<5	PPB		_
1,1, DICHLORO ETHANE	Permit requirement	22	59	PPB	1	GRAB

### PRETREATMENT MONITORING REPORT

Nan	ne	Reicl	hhol	l Che	micals	Inc.		
Mai	ling A	Addres	s	400 D	oremus	Ave.		
Pac	ility l	Locati	on_1	lewar	k, N.J	. 07105		
Cat	egory	& Sut	part	40	CFR 4	14.55 & E	Outlet# 20406320-44100-0201	_
Cor	tact	Offica	1				Telephone 201-589-3709	
	Mon	itoring	Per	iod			For Reporting Period AVG MAX	
Ci Mo	C)	93 Yr.		3i	73		Regulated flow-gal/day 5573 576/ Total Flow-gal/day 335576 Method used	-
Star	t	on rate	End				method used	

}		<del></del>			1	<del></del>
Parameter		Macs Limi	t or Concent	ration	No. of	Sample typ
rarameter		Average	Maximum	Samples	Comp./grat	
1		TAGE WE	Maximum	Units	Dampies	Comp./grac
	Sample measurement	<b>&lt;</b> 5	<b>45</b>	PPB	-	
1,3, DICHLORO	Permit requirement					
PROPYLENE	•	196	794	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
	Permit requirement					_
ETHYL BENZENI	-	142	380	PPB		GRAB
	Sample measurement	<5	<5	PPB	1	
METHYLENE	Permit requirement		,			
CHLORIDE		36	170	PPB	· 1	GRAB
	Sample measurement	<10	0</td <td>PPB</td> <td>1</td> <td></td>	PPB	1	
METHYL	Permit requirement					ì
CHLORIDE		110	295	PPB	11	GRAB
	Sample measurement	<10	0</td <td>PPB</td> <td></td> <td>_</td>	PPB		_
HEXACHLORO	Permit requirement	142	380	PPB	1	COMPOSITE
BUTADIENE	S1- =	142	<del>+</del>	<del></del>	<del> </del>	COMPOSITE
	Sample measurement	<10	<10	PPB		
NITROBENZENE	Permit requirement	2237	6402	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	<del>                                     </del>	
2-NITRO	Permit requirement	1 -10			1	-
PHENOL	ļ ·	65	231	PPB	1	COMPOSITE
	Sample measurement	<50	<50	PPB		_
4-NITRO	Permit requirement					
PHENOL	_	162	576	PPB	1	COMPOSITE
	Sample measurement	250	<50	PPB	1	
4,6, DINITRO	Permit requirement			4		
_ OHUCRESOL		78	277	PPB	1	COMPOSITE

# PRETREATMENT MONITORING "KPORT

Nan	n e	Reic	hhold	Che	micals	s Inc.		
Mai	ling A	.ddres	s4	00 D	oremus	s Ave.		
Fac	ility l	Locati	on_N	lewar	k, N.J	J. 07105		
Category & Subpart 40 CFR 414.55 & E Outlet # 20406320-44100-0201								
Cor	tact	Offica	.1			Telephone # 201-589-3709		
	Moni	toring	Peri	.∞d		For Reporting Period		
Ci	C i	93	Ci	31	43	Regulated flow-gal/day 55, 3 5701 Total Flow-gal/day 35, 5, 6		
	Day	Yr.	Mo.		Yr.	Method used		
Sta			End					
Pro	auctio	on rate	e (11 8	ibbiid	cable)			

					1	ſ
Parameter	Į	Mass Limi	t or Concent	ration	No. of	Sample ty:
	i i	Average	Maximum	Units	Samples	Comp./gra
	Sample measurement			000	уголись	
<u> -</u>		<5	25	PPB	-	
1,1,2, TRI- CHLOROETHANE	Permit requirement	32	127	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	1	
	Permit requirement				1	
CHLOROETHANE	<u>-</u>	110	295	PPB	11	GRAB
	Sample measurement	<5⁻	<5	PPB	1	
[	Permit requirement			•		
CHLOROFORM		111	325	PPB	1	GRAB
	Sample measurement	<10	<10	PPB		
, ,	Permit requirement					
BENZENE		196	794	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB	<del>                                     </del>	_
	Permit requirement	1,72	200	DDD	,	COMPOSITE
BENZENE	G	142	380	PPB	1	COMPOSITE
	Sample measurement	<10	<10	PPB		_
BENZENE	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	<b>25</b>	<5	PPB		
	Permit requirement					_
ETHYLENE	•	22	60	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
1,2, TRANS DI	Permit requirement					
CHLOROETHYLENE		25	66	PPB	1	GRAB
	Sample measurement	<5	<5	PPB	1	
1,2, DICHLORO	Permit requirement		1	1		
PROPANE	-	196	794	PPB	1	GRAB

### PRETREATMENT MONITORING EPORT

Name Reichhold Chemicals Inc.										
Mailing Address 400 Doremus Ave.										
Pacility Location Newark, N.J. 07105	Facility Location Newark, N.J. 07105									
Category & Subpart 40 CFR 414.55 & E Outlet \$\frac{1}{20406320-44100-0201}										
Contact Offical	Telephone# 201-589-3709									
Monitoring Period	For Reporting Period									
C1 01 93 01 31 93	Regulated flow-gal/day 5573 576/ Total Flow-gal/day 38576									
Mo Day Yr. Mo. Day Yr. Start End	method used									
Production rate (if applicable)										

Parameter		Mass Limi	t or Concent	ration	No. of	Sample ty
1022		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	<5	<i>2</i> 5	PPB	+	
TETRACHLORO ETHYLENE	Permit requirement	52	164	PPB	1	GRAB
	Sample measurement		14	PPB	1	
TOLUENE	Permit requirement	28	74	PPB	1	GRAB
10101111	Sample measurement	25	25	PPB	1	
TRICHLORO ETHYLENE	Permit requirement	26	69	PPB	1	GRAB
	Sample measurement	<10	<10	PPB	1	
VINYL CHLORIDE	Permit requirement	97	172	PPB	1	GRAB
	Sample measurement	<10	<10	PPB		
TOTAL CYANIDE	Permit requirement	420	1200	РРВ	1	GRAB
	Sample measurement	<100	<100	PPB	/	
TOTAL LEAD	Permit requirement	320	690	PPB	1	COMPOSITE
<del></del>	Sample measurement	205	205	PPB		
TOTAL ZINC	Permit requirement	1050	2610	PPB	1	COMPOSITE
	Sample measurement					_
	Permit requirement					
<del></del>	Sample measurement			<del></del>	<b>†</b>	
	Permit requirement					

### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

The control of the term of the control of the contr

BOTTLE.

FOR CYANIDES: 2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

Log of OCPSF Pretreatment Unit Operation

# FARCARY 1993

- 1. Days unit operated during the month: 6
- 2. Average volume processed per day: 5573 gal.
- 3. Volume recieved from Albert Ave. plant: 33,555 gal.
- 4. Volume generated at Doremus Ave. plant: 0 gal.
- 5. Total water treated during the month: 33,555 gal.

### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments from Reichhold, Albert Ave.

JANUARY, 1993 to JAN 31, 1993

Date of Shipment	Lbs. of Water	Gallons of Water
1. 1/6/93	46,740	5631
2. 1/11/93	47,320	5701
3. 1/19/13	47040	5667
4. 1/23/93	45,900	5530
5. 1/23/93	46,000	55,42
6 1/11/93	45,520	5484
Total Gallons Recie	ved From Albert Ave.:	33 <i>555</i>

WASTE WATER FLOW DIAGRAM - OCPSF REGULATED

œ		FOR MONTH OF: JA	WUARY 1993		
4289	REGULATED FLOW FROM DOREMUS AVENUE	- () - GAL.	33555 GA	REGULATEI ALBERT AV	D FLOW FROM VENUE
842894070					
	DOREMUS AVE. NON-OCP	PROCESS WALLONS REGULATED			
		L			
PH MONITORING AN SAMPLING POINT	D	PRE TREAT	TMENT SYSTEM		
USER CHARGES		OCPSF EFFLUENT	<b>-&gt;</b>		ATMENT SAMPLING POINT PSF DISCHARGE
PLANT DISCHARGE	TO PVSC				
		OCPSF REGULATED	FLOW: 33,555	_ GAL.	LIFT STATION
		NON-OCPSF FLOW:	1,162,918	_ GAL.	
		TOTAL FLOW:	1,196,473	_ GAL. SIGNED:	all Dreffant aci
				DATE:	2/19/93

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM: JAN, 4993 TO: JAN 31, 1993 WATER USED @ 390 DOREMUS AVE. ----- **3**233 CU. FT. WATER USED @ 400 DOREMUS AVE. ----- /60420 CU. FT. TOTAL WATER USED AT THE PLANT ----- 163, 653 COF ----- X 7.48 GAL/CU. FT. CONVERSION FACTOR ----- /, 224, /24 GALLONS. WATER USAGE 5% EVAPORATION ----- 1,162,918 GALLONS. NET WATER USAGE PROCESS WATER RECEIVED FROM ALBERT AVE. PLANT ----- 33,555 GALLONS. TOTAL WATER INTO DOREMUS AVE. ----- 1, 196, 473 GALLONS. ----- 1, 196, 473 GALLONS. NET DISCHARGE TO P.V.S.C.

### PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT REQUIRED
Compliance or non compliance statement with compliance schedule (use additional sheet
if necessary) for every parameter used.
•
MEET LIMITS & IN COMPLIANCE WITH  40 CFR 414,558 SUBPART E FOR JANUARY 19
Explain Method for preserving samples
ATTACHED
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaulate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988
Signature of Principal Executive or Authorized Agent
ARTHUR E. DIEFFENBACH
PLANT ENGINEER  Type Name and Title
2/19/93
Date



# LABORATORY REPORT

DELIVERY TO LAB

11/09/93 0900 WW

DATE TIME MATRIX

### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105~

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

SAMPLE

LAB No. DATE

21266 11/09/93

TIME SAMPLER

CLIENT

CLIENT STATION ID: EFFLUENT LAB #: 21266

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL

mg/L mg/L mg/L

<0.01 <0.1 0.65

DATE: 11/23/93

LABORATORY DIRECTOR



CONSULTING GROUP INC.

**Environmental Services** Since 1967

2 Preservative

(Enter in

1. HCI

2 HNO<sub>2</sub>

Column B)

See other side

3 PROJ. NO.

Date / Time

Sampler (Name)

Sample

(Enter

Description

in Column A)

1. Surface Water

2. Ground Water

Relinquished by: (Signature)

## CHAIN OF CUSTODY RECORD

E

PROJECT NAME

110 Route 4 ● Englewood, New Jersey 07631 (201) 567-6868 • (212) 255-2100 Fax: (201) 567-1333 SAMPLING CO. REJUHHOLD CHEMICAL ANALYTICAL REMARKS

2. Ground Water 3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil 7. Waste 8. Other (Specify)	2. HNC 3. NaH3 4. H₂S0 5. NaO 6. Othe (Spe 7. Ice of N. Not	Sampler Signature  4. Date Shipped Carrier  Airbill Number				KINT STORY S													
Sample Numbers	A Matrix Enter from Box 1	B Preser- vative Used from Box 2	C No. of Con- tainer	Sam	D tion Location or ole Description	1	2	3	4	5	6	7	8	9	Date Tim	F e and ne of Collection		<b>G</b> Sample Condition On Receipt	H CHEMTECH Tracking Number
1.	<u> </u>	50%2	TU	CF	FLUENT	V		7	\- <u></u>						/ /19	:	A P		
2.			1			1									/ /19	:	A P		
3.							İ								/ /19	:	A P		
4.															/ /19	:	A P		
5.							1								/ /19	:	A P		
6.															/ /19	:	A P		
7.						1									/ /19	:	A P		
8.															/ /19	:	A P		
9.															/ /19	:	A P		
10.															/ /19	:	A P		
11.															/ /19		A P		
12.															/ /19	:	A P		
13.															/ /19	:	A P		
14.															/ /19	:	A P		
15.															/ /19	:	A P		
Relinquished by: (S	ignature)		Date /	Time	Received by:	(Signa	ature)			Shipi	lete?		Page		REMARKS	5			
i		ŀ	- 1		1					Υ	Ν		of _						

842894074

Date / Time

Received for Laboratory by:

(Signature)



# LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

SAMPLE

DATE LAB No. TIME 20560 10/15/93

SAMPLER

CLIENT

DATE TIME MATRIX

10/19/93 0900 WW

DELIVERY TO LAB

EFFLUENT CLIENT STATION ID:

LAB #: 20560

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL

mg/L mg/L 0.04 < 0.1

DATE: 11/16/93

mg/L

0.31

LABORATORY DIRECTOR

110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333



110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

### DATA REPORTING QUALIFIERS--ORGANIC

For reporting results, the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for, but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compound (library search hits, where a 1:1 response is assumed.)
    - When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analyte's concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factor.

# IA VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

**EFFLUENT** 

Lab Name: CHEMTECH	H	Contract:	REICHHOLD CHEMICAL, INC.	
Project No.: 2922	Site:	Location:	Group:	
Matrix: (soil/water)	WATER		Lah Sample ID: O20560	
Sample wt/vol:	5 (g/mL) ML		Lab File ID: <u>V2797.D</u>	
Level: (low/med)			Date Received: 10/15/93	
% Moisture: not dec.	100		Date Analyzed: 10/19/93	
GC Column: DB-624	ID: 0.53 (	mm)	Dilution Factor: 1.0	
Soil Extract Volume:	(uL)		Soil Aliquot Volume: (uL)	

#### Concentration Units:

CACA'		Concentration Units:	0
CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	Ü
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	Ü
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	10	
67-64-1	Acetone	22	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1.1-Dichloroethane	5	U
540-59-0	1.2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1.2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1.1.1-Trichloroethane	0.4	J
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1.2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01 <b>-</b> 6	Trichloroethene	5	Ū
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	trans-1.3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	14	
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylhenzene	32	
100-42-5	Styrene	5	U

# IA VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

E	FFI	Ш	FN	JΤ

Lab Name: CHEMTE	СН	Contract: REICHHOLD CHEM	EFFLUENT ICAL,INC.
Project No.: 2922	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lah Sample ID:	O20560
Sample wt/vol:	5(g/mL)1	ML Lah File ID:	V2797.D
Level: (low/med)		Date Received:	10/15/93
% Moisture: not dec.	100	Date Analyzed:	10/19/93
GC Column: DB-624	ID: 0	0.53 (mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
Y 1330-20-7	m + p-Xylenes	79	
★ 1330-20-7	o-xylene	24	
	<u> </u>		
į.		1	

### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: CHEMTEC	Н	Contract: REICHHOLD CHE	EFFLUENT EMICAL,INC
Project No.: 2922	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O20560
Sample wt/vol:	1000.0 (g/mL ML	Lab File ID:	\$1615.D
Level: (low/med)		Date Received:	10/19/93
% Moisture: 100	decanted: (Y/N):	N Date Extracted:	10/20/93
Concentrated Extract Volu	me: 1000 (uL)	Date Analyzed:	11/2/93
Injection Volume:	(uL)	Dilution Factor:	1.0
GPC Cleanup: (Y/N)	<u>N</u> pH:		
	C	Concentration Units:	
CAS No.	Compound (	ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	92	
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
95-50-1	1,2-Dichlorobenzene	10	U
100-51-6	Benzyl alcohol	7.3	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	2-Methylphenol	5	J
108-60-1	bis(2-chloroisopropyl)ether	10	U
106-44-5	4-Methylphenol	10	U
621-64-7	N-Nitroso-di-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
65-85-0	Benzoic Acid	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
106-47-8	4-Chloroaniline	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	U
<del></del>	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	6.1	J
208-96-8	Acenaphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	U

# IB SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: CHEMTECH		Contract:	REICHHOLD CHE	EFFLUENT MICAL,INC
Project No.: 2922	Site:	Location:		Group:
Matrix: (soil/water) W	ATER		Lab Sample ID:	O20560
Sample wt/vol:	000.0 (g/mL ML		Lab File ID:	S1615.D
Level: (low/med)			Date Received:	10/19/93
% Moisture: 100	decanted: (Y/N):	N	Date Extracted:	10/20/93
Concentrated Extract Volume	1000 (uL)		Date Analyzed:	_11/2/93
Injection Volume:	1.0 (uL)		Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N pH	:		
	,	Concentration	a Uniter	

CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2.4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	U
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4.6-Dinitro-2-methylphenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	Ū
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	4.8	J
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1.2.3-cd]pyrene	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
191-24-2	Benzo(g,h,i)perylene	10	U



CONSULTING GROUP INC

**Environmental Services** Since 1967

### CHAIN OF CUSTODY RECORD

110 Route 4 ● Englewood, New Jersey 07631 (201) 567-6868 • (212) 255-2100 Fax: (201) 567-1333

Sample SAMPLING CO. 2 Preservative PROJECT NAME 3 PROJ NO MASTE WATER STRIPPER Description (Enter in (Enter Column B) ANALYTICAL REMARKS in Column A) Sampler (Name) See other side Ė 1 Surface Water 1 HCI A. DIEPFENBUK A 2. Ground Water 2 HNO<sub>2</sub> Sampler Signature 3 Leachate 3 NaHSO4 4 Rinsate 4. HaSO 5. Soil/Sediment 5 NaOH A Date Shipped Carrier 6. Oil 6. Other 7 Waste (Specify) 8. Other 70, 7. Ice only Airbill Number (Specify) N. Not preserved F н В C D 2 3 Я q G Sample Α CHEMTECH Date and Sample Numbers Matrix Preser-No. Station Location Time of Condition Tracking Number Enter vative of Sample Collection On Receipt from Used Con-Sample Description Box 1 from tainers Box 2 1. /19 2. /19 3 /19 4. /19 5. /19 6. /19 7. /19 8. /19 9. /19 10. /19 11. /19 12. /19 13. /19 14. /19 15. /19 Refinquished by: (Signature) Date / Time Received by: (Signature) Shipment Page REMARKS complete? Relinquished by: (Signature) Date / Time Received for Laboratory by: Date / Time (Signature)



# LABORATORY REPORT

### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

SAMPLE

LAB No. DATE TIME SAMPLER

19040 09/13/93

CLIENT

DELIVERY TO LAB

DATE TIME MATRIX

09/14/93

WW

CLIENT STATION ID: EFFLUENT

LAB #:

19040

DATE: 10/13/93

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL mg/L

mg/L mg/L < 0.01 < 0.1

<0.1

LABORATORY DIRECTOR

110 Route 4 ● Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

### DATA REPORTING QUALIFIERS--ORGANIC

For reporting results, the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for, but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compound (library search hits, where a 1:1 response is assumed.)
    - When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analyte's concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factor.

# 1B

SAMPLE NO.

		SEIVI	IVOLA	TILE ORGA	NICS ANALIS	SIS DATA SHEET	EFFLUENT	
Lab Nan	ne: CHEMTE	СН			Contract: I	REICHHOLD CHE	t .	
Project N	No.: <u>2801</u>	_	Site:		Location:	-	Group:	
Matrix:	(soil/water)	WATER	-			Lab Sample ID:	O19040	
Sample v	vt/vol:	1000.0	(g/mL	ML		Lab File ID:	S1487.D	
Level:	(low/med)	<del> </del>	_			Date Received:	9/13/93	
% Moist	ure: 100	_	decar	nted: (Y/N):	N	Date Extracted:	9/16/93	
Concenti	ated Extract Vo	lume:	1000	_(uL)		Date Analyzed:	9/26/93	
Injection	Volume:	1.0	(uL)			Dilution Factor:	1.0	
GPC Cle	anup: (Y/N)	N	-	pН	•			
				1	Concentration [	Units:		
	CAS No.	Compound			(ug/L or ug/Kg	g) ug/L	Q	
	108-95-2	Phenol				10	U	
	111-44-4	bis(2-Chlor	oethyl)e	ther		10	U	
	95-57-8	2-Chloroph	enol			10	U	
	95-50-1	1,2-Dichlor	obenzen	ne		10	U	
	100-51-6	Benzyl alco	hol			18		
	541-73-1	1,3-Dichlor	obenzen	ne		10	U	
	106-46-7	1,4-Dichlor	obenzen	ie		10	U	
	95-48-7	2-Methylph	enol			10	U	
	108-60-1	bis(2-chlore	isoprop	yl)ether		10	U	
	106-44-5	4-Methylph	enol			10	U	
	621-64-7	N-Nitroso-	li-n-proj	pylamine		10	U	
	67-72-1	Hexachloro	ethane			10	Ü	
	98-95-3	Nitrobenzei	ne			10	U	
	78-59-1	Isophorone				2.5	J	
	88-75-5	2-Nitropher	ol			10	U	
	105-67-9	2,4-Dimeth	ylpheno	l		10	U	
	111-91-1	bis(2-Chlor	oethoxy	)methane		10	U	
	120-83-2	2,4-Dichlor	ophenol			10	U	
	65-85-0	Benzoic Ac	id			10	U	
	120-82-1	1,2,4-Trich	lorobenz	zene		10	U	
*	91-20-3	Naphthalen	ė			10	U	
,	106-47-8	4-Chloroan	line			10	U	
	87-68-3	Hexachloro	butadier	ne		10	U	
	59-50-7	4-Chloro-3-	methylp	henol		10	U	
	91-57-6	2-Methylna	phthalen	ie		10	U	
	77-47-4	Hexachloro	cycloper	ntadiene		10	U	
	88-06-2	2,4,6-Trich	loropher	nol		10	U	
	95-95-4	2,4,5-Trich	loropher	nol		50	U	
	91-58-7	2-Chlorona	hthalen	е		10	U	
	88-74-4	2-Nitroanili	ne			50	U	

131-11-3

208-96-8

606-20-2

Dimethylphthalate

2,6-Dinitrotoluene

Acenaphthylene

U

U Ü

10

10

10

# IB SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

	SEMIT OF THE OROM	VICS ANALTSIS DATA SHELT	EFFLUENT
Lab Name: CHEMTEC	CH	Contract: REICHHOLD CHE	MICAL,INC
Project No.: 2801	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O19040
Sample wt/vol:	1000.0 (g/mL ML	Lab File ID:	S1487.D
Level: (low/med)		Date Received:	9/13/93
% Moisture: 100	decanted: (Y/N):	N Date Extracted:	9/16/93
Concentrated Extract Vol	ume: <u>1000</u> (uL)	Date Analyzed:	9/26/93
Injection Volume:	(uL)	Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N pH:		
	C	Concentration Units:	
CAS No.	Compound (	ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	Ü
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4,6-Dinitro-2-methylphenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U

50-32-8

193-39-5

53-70-3

191-24-2

Benzo[a]pyrene

Indeno[1,2,3-cd]pyrene

Dibenz[a,h]anthracene

Benzo[g,h,i]perylene

10

10

10

10

U

U

U

U

### 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

**EFFLUENT** 

Lab Name: CHEMTEC	Н	Contract:	REICHHOLD CHEMINC
Project No.: 2801	Site:	Location:	Group:
Matrix: (soil/water)	WATER		Lab Sample ID: 019040
Sample wt/vol:	1 (g/mL) ML		Lah File ID: V2535.D
Level: (low/med)			Date Received: 9/13/93
% Moisture: not dec.	100		Date Analyzed: 9/18/93
GC Column: DB-624	ID: 0.53 (	mm)	Dilution Factor: 5.0
Soil Extract Volume:	(uL)		Soil Aliquot Volume: (uL)

### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
74-87-3	Chloromethane	50	UD
74-83-9	Bromomethane	50	UD
75-01-4	Vinyl Chloride	50	ĽD
75-00-3	Chloroethane	50	UD
75-09-2	Trichlorotluoromethane	50	L'D
75-09-2	Methylene Chloride	25	UD
67-64-1	Acetone	520	D
75-15-0	Carbon Disulfide	25	UD
75-35-4	1.1-Dichloroethene	25	UD
75-34-4	1.1-Dichloroethane	25	UD
540-59-0	1,2-Dichloroethene (total)	25	UD
67-66-3	Chloroform	25	ĽD
107-06-2	1,2-Dichloroethane	25	UD
78-93-3	2-Butanone	45	JD
71-55-6	1,1,1-Trichloroethane	25	UD
56-23-5	Carbon Tetrachloride	25	UD
75-27-4	Bromodichloromethane	25	UD
78-87-5	1,2-Dichloropropane	25	U'D
10061-01-5	cis-1,3-Dichloropropene	25	UD
79-01-6	Trichloroethene	44	D
124-48-1	Dibromochloromethane	25	UD
79-00-5	1,1,2-Trichloroethane	25	UD
71-43-2	Benzene	25	UD
10061-02-6	trans-1,3-Dichloropropene	25	UD
75-25-2	Bromoform	25	UD
108-10-1	4-Methyl-2-Pentanone	50	UD
591-78-6	2-Hexanone	9.9	JD
127-18-4	Tetrachloroethene	25	UD
79-34-5	1,1,2.2-Tetrachloroethane	25	UD
108-88-3	Toluene	4.3	JD
108-90-7	Chlorobenzene	25	UD
100-41-4	Ethylhenzene	4.5	JD
100-42-5	Styrene	25	ĽD

### SAMPLE NO.

### 1.A VOLATILE ORGANICS ANALYSIS DATA SHEET

	_	

			EFFLUENT	
Lab Name: CHEMTEC	'H	Contract:	REICHHOLD CHEMINC	
Project No.: 2801	Site:	Location:	Group:	
Matrix: (soil/water)	WATER		Lab Sample ID: 019040	
Sample wt/vol:	1 (g/mL)ML		Lab File ID: V2535.D	
Level: (low/med)			Date Received: 9-13/93	
% Moisture: not dec.	100		Date Analyzed: 9·18/93	
GC Column: DB-624	ID: 0.53	(mm)	Dilution Factor: 5.0	
Soil Extract Volume:	(uL)		Soil Aliquot Volume: (uL)	
		Concentratio	on Units:	

		Concentration Units:		
CAS No.	Compound	(ug/L  or  ug/Kg)	ug/L	Q
1330-20-7	m+ p-Xylenes	2	5	UD
1330-20-7	o-xylene	2	5	UD
				-
			<del> </del>	
				<del> </del>
· · · - · ·				
		******		
· · · · · · · · · · · · · · · · · · ·				
				<u> </u>
			<del></del>	
<del></del>				

# **CHEMITECH**

CONSULTING GROUP, INC.

Environmental Services Since 1967

## **CHAIN OF CUSTODY RECORD**

110 Route 4 ● Englewood, New Jersey 07631 (201) 567-6868 ● (212) 255-2100 Fax: (201) 567-1333

1. Sample Description (Enter	2. Prese		<b>3.</b> PROJ.	NO.	PROJECT	NAME	TE	lin	-TETA	_ S:	TRII	ope	れ			S	EXHLING CO.	v Cher
in Column A)  1. Surface Water 2. Ground Water 3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil 7. Waste water 8. Other (Specify)	See oth 1. HCI 2. HN( 3. NaH 4. H <sub>2</sub> Si 5. NaO 6. Oth (Spe 7. Ice	ner side  03  SO4  O4  H  er  acify)	Sampler  Sampler  Sampler  A Date S  Airbill No	Signature  Shipped C	ACH	E	JAY SI	, (q\ , \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	20)									AL REMARKS
Sample Numbers	A Matrix Enter from Box 1	Preservative Used from Box 2	C No. of Con- tainers	Station	D Location or Description	1	2	3	4	5	6	7	8	g	Date Tim	F e and ne of Collection	G Sample Condition On Receipt	H CHEMTECH Tracking Number
1.	7	2, 5, 7	5	Elfly	ent		-	i	-	-					9 1/3/1993	; A		
2		1-7-7													/ /19	; A		
3.	· · · · · · · · · · · · · · · · · · ·														/ /19	. A		
4.			-					-	1				1		/ /19	; A		
5.	_		ļ			1							1		/ /19	. A		
6.						1		l	1	<b> </b>			<del>                                     </del>		/ /19	. A	:	
7.	<u> </u>		ļ			<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>			<b> </b>	<u> </u>	/ /19	A	<del></del>	
8.			i	<del></del>		<del> </del>	<del> </del>	ļ					<del>                                     </del>			Δ	<del></del>	
9.		-		<del> </del>		- <del></del>	├	ļ	<del> </del>			ļ	-		/ /19	Δ		
<del></del>		<del> </del>	<del> </del>			+	-						├	<del> </del>	/ /19			
10.		<del> </del>	ļ				<b> </b>		ļ				<del> </del>	<del> </del>	/ /19	; P	-	
11.		<u> </u>	<b></b>			<del> </del>	ļ			ļ		ļ	ļ	<del> </del>	/ /19	; P		
12.		ļ	<b></b>	<u> </u>		<b>↓</b>	<del></del>		ļ			ļ	ļ	ļ	/ /19	: Р		<u> </u>
13.	ļ	ļ	<u> </u>	ļ		<b>_</b>						-		ļ	/ /19	; A		
14,		1	<u> </u>						Ĺ				·		/ /19	; A ; P		
15.			]				<u></u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>	/ /19	. A		
Belinquished by: (Si	nbec	1 9/1	Date / Tin 4193		Received by	Ne Sur	22)			Shipi comp Y	lete?		Page		REMARKS	5		
Relinquishe by (Si	ignature)		Date / Tin	10	Received for Signature)		atory b	y: Or	G	1/4	Date 73	e / Tim	ne 					







# LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC.

300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

SAMPLE

18173 08/18/93

DATE TIME SAMPLER

CLIENT

DELIVERY TO LAB

DATE TIME MATRIX

08/19/93 0900 WW

CLIENT STATION ID: EFFLUENT

LAB #:

18173

DATE: 09/16/93

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL

LAB No.

mg/L mg/L

mg/L

< 0.01 <0.01

0.56

LABORATORY DIRECTOR

110 Route 4 ● Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

110 Route 4 ● Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

### DATA REPORTING QUALIFIERS--ORGANIC

For reporting results, the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for, but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compound (library search hits, where a 1:1 response is assumed.)
    - When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analyte's concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factor.

# IA VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

FF	$\mathbf{FI}$	HF.	NT

Lab Name: CHEMTEO	CH	Contract:	REICHHOLD CHEMICAL, INC.
Project No.: 2716	Site:	Location:	Group:
Matrix: (soil/water)	WATER		Lab Sample ID: <u>O18173</u>
Sample wt/vol:	1 (g/mL) ML		Lab File ID: V2391.D
Level: (low/med)	LOW		Date Received: 8/19/93
% Moisture: not dec.	100		Date Analyzed: 9/2/93
GC Column: DB-624	ID: 0.53 (	mm)	Dilution Factor: 5.0
Soil Extract Volume:			Soil Aliquot Volume:

#### Concentration Units

		Concentration Units:	
CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
74-87-3	Chloromethane	50	U
74-83-9	Bromomethane	50	U
75-01-4	Vinyl Chloride	50	U
75-00-3	Chloroethane	50	U
75-09-2	Trichlorofluoromethane	50	U
75-09-2	Methylene Chloride	200	
67-64-1	Acetone	49	J
75-15-0	Carbon Disulfide	25	U
75-35-4	1,1-Dichloroethene	25	U
75-34-4	1,1-Dichloroethane	25	U
540 <b>-5</b> 9-0	1,2-Dichloroethene (total)	25	U
67 <b>-</b> 66-3	Chloroform	1.2	J
107-06-2	1,2-Dichloroethane	25	U
78-93-3	2-Butanone	16	J
71-55-6	1,1,1-Trichloroethane	25	U
56-23-5	Carbon Tetrachloride	25	U
75-27-4	Bromodichloromethane	25	U
78 <b>-</b> 87-5	1,2-Dichloropropane	25	U
10061-01-5	cis-1,3-Dichloropropene	25	U
79-01-6	Trichloroethene	25	U
124-48-1	Dibromochloromethane	25	U
79-00-5	1,1,2-Trichloroethane	25	U
71-43-2	Benzene	25	U
10061-02-6	trans-1,3-Dichloropropene	25	U
75-25-2	Bromoform	25	U
108-10-1	4-Methyl-2-Pentanone	50	U
591-78-6	2-Hexanone	10	J
127-18-4	Tetrachloroethene	25	U
79-34-5	1,1,2,2-Tetrachloroethane	25	U
108-88-3	Toluene	1.5	J
108-90-7	Chlorobenzene	25	U
100-41-4	Ethylbenzene	5.5	J
100-42-5	Styrene	25	U

SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET **EFFLUENT** Lab Name: CHEMTECH REICHHOLD CHEMICAL, INC. Contract: Project No.: 2716 Site: Group: Location: Matrix: (soil/water) WATER Lab Sample ID: O18173 Sample wt/vol: l (g/mL) MLLab File ID: V2391.D Level: (low/med) LOW Date Received: 8/19/93 % Moisture: not dec. 100 Date Analyzed: 9/2/93 GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 5.0 Soil Extract Volume: Soil Aliquot Volume: Concentration Units: CAS No. Compound (ug/L or ug/Kg) ug/L Q 1330-20-7 7.1 m + p-Xylenes J 1330-20-7 o-xylene 25 U

### 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

**EFFLUENT** 

Lab Name: CHEMTE	СН		Contract:	REICHHOLD CHE	MICAL, INC.
Project No.: 2716	_	Site:	Location:		Group:
Matrix: (soil/water)	WATER			Lab Sample ID:	O18173
Sample wt/vol:	1000.0	(g/mL ML		Lab File ID:	B0021
Level: (low/med)				Date Received:	8/19/93
% Moisture: 100	_	decanted: (Y/N):	N	Date Extracted:	8/21/93
Concentrated Extract Vo	lume:	1000 (uL)		Date Analyzed:	8/23/93
Injection Volume:	1.0	(uL)		Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N	рН	:		

### Concentration Units:

CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
108-95-2	Phenol	30	
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
95-50-1	1,2-Dichlorobenzene	10	U
100-51-6	Benzyl alcohol	4	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	2-Methylphenol	4	J
108-60-1	bis(2-chloroisopropyl)ether	10	U
106-44-5	4-Methylphenol	1	J
621-64-7	N-Nitroso-di-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
65-85-0	Benzoic Acid	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
106-47-8	4-Chloroaniline	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	U
88-74-4	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	10	U
208-96-8	Acenaphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	U

# IB SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO
-----------

Lab Name:	CHEMTEC	н		Contract:	REICHHOLD CHE	1	LUENT
•			City		KEICHHOLD CHE		<u></u>
Project No.:			Site:	Location:		Group:	
Matrix: (soil/	/water)	WATER			Lab Sample ID:	O18173	
Sample wt/vol	1:	1000.0	(g/mL ML		Lab File ID:	B0021	
Level: (low	v/med)				Date Received:	8/19/93	
% Moisture:	100		decanted: (Y/N):	N	Date Extracted:	8/21/93	
Concentrated :	Extract Volu	ıme:	1000 (uL)		Date Analyzed:	8/23/93	
Injection Volu	ıme:	1.0	(uL)		Dilution Factor:	1.0	
GPC Cleanup:	: (Y/N)	N	pH:				
				Concentration	Units:		
CAS	S No.	Compound	(	ug/L or ug/K	(g) <u>ug/L</u>	Q	
99-0	9-2	3-Nitroanili	ne		50	U	
83-3	32-9	Acenaphthei	ne		10	U	
51-2	28-5	2,4-Dinitrop	phenol		50	U	
100-	-02-7	4-Nitrophen	ol		50	U	
132-	-64-9	Dibenzofura	ın		10	U	
121-	-14-2	2,4-Dinitrot	oluene		10	U	
84-6	66-2	Diethylphth	alate		10	U	
7005	5-72-3	4-Chlorophe	enyl-phenylether		10	U	
86-7	73-7	Fluorene			10	U	
100-	-01-6	4-Nitroanili	ne		50	U	
534-	-52-1	4,6-Dinitro-	2-methylphenol		50	U	
86-3	30-6	N-Nitrosodi	phenylamine		10	U	
101-	-55-3	4-Bromophe	nyl-phenylether		10	Ŭ	
118-	-74-1	Hexachlorol	penzene		10	U	
87-8	36-5	Pentachloro	phenol		50	U	
85-0	)1-8	Phenanthren	le		10	U	
<u> </u>	-12-7	Anthracene			10	U	
84-7		Di-n-butylp	hthalate		10	U	
<del></del>	-44-0	Fluoranthen	e		10	U	
	-00-0	Pyrene			10	U	
85-6		Butylbenzyl	·		10	U	
91-9		3,3'-Dichlor		ļ	10	U	
56-5		Benzo[a]ant	hracene	<b>_</b>	10	U	
<u> </u>	-01-9	Chrysene	<del></del>		10	U	
<del></del>	-81-7		exyl)phthalate		5.9	J	
<u> </u>	-84-0	Di-n-octylpl		<u> </u>	10	U	
<u> </u>	-99-2	Benzo[b]flu			10	U	
<del></del>	-08-9	Benzo[k]flu	<del></del>	<u> </u>	10	U	
50-3		Benzo[a]pyr			10	U	
<del></del>	-39-5	Indeno[1,2,			10	U	
53-7		Dibenz[a,h]			10	U	
191-	-24-2	Benzo[g,h,i	]perylene	<u> </u>	10	U	



CONSULTING GROUP, INC.

Environmental Services
Since 1967

## **CHAIN OF CUSTODY RECORD**

110 Route 4 ● Englewood, New Jersey 07631 (201) 567-6868 ● (212) 255-2100 Fax: (201) 567-1333

WAS TELLATER STRIPPER - RETCHEW CHEMING CO. Sample 2. Preservative PROJECT NAME 3. PROJ. NO. Description (Enter in (Enter Column B) in Column A) ANALYTICAL REMARKS See other side Sampler (Name) Ε 1. Surface Water 1. HCI JOHNSON 2. Ground Water 2. HNO<sub>3</sub> 3. Leachate 3. NaHSO4 4. Rinsate 4. H<sub>2</sub>SO<sub>4</sub> 5. Soil/Sediment 5. NaOH 4 Date Shipped Carrier Crow, or 6. Oil 6. Other Sta 7. Waste wuter (Specify) 200 8. Other 7. Ice only Airbill Number (Specify) N. Not preserved F н 9 Sample Α В C D G Date and Sample CHEMTECH Numbers Matrix No. Preser-Station Location Time of Tracking Number Condition Enter vative of Sample Collection from Used Con-Sample Description On Receipt from tainers Box 1 Box 2 25,7 5 18/1993 4 1. K 2. /19 3. /19 4. /19 5. /19 6. /19 7. /19 8. /19 9. /19 10. /19 11. /19 12. /19 13. /19 14. /19 Pate / Time 15. /19 842894095 Received by: (Signature) 8/19/93 Relinquished by: (Signature) Shipment Page REMARKS complete? Relinquished by: (Signature) Date / Time Date / Time

842894096

Reichhold Chemicals, Inc. 46 Albert Ave. Newark, NJ 07105

### WASTE WATER ANALYSIS

		REMARKS
Sample	" STRIPPER"	
Date	7-13-93	
Source	RCI, Dolomus Dub Novavic NJ	
		Dilution: /2 21 12 + 5 21 + 9 + 10 + 10 + 10
Chloroform		¥-=10
Benzene		
Toluene	1,30, ppb	
Ehtylb <b>ēnz</b> ene	130.8 ppb	
m-p-Xylene	505.6 ppb	
o-Xylena	S8.7 ppb	
Other Organics		
C O D (ppm)	61,600	Dilution: /2 +/ 12+-
Нд	5-64	1 200
Other Organics C O D (ppm)	}	Dilution: /v */   00 m/ + 0, + + -/ u  = 200

THIS SAMPLE WAS
SENT TO CHEMTECH

Date of Analysis: 7-/4-93



# LABORATORY REPORT

### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

DATE: 08/05/93

(Page 1 of 1)

SAMPLE

LAB No. DATE 15965 07/14/93

TIME

SAMPLER CLIENT

DELIVERY TO LAB

DATE TIME MATRIX

07/14/93 1000 WW

CLIENT STATION ID:

LAB #:

EFFLUENT 15965

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL

mg/L mg/L mg/L < 0.010 <0.1 00.

0.69

LABORATORY DIRECTOR

110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

#### DATA REPORTING OUALIFIERS--ORGANIC

For reporting results, the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for, but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compound (library search hits, where a 1:1 response is assumed.)
    - When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analyte's concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factor.

### 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

EFF	JIENT

Lab Name: CHEMTEC	СН	Contract: REICHHOLD	EFFLUENT
Project No.: 2572	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O15965
Sample wt/vol:	5 (g/mL) ML	Lab File ID:	V2222.D
Level: (low/med)		Date Received:	7/14/93
% Moisture: not dec.	100	Date Analyzed:	7/15/93
GC Column: DB624		mm) Dilution Factor:	1.0
		·	<del></del>
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
		Concentration Units:	_
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
74-87-3	Chloromethane	10	Ŭ
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	5	U
67 <b>-64-1</b>	Acetone	47	
75-15-0	Carbon Disulfide	5	Ü
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	1	J
107-06-2	1,2-Dichloroethane	5	Ŭ
8-93-3	2-Butanone	10	U
1-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
S-87-5	1,2-Dichloropropane	5	U
:0061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
24-48-1	Dibromochloromethane	5	U
· ·)-00-5	1,1,2-Trichloroethane	5	Ū
1-43-2	Benzene	5	Ū
:0061-02-6	trans-1,3-Dichloropropene	5	Ü
5-25-2	Bromoform	5	U
. 38-10-1	4-Methyl-2-Pentanone	10	U
191-78-6	2-Hexanone	11	<del></del>
7-18-4	Tetrachloroethene	1.6	J
34-5	1,1,2,2-Tetrachloroethane	5	U
- 8-88-3	Toluene	7	<del></del>
	Chlorobenzene	5	U
8-90-7	<del></del>	<del> </del>	<del></del>
0.41-4	Ethylbenzene	1.9	J
0-42-5	Styrene	5	U

# IA VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

F	नन	T	F	NI

Lab Name: CHEMTE	СН	Contract: REICHHOLD	EFFLUENT
Project No.: 2572	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	015965
Sample we'vol:	5(g/mL)ML	Lab File ID:	V2222.D
Level: (low/med)		Date Received:	7/14/93
% Moisture: not dec.	100	Date Analyzed:	7/15/93
GC Column: DB624	ID: 0.53	(mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
⊕\S No.	Compound	Concentration Units: (ug/L or ug/Kg) ug/L	Q
30-20-7	m + p-Xylenes o-xylene	4.6	J
1	o ny todo		
<u></u>			
:			
:			
<u> </u>			l

SAMPLE NO.

1**B** 

•	SEMIVOLATILE ORGA	NICS ANALYS	SIS DATA SHEET	EFFLUENT
Lab Name: CHEMTE	СН	Contract: F	REICHHOLD CHE	
Project No.: 2572	Site:	Location:		Group:
Matrix: (soil/water)	WATER		Lab Sample ID:	O15965
Sample wt/vol:	1000.0 (g/mL ML		Lab File ID:	S1065.D
Level: (low/med)	LOW		Date Received:	7/14/93
% Moisture: 100	decanted: (Y/N):	<u>N</u>	Date Extracted:	7/16/93
Concentrated Extract Vo	olume: 1000 (uL)		Date Analyzed:	7/19/93
Injection Volume:	1.0 (uL)		Dilution Factor:	1.0
GPC Cleanup: (Y/N)	NpH			
		Concentration (	Units:	
CAS No.		(ug/L or ug/Kg		Q
108-95-2	Phenol		10	U
111-44-4	bis(2-Chloroethyl)ether		10	U
95-57-8	2-Chlorophenol		10	U
95-50-1	1,2-Dichlorobenzene		10	U
100-51-6	Benzyl alcohol		10	Ü
541-73-1	1,3-Dichlorobenzene		10	U
106-46-7	1,4-Dichlorobenzene		10	U
95-48-7	2-Methylphenol		10	Ü
108-60-1	bis(2-chloroisopropyl)ether		10	Ŭ
106-44-5	4-Methylphenol		10	U
621-64-7	N-Nitroso-di-n-propylamine		10	U
<b>~</b> 67-72-1	Hexachloroethane		10	U
98-95-3	Nitrobenzene		10	U
78 <b>-5</b> 9-1	Isophorone		10	U
88-75-5	2-Nitrophenol		10	U
105-67-9	2,4-Dimethylphenol		10	U
111-91-1	bis(2-Chloroethoxy)methane		10	U
120-83-2	2,4-Dichlorophenol		10	U
65-85-0	Benzoic Acid		10	U
120-82-1	1,2,4-Trichlorobenzene		10	U
91-20-3	Naphthalene		10	U
106-47-8	4-Chloroaniline	ļ	10	U
87-68-3	Hexachlorobutadiene		10	U
59-50-7	4-Chloro-3-methylphenol		10	U
91-57-6	2-Methylnaphthalene	<del> </del>	10	U
77-47-4 88-06-2	Hexachlorocyclopentadiene 2,4,6-Trichlorophenol	<b>_</b>	10	U
95-95-4	2,4,5-Trichlorophenol	<del> </del>	50	U
PJ-27-4	2,7,3-111cmorophenoi	1	J-0 ]	·

91-58-7

88-74-4

131-11-3

208-96-8

606-20-2

2-Chloronaphthalene

Dimethylphthalate

2,6-Dinitrotoluene

Acenaphthylene

2-Nitroaniline

U

U

U

U

U

10

50

10

10

10

# 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: CHEMTEC	CH	Contract: REICHHOLD CHE	EFFLUENT MICAL, INC.
Project No.: 2572	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O15965
Sample wt/vol:	1000.0 (g/mL ML	Lab File ID:	S1065.D
Level: (low/med)	LOW	Date Received:	7/14/93
% Moisture:100	decanted: (Y/N):	N Date Extracted:	7/16/93
Concentrated Extract Vol	ume: 1000 (uL)	Date Analyzed:	7/19/93
Injection Volume:	1.0(uL)	Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N pH:		
		Concentration Units:	
CAS No.	Compound (	ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	Ŭ
121-14-2	2,4-Dinitrotoluene	10	Ŭ
84-66-2	Diethylphthalate	10	Ū
7005-72-3	4-Chlorophenyl-phenylether	10	Ŭ
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4,6-Dinitro-2-methylphenol	50	Ū
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	Ü
- 118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	Ū
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	8.2	J
117-84-0	Di-n-octylphthalate	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
191-24-2	Benzo[g,h,i]perylene	10	Ŭ



110 Route 4 ● Englewood, New Jers (201) 567-6868 ● (212) 255-2100 Fax: (201) 567-1333

Environmental Services Since 1967

### **CHAIN OF CUSTODY RECORD**

1. Sample Description (Enter	2. Prese (Ente		3. PROJ.	NO. PROJEC	NAM	E rchi	lel	,							:	SAMPLING CO.	
in Column A)  1. Surface Water 2. Ground Water	See oth	ier side	Sampler Club	(Name)					//	//	Τ,	/,	//			ANALYTIC	AL REMARKS
3. Leachate 4. Rinsate 5. Soil/Sediment	3. NaH 4. H₂S0	SO4 O4	Sampler	Signature		LAL S		/ , ,	/\X	; <del>]</del> /	/,	/,	/,	///			
5. Soll/Sediment 6. Oil 7. Waste Waster 8. Other	5. NaO 6. Othe (Spe 7. Ice o	er ecify)	4. Date S				8 / S			>/	/,	/,	/,				
(Specify)		preserved	Airbill Nu	umber			$\mathcal{L}$	Ž	<u> </u>		_		$\angle$				
Sample Numbers	A Matrix Enter from Box 1	B Preser- vative Used from Box 2	C No. of Con- tainers	D Station Location or Sample Description	1	2	3	4	5	6	7	8	g	Date Tim	e and e of Collection	G Sample Condition On Receipt	H CHEMTECH Tracking Numbe
1.	7	2,5	.5		X	X	X	X						7/14/1993	. A	intact	15145
2.	1				1									/ /19	; A		
3.														/ /19	, A		
4.														/ /19	. A		
5.														/ /19	. A		
6.														/ /19	; A		
7.														/ /19	. A		
8.														/ /19	. A		
9.														/ /19	: A		
10.														/ /19	; A		
11.														/ /19	; A		
12.														/ /19	; A		
13.														/ /19	, A ; P		
14.														/ /19	. A		
15.														/ /19	. A		
Relinquished by: (Signature)	gnature)		Date / Tim	Received by:	(Sign	ature)			Shipr comp	lete?		Page		REMARKS	3	' . <i>I</i>	
Relinquished by: (Sig	gnature)		Date / Tim	Received for (Signature)	Labor	atory b	)y:		Y 7/i4						Sampl Cleent	'7 by	



### LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

DATE: 06/29/93

CLIENT STATION ID: EFFLUENT

LAB #:

14503

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL

mg/L mg/L <0.01 <0.1

mg/L

0.82

LABORATORY DIRECTOR

110 Route 4 ● Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

#### 1A **VOLATILE ORGANICS ANALYSIS DATA SHEET**

SAMPLE NO.

FFF	JIENT

Lab Name: CHEMTEO	СН	Contract: REICHHOLD	EFFLUENT
Project No.: 2460	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O14503
Sample wt/vol:	5 (g/mL) <u>ML</u>	Lab File ID	): <u>V1957.D</u>
Level: (low/med)		Date Received:	6/15/93
% Moisture: not dec.	100	Date Analyzed:	6/23/93
GC Column: DB624	ID: 0.53	(mm) Dilution Factor	:1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume	:(uL)
		Concentration Units:	
CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	4	
67-64-1	Acetone	240	E
75-15-0	Carbon Disulfide	5	U

5

5

5

1

5

10

5

5

5

5

5

5

5

5

5 5

5

6

120

4.2

2.8

2.9

1.2

5

5

U

U

U

J

U

U

U

U U

U

U

U

U

U

Ū

U

U

J

J

J

U

J

U

75-35-4

75-34-4

540-59-0

67-66-3

107-06-2

78-93-3

71-55-6

56-23-5

75-27-4

78-87-5

79-01-6

124-48-1

79-00-5

71-43-2

75-25-2

108-10-1

591-78-6

127-18-4

79-34-5

108-88-3

108-90-7

100-41-4

100-42-5

10061-02-6

10061-01-5

1,1-Dichloroethene

1,1-Dichloroethane

1.2-Dichloroethane

1,1,1-Trichloroethane

Carbon Tetrachloride

1,2-Dichloropropane

Trichloroethene

Benzene

**Bromoform** 

2-Hexanone

Toluene

Styrene

Bromodichloromethane

cis-1,3-Dichloropropene

Dibromochloromethane

trans-1,3-Dichloropropene

1,1,2,2-Tetrachloroethane

1,1,2-Trichloroethane

4-Methyl-2-Pentanone

Tetrachloroethene

Chlorobenzene

Ethylbenzene

Chloroform

2-Butanone

1,2-Dichloroethene (total)

# 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

EF	FL	U	EN	VT

Lab Name: CHEMTEO	СН	Contract: REICHHOLD	EFFLUENT
Project No.: 2460	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O14503
Sample wt/vol:	5 (g/mL) ML	Lab File ID:	V1957.D
Level: (low/med)		Date Received:	6/15/93
% Moisture: not dec.	100	Date Analyzed:	6/23/93
GC Column: DB624	ID: 0.53	(mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
CAS No.	Compound	Concentration Units: (ug/L or ug/Kg) ug/L	Q
1330-20-7	m+ p-Xylenes	11	
1330-20-7	o-xylene	2.5	J
		<del></del>	
····			
	<u> </u>		

1B

SAMPLE NO.

ATA SHEET

SEMIVOLATILE ORGANICS ANALYSI.

Lab Name: CHEMTEO	וור	Contract:	REICHHOLD CHE	EFFLUENT MICAL INC
			REICHHOLD CHE	
Project No.: 2460	Site:	Location:		Group:
Matrix: (soil/water)	WATER		Lab Sample ID:	O14503
Sample wt/vol:	1000.0 (g/mL ML		Lab File ID:	\$1009.D
Level: (low/med)			Date Received:	6/16/93
% Moisture: 100	_ decanted: (Y/N):	N	Date Extracted:	6/18/93
Concentrated Extract Vol	ume: 1000 (uL)		Date Analyzed:	6/25/93
Injection Volume:	1.0 (uL)		Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N pH:	:		
		Concentration	Units:	
CAS No.	Compound	(ug/L or ug/K	g) ug/L	Q
108-95-2	Phenol		15	
111-44-4	bis(2-Chloroethyl)ether		10	U
95-57-8	2-Chlorophenol		10	U
95-50-1	1,2-Dichlorobenzene		10	U
100-51-6	Benzyl alcohol		10	U
<b>541-73-1</b>	1,3-Dichlorobenzene		10	U
106-46-7	1,4-Dichlorobenzene		10	U
95-48-7	2-Methylphenol		10	U
108-60-1	bis(2-chloroisopropyl)ether		10	U
106-44-5	4-Methylphenol		10	U
621-64-7	N-Nitroso-di-n-propylamine		10	U
<u> 67-72-1</u>	Hexachloroethane		10	U
98-95-3	Nitrobenzene		10	U
78-59-1	Isophorone		10	U
88-75-5	2-Nitrophenol		10	U
105-67-9	2,4-Dimethylphenol		10	U
111-91-1	bis(2-Chloroethoxy)methane		10	U
120-83-2	2,4-Dichlorophenol		10	U
65-85-0	Benzoic Acid		10	U
120-82-1	1,2,4-Trichlorobenzene		10	Ŭ
91-20-3	Naphthalene		10	U
106-47-8	4-Chloroaniline		10	U
<del></del> 87-68-3	Hexachlorobutadiene		10	U
59-50-7	4-Chloro-3-methylphenol		10	U
91-57-6	2-Methylnaphthalene		10	U
77-47-4	Hexachlorocyclopentadiene		10	U
88-06-2	2,4,6-Trichlorophenol	<u> </u>	10	U
95-95-4	2,4,5-Trichlorophenol		50	U
91-58-7	2-Chloronaphthalene		10	U
88-74-4	2-Nitroaniline		50	U

U

U

10

10

10

131-11-3

208-96-8

606-20-2

Dimethylphthalate

2,6-Dinitrotoluene

Acenaphthylene

842894108 SAMPLE NO.\_\_\_\_

1B
SEMIVOLATILE ORGANICS ANALYSIS

ATA SHEET

Lab Name: CHEMTEO	CH	Contract: REICHHOLD CHE	EFFLUENT MICAL, INC.
Project No.: 2460	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O14503
Sample wt/vol:	1000.0 (g/mL ML	Lab File ID:	S1009.D
Level: (low/med)		Date Received:	6/16/93
% Moisture:100	decanted: (Y/N):	N Date Extracted:	6/18/93
Concentrated Extract Vol	ume: 1000 (uL)	Date Analyzed:	6/25/93
Injection Volume:	1.0 (uL)	Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N pH:		
a.a	·	Concentration Units:	•
CAS No.	Compound (	ug/L or ug/Kg) ug/L	Q
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	Ŭ
100-02-7	4-Nitrophenol	50	Ŭ
132-64-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	Ŭ
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	U
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4,6-Dinitro-2-methylphenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	11	J
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	7.1	J
117-84-0	Di-n-octylphthalate	10	Ü
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
191-24-2	Benzo[g,h,i]perylene	10	U
·		<del> </del>	<del></del>



CONSULTING GROUP, INC.

Environmental Services Since 1967

# 110 Route 4 ● Englewood, New Jers 7631 (201) 567-6868 ● (212) 255-2100 Fax: (201) 567-1333

### **CHAIN OF CUSTODY RECORD**

1. Sample Description (Enter	2. Prese (Ente	r in	3. PROJ.	NO. PROJECT Reichal		Ξ ,	10.7	516	/L	776	T	572	1120	1676		SAMPLING CO	HOLD (HERY
in Column A)  1. Surface Water 2. Ground Water 3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil 7. Waste 8. Other (Specify)	See oth 1. HCl 2. HNC 3. NaH: 4. H <sub>2</sub> S0 5. NaO 6. Othe (Spe 7. Ice o	er side  SO4  H  er  cify)	Salpoler	(Name)  FFENSAL H  Signature  Liffent Z. CL  hipped Carrier	E	A STAN	20/20/	7700		\ \\ \ \						ANALYTIC	AL REMARKS
Sample Numbers	A Matrix Enter from Box 1	B Preser- vative Used from Box 2	C No. of Con- tainers	<b>D</b> Station Location or Sample Description	1	2	3	4	5	6	7	8	9	Date Tim	F e and ne of Collection	Sample Condition On Receipt	H CHEMTECH Tracking Number
1.	7	ļ		STRIPPER	X	Χ	X	X						61/12/19/13	Comp	A Good	14503
2.														/ /19	:	A J	
3.							<u> </u>							/ /19	: 1	A P	
4.														/ /19	: í	A P	
5.														/ /19	: 1	A P	
6.														/ /19	: (	A P	
7.														/ /19	: 1	A P	
8.														/ /19	: /	A	
9.														/ /19	: 1	4	
10.														/ /19	: 1	A .	
11.														/ /19	: 1	A .	
12.														/ /19	; <i>F</i>	A .	
13.														/ /19	; F	3	
14.														/ /19	; A	A	
15.														/ /19	. F	\ }	
Relinquished by: (Signal August 1997)	^	4/10	Date / Tim	e Received by:	(Signa	ture)			Shipn compl			Page of _		REMARKS	3		
Relinquished by: (Sig	gnature)		Date / Tim	e Received for (Signature)	Labora	itory b	y:	Ú	Jia		7 Tim						

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT YELLOW - CHEMTECH COPY PINK - SAMPLER COPY



110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

### DATA REPORTING QUALIFIERS--ORGANIC

For reporting results, the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for, but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compound (library search hits, where a 1:1 response is assumed.)
    - When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analyte's concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factor.



### LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

DATE: 06/07/93

CLIENT STATION ID: EFFLUENT 13011

LAB #:

CYANIDE, TOTAL mg/L <0.01 LEAD, TOTAL mg/L <0.1 ZINC, TOTAL mg/L 0.92

LABORATORY DIRECTOR

103 10' 102 Ava Frow 5.575 GPDK, 748 × 4.536 - 18.92 × 106

= 19,93 × 106 MAX FLOW 5873

Mg = 9 =



110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

### DATA REPORTING QUALIFIERS--ORGANIC

For reporting results, the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for, but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentath ely identified compound (library search hits, where a 1:1 response is assumed.)
    - When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analyte's concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factor.

### 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

**EFFLUENT** 

Lab Name: CHEMTEC	CH	Contract: REICH. CHEM. INC	C.
Project No.: 2354	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O13013
Sample wt/vol:	5(g/mL)ML	Lab File ID:	V1572.D
Level: (low/med)	LOW	Date Received:	5/14/93
% Moisture: not dec.	100	Date Analyzed:	5/20/93
GC Column: DB624	ID: 0.53	(mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
74-87-3	Methyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U See?
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	16	5
67-64-1	Acetone	55	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
<b>4</b> 67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	14	
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
ナッ 79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	Ü
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	11	-
¥ 108-90-7	Chlorobenzene	5	Ŭ
100-41-4	Ethylbenzene	10	
100-42-5	Styrene	5	U

### 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

FFF	HENT	,

Lab Name: CHEMTEC	CH	Contract: REICH. CHEM. INC	EFFLUENI
Project No.: 2354	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O13013
Sample wt/vol:	5 (g/mL) <u>ML</u>	Lab File ID:	V1572.D
Level: (low/med)	LOW	Date Received:	5/14/93
% Moisture: not dec.	100	Date Analyzed:	5/20/93
GC Column: DB624	ID: 0.53	(mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
CAS No.	Compound	Concentration Units: (ug/L or ug/Kg) ug/L	Q
1330-20-7	m+ p-Xylenes	51	
1330-20-7	o-xylene	18	
	1,3-Dichloropropylene	5	U
<u> </u>	1,2-trans-Dichloroethylene	5	U
<del></del>			
<u> </u>			

# 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: CH	ЕМТЕСН		Contract:	REICHHOLD	CFFI	LUENI
	<del></del>			REICHHOLD		
Lab Code: <u>235</u>	<u>Ca</u>	se No.:	SAS No.:		SDG No.:	
Matrix: (soil/wat	ter) WATER			Lab Sample ID:	13011	
Sample wt/vol:	1000	(g/mL ML		Lab File ID:	S0898.D	_
Level: (low/me	ed) LOW			Date Received:	5/14/93	
% Moisture:	100	decanted: (Y/N):	N	Date Extracted:	5/15/93	_
Concentrated Ext	ract Volume:	1000 (uL)		Date Analyzed:	5/26/93	
Injection Volume	:1.0	(uL)		Dilution Factor:	1.0	
GPC Cleanup: (Y	7/N) N	рН:	7.6			
-	<del></del>		Concentration	n Units		
CAS No	c. Compound		(ug/L or ug/l		Q	
108-95-	2 Phenol			10	U	
111-44-		oethyl)ether		10	U	
95-57-8	<del>`</del>			10	U	
95-50-1	<del></del>			10	Ū	
J. 541-73-				10	U	
106-46-				10	U	
95-48-7				6.6	J	
106-44-	5 p-Cresol			10	U	
621-64-	<del></del>	i-n-propylamine		10	U	i
9-67-72-1	Hexachloro	ethane		10	Ŭ	
198-95-3	Nitrobenzer	ie		10	U	
78-59-1	Isophorone			7.5	J	
88-75-5	2-Nitrophen	ol		10	U	
105-67-	9 2,4-Dimeth	ylphenol		10	Ŭ	1
111-91-	l bis(2-Chlore	oethoxy)methane		10	U	
120-83-	2 2,4-Dichlor	ophenol		10	U	
65-85-0	Benzoic Aci	d		10	U	
120-82-	1 1,2,4-Trich	orobenzene		10	U	
91-20-3	Naphthalene	;		10	U	
106-47-	8 4-Chloroani	line		10	U	
<del>1</del> 87-68-3	Hexachlorol	outadiene		10	U	
59-50-7	4-Chloro-3-	methylphenol		10	U	
91-57-6	2-Methylna	hthalene		10	U	
77-47-4	Hexachloro	cyclopentadiene		10	U	
88-06-2	2,4,6-Trichl	orophenol		10	U	
95-95-4	2,4,5-Trichl	orophenol		50	Ū	
91-58-7	2-Chloronar	hthalene		10	U	
88-74-4	2-Nitroanili	ne		50	U	
131-11-	3 Dimethylph	thalate		10	U	
208-96-	8 Acenaphthy	lene		10	U	
606-20-	2 2,6-Dinitrot	oluene		10	U	

Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments from Reichhold, Albert Ave.

MAY / 1993 to MAY 31, 1993

Date of Shipment	Lbs. of Water	Gallons of Water
1. 5/01/93	48260	5814
2. 5/05/93	42.390	5096
3. <b>5/07/93</b>	47,760	5754
4. 5/13/93	148,160	5802
5. 5/17/93	47, 180	5684 5764
6, 5/19/93 7. 5/22/93/	45,260	5453
6. 5/25/93 9. 5/28/93 Total Gallons Reciev	<b>46,940</b> <b>48,90</b> 0 red From Albert Ave∧:2	5655
\$/10	N CO RICE	150914 GAL
5/30		



REICHHOLD CHEMICALS, INC. 46 ALBERT AVENUE NEWARK, NEW JERSEY 07105

FOR MONTH OF MAY - 1993.
MAY 01, 93 TO MAY 31, 93.

DATE	LBS OF WATER	GALLONS OF WATER
	47, 700	5 740 0410
01. 05/01/93	47,700	5,719 GALS.
02. 05/05/93	40,760	4,887 GALS.
03. 05/07/93	47,760	5,727 GALS.
04. 05/10/93	48,500	5,815 GALS.
05. 05/13/93	48,340	5,796 GALS.
06. 05/17/93	42,860	5,139 GALS.
07. 05/19/93	47,840	5,736 GALS.
08. 05/22/93	45,260	5,427 GALS.
09. 05/25/93	46,940	5,628 GALS.
10. 05/28/93	48,980	5,873 GALS.
11. 05/30/93	47,800 June Keric	5,731 GALS.

A. TOTAL TANKWAGONS SHIPPED TO DOREMUS AVE, NEWARK PLANT FOR TREATMENT & DISPOSAL.

TOTAL WATER (GALLONS) SHIPPED ----- 61,478 GALS.

B. 73 TOT B. 74 TOT B. 75

EPA SAMPLE NO.

1C

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name:	СНЕМТЕСН		Contract:	REICHHOLD	EFFLUENI
Lab Code:	СНЕМ	Case No.:	SAS No.:		SDG No.:

Matrix: (soil/water) Lab Sample ID: 13011 WATER

Sample wt/vol: 1000 Lab File ID: S0898.D (g/mL ML

Level: (low/med) LOW Date Received: 5/14/93

% Moisture: 100 decanted: (Y/N): Date Extracted: 5/15/93 Ν

1000 (uL) Concentrated Extract Volume: Date Analyzed: 5/26/93

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.6

		Concentration Units:	_
CAS No.	Compound	(ug/L or ug/Kg) ug	<u>/L</u> Q
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	U
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4,6-Dinitro o-Cresol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	1.1	J
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	20	
117-84-0	Di-n-octylphthalate	10	Ū
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
191-24-2	Benzo[g,h,i]perylene	10	U




CONSULTING GROUP, INC.

Environmental Services Since 1967

### **CHAIN OF CUSTODY RECORD**



1. Sample Description (Enter	2. Preser (Enter Colum	r in	3. PROJ.	NO. PROJECT	NAME			· (	C/.c.		;				Si	AMPLING CO.	
in Column <b>A</b> )  1. Surface Water 2. Ground Water	See other	er side	Sampler	(Name)	-			/		//	Τ,	//	Τ,			ANALYTICA	AL REMARKS
3. Leachate 4. Rinsate 5. Soil/Sediment	3. NaH9 4. H₂SC	5O₄ D₄	Sampler	Signature	į,	ALTSI	/,	/,	/,	/,	/,	/,	/,	///			4
5. Soll/Sediment 6. Oil 7. Waste 8. Other	5. NaOl 6. Othe (Spe 7. Ice o	er ecify)	4. Date S		8			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		<i>Y</i>	/,	/,	/,				·
(Specify)		preserved	Airbill Nu	umber		77/		<u> </u>	Ž		_						
Sample Numbers	A Matrix Enter from Box 1	Preser- vative Used from Box 2	C No. of Con- tainers	D Station Location or Sample Description	1	2	3	4	5	6	7	8	9	Date Tim		G Sample Condition On Receipt	H CHEMTECH Tracking Number
1.	2	2,5	5		X	X	X	2						5/14/19/3	2:30 Å		
2.														/ /19	; A		
3.														/ /19	: A P		
4.							<u> </u>							/ /19	. A : P		
5.														/ /19	; A		
6.								İ						/ /19	; A		
7.														/ /19	; A		
8.														/ /19	; A		
9.														/ /19	; A		
10.														/ /19	; A		
11.														/ /19	; A		
12.														/ /19	; A		
13.														/ /19	; A		
14.														/ /19	. A		
15.														/ /19	; A		
Relinquished by: (Si		1 5/2	Date / Tim	Received by	(Signa	nture)			Shipr comp			Page		REMARKS		<del></del>	
Relinquished by (Si	gnature)		Date / Tim	Received for (Signature)		atory b	7		. ej	Date	e/Tim						



RONALD W. GIACONIA CHAIRMAN

JAMES KRONE VICE CHAIRMAN

ROBERT M. BURKE, JR.
THOMAS J. CIFELLI
DOMINIC W. CUCCINELLO
RAYMOND LUCHKO
FRANK ORECHIO
DONALD TUCKER
COMMISSIONERS

600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951 CARMINE T. PERRAPATO EXECUTIVE DIRECTOR

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHIEF COUNSEL

> LOUIS LANZILLO CLERK

May 24, 1993

Mr. Paul Brustofski Reichhold Chemicals, Inc. P.O. Box 13582 Research Triangle Park, North Carolina 27709-3582

## RE: REQUEST TO DISCHARGE WASTESTREAM TO NEWARK FACILITY

Dear Mr. Brustofski:

This to advise you that your request to transport wastewater from your Baltimore Facility to the Doremus Avenue Facility for treatment and discharge to the sewer system is denied. Due to the fact that this wastewater was not generated in the PVSC district we have no authority to accept it.

If you need any additional assistant in this matter please contact Frank P. D'Ascensio, Manager of Industrial & Pollution Control at (201) 817-5710.

Very truly yours.

PASSAIC VALLEY SEWERAGE COMMISSIONERS



Carmine T. Perrapato Executive Director

CTP/mc

cc: Robert Davenport, Deputy Executive Director

Frank P. D'Ascensio

Mario Graglia Tom Mack

A. Dieffenbach, Reichhold Chemical, Newark



### LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC.

300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

CLIENT STATION ID: EFFLUENT

LAB #:

11225

DATE: 05/15/93

CYANIDE, TOTAL

mg/L

<0.01

LEAD, TOTAL

mg/L

0.148

ZINC, TOTAL

mg/L

0.695

SAMPLE COLLECTED ON 04/15/93

LABORATORY DIRECTOR



110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

### DATA REPORTING QUALIFIERS--ORGANIC

For reporting results, the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for, but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compound (library search hits, where a 1:1 response is assumed.)
    - When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analyte's concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factor.

1B

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

C i	
	SAMPLE 1
•	

SAMPLE NO.

Lab Name: CHEMTECH	<u> </u>		Contract:	R. CHEM., INC.	
Project No.: 2264		Site:	Location:		Group:
Matrix: (soil/water)	WATER	_		Lab Sample ID:	11225
Sample wt/vol:	1000	_(g/mL <u>ML</u>		Lab File ID:	<u>S0840</u>
Level: (low/med)	<del></del>	<del>_</del>		Date Received:	4/15/93
% Moisture:100		decanted: (Y/N):	N	Date Extracted:	4/15/93
Concentrated Extract Volum	me:	1000 (uL)		Date Analyzed:	4/29/93
Injection Volume:	1.0	_(uL)		Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N	_ pH	:		

		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	_ Q
108-95-2	Phenol	10	U
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
95 <b>-5</b> 0-1	1,2-Dichlorobenzene	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	2-Methylphenol	10	U
108-60-1	2,2'-oxybis(1-Chloropropane)	10	U
106-44-5	4-Methylphenol	10	U
621-64-7	N-Nitroso-di-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
106-47-8	4-Chloroaniline	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	U
88-74-4	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	10	U
208-96-8	Acenaphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U

1B			
SEMIVOLATILE ORGANICS	ANALYSIS	DATA	SHEET

EEI		
	SAMPLE I	
C.		

SAMPLE NO.

Lab Name: CHEMTEC	Н		Contract:	R. CHEM., INC.	
Project No.: 2264		Site:	Location:		Group:
Matrix: (soil/water)	WATER			Lab Sample ID:	11225
Sample wt/vol:	1000	_(g/mL <u>ML</u>		Lab File ID:	S0840
Level: (low/med)				Date Received:	4/15/93
% Moisture: 100		decanted: (Y/N):	N	Date Extracted:	4/15/93
Concentrated Extract Volu	ıme:	1000 (uL)		Date Analyzed:	4/29/93
Injection Volume:	1.0	_(uL)		Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N	рН	:		

CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	Ū
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4,6-Dinitro-2-methylphenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	Ū
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	Ŭ
53-70-3	Dibenz[a,h]anthracene	10	Ŭ
191-24-2	Benzo[g,h,i]perylene	10	U

## IA VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

**EFFLUENT** 

Lab Name: CHEMTEC	H	Contract:	REICHHOLD	
Project No.: 2264	Site:	Location:		Group:
Matrix: (soil/water)	WATER		Lab Sample ID:	011225
Sample wt/vol:	5 (g/mL) ML		Lab File ID:	V1444.D
Level: (low/med)			Date Received:	4/15/93
% Moisture: not dec.	100		Date Analyzed:	4/23/93
GC Column: DB-624	ID: 0.53 (	mm)	Dilution Factor:	1.0
Soil Extract Volume:	(uL)		Soil Aliquot Volume:	(uL)

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	Ü
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	13	
67-64-1	Acetone	35	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
78-87 <b>-</b> 5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	3.1	J
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U

### VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

F	LTT	I	IF.	NT

Lab Name: CHEMTEO	СН	Contract: REICHHOLD	BITBOBIN
Project No.: 2264	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	011225
Sample wt/vol:	5 (g/mL) ML	Lah File ID:	V1444.D
Level: (low/med)		Date Received:	4/15/93
% Moisture: not dec.	100	Date Analyzed:	4/23/93
GC Column: DB-624	ID: 0.53	(mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
1330-20-7	m+ p-Xylenes	7.5	
1330-20-7	o-xylene	2.1	J
		<u> </u>	
	· · · · · · · · · · · · · · · · · · ·		
i		1	1

Environmental Services

Distribution: Original Accompanies Ship went; Convalo Coordinator Fiel

Dece 1967 CHAIN OF CUSTODY RECORD PROJ. NO. PROJECT NAME RECHHOW CHEMICALS

WASTELLATEN STRIPPEN

SAMPLERS (SIGNALIE)

CLAUSE HENDELL NO. REMARKS CON-TAINERS STA. NO. DATE TIME STATION LOCATION 5 Relinquished by: (Signature) Date / Time Date / Time Received by: (Signatura) Relinquished by: (Signature) Received by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received for Laboratory by: Date / Time Remarks (Signatura)



CONSULTING GROUP, INC. 110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

INVOICE

REICCHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE NEWARK, NJ 07105 INVOICE NO.: 62052

DATE 04/27/93

PROJECT NUMBER 2164

PAGE 1

----

SAMPLE NO. 10158 EFFLUENT

\$ 700.00


PAGE TOTAL

\$ 700.00

GRAND TOTAL

\$ 700.00

ORGORDAN 5/3/93 Oldsettendal



Passaic Valley Sewerage Comm. 600 Wilson Ave. Newark,NJ 07105 Attn. Industrial Dept.

Dear Sir.

Attached you will find the completed MR-1 report for Mav 1993, for our facility at 400 Doremus Ave. Newark, NJ. If you require any additional information regarding this report please contact me at (201)-589-3716 during business hours.

Sincerely yours,

Arthur E. Dieffenbach Plant Engineer Passaic Valley Sewerage Comm. 600 Wilson Ave. Newark,NJ 07105 Attn. Industrial Dept.

Dear Sir,

Attached you will find the completed MR-1 report for May 1993, for our facility at 400 Doremus Ave, Newark, NJ. If you require any additional information regarding this report please contact me at (201)-589-3716 during business hours.

Sincerely yours,

Arthur E. Dieffenbach Plant Engineer

### CHEMTECH CONSULTING GROUP, INC.

### 110 ROUTE 4 ENGLEWOOD, NEW JERSEY 07631

PHONE NUMBER: (201) 567-6868 FAX NUMBER: (201) 567-1333

# FAX COVER SHEET

Company: Clos ohhald Classea C	Date:
Attention: Art Pullulated Fax Number: 491-0074	
Number of Pages:(Including this page)	Subject:
From: Lawya Me Ma  If you do not receive all pages, please telephone the	sender immediately.



### LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

DATE: 04/17/93

PRELIMINARY RESULTS

CLIENT STATION ID: E

EFFLUENT

LAB #:

10158

ZINC, TOTAL

mg/L

.516

LABORATORY DIRECTOR



### LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC.

300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

CLIENT STATION ID: EFFLUENT

LAB #:

10158

DATE: 04/16/93

CYANIDE, TOTAL

LEAD, TOTAL

mg/L mg/L <0.01

<0.1

PROJECT NO. 2164

LABORATORY DIRECTOR

## IA VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

**EFFLUENT** 

Lab Name: CHEMTEC	Н			Contract:	REICHHOLD		
Project No.: 2164	-	Site:		_ Location:		Group:	
Matrix: (soil/water)	WATER	_			Lab Sample ID:	O10158	
Sample wt/vol:	5	_(g/mL)	ML	_	Lab File ID:	V1328.D	
Level: (low/med)		_			Date Received:	3/24/93	
% Moisture: not dec.	100	_			Date Analyzed:	3/26/93	
GC Column: DB-624		_ ID:	0.53	_(mm)	Dilution Factor:	1.0	
Soil Extract Volume:		_(uL)			Soil Aliquot Volume:		(uL)
					T T . C.		

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	5	U
67-64-1	Acetone	12	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1.1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1.1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	U
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	1.2	J
100-42-5	Styrene	5	U

## IA VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

F	F	FI	I	IF	NT

Lab Name: <u>CH</u>	ЕМТЕСН	II 1 - <b>221</b> 12- <b>2</b>		Contract:	REICHHOLD		
Project No.: 216	54	Site:		Location:		Group:	
Matrix: (soil/wa	ter) WATER	_			Lab Sample ID:	O10158	
Sample wt/vol:	5	_(g/mL) _	ML		Lab File ID:	V1328.D	
Level: (low/m	ed)	_			Date Received:	3/24/93	
% Moisture: no	t dec. 100	_			Date Analyzed:	3/26/93	
GC Column: DB	-624	ID: <b>_</b>	0.53 (n	ນາາ)	Dilution Factor:	1.0	
Soil Extract Volu	me:	_(uL)			Soil Aliquot Volume:		(uL)
			C	oncentration	n Units:		
CAS No	o. Compound			ıg/L or ug/I		Q	
1330-20	0-7 m+ p-Xyl	enes		1	5	U	]
1330-20	<del> </del>				5	U	
-					<del></del>		
					··-··		
	•						
					· · · · · · · · · · · · · · · · · · ·		
<del></del>					<del></del>		
				-	· · · · · · · · · · · · · · · · · · ·		
<u></u>							
	· · · · · · · · · · · · · · · · · · ·	,					
<del></del>							
				<del> </del>			
-				ļ			
			· · · · · · · · · · · · · · · · · · ·	<u> </u>			
<del> </del>				<u> </u>		<u>-</u>	

SAMPLE NO.

#### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

ΙB

Lab Name: CHEMTEC	Н		Contract:	REICHHOLD	EFFLUENT
Project No.: 2085		Site:	Location:		Group:
Matrix: (soil/water)	WATER	_		Lab Sample ID:	O9507
Sample wt/vol:	1000	(g/mL ML		Lab File ID:	S0663.D
Level: (low/med)		_		Date Received:	3/1/93
% Moisture:	-	decanted: (Y/N):	N	Date Extracted:	3/4/93
Concentrated Extract Volu	ıme:	1000 (uL)		Date Analyzed:	3/11/93
njection Volume:	1.0	(uL)		Dilution Factor:	10.0

Injection Volume: 1.0 (uL GPC Cleanup: (Y/N) N

Concentration Units:

pH: \_\_\_\_\_

		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	165	
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
	1,2-Dichlorobenzene	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	o-Cresol	10	U
106-44-5	p-Cresol	10	U
621-64-7	N-Nitroso-di-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
105-47-8	4-Chloroaniline	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	U
88-74-4	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	10	U
208-96-8	Acenaphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10.	U
51-28-5	2,4-Dinitrophenol	50	U

SAMPLE NO.

### IB

SEMIVOLATILE	ORGANICS	<b>ANALYSIS</b>	DATA	SHEET

	SEIVI	IVOLATILE ORGA	MICS AMAL	I SIS DATA SHEET	
Lab Name: CHEMTEC	CH		Contract:	REICHHOLD	EFFLUENT
Project No.: 2085	_	Site:	Location:		Group:
Matrix: (soil/water)	WATER	_		Lab Sample ID:	<u>O9507</u>
Sample wt/vol:	1000	_(g/mL <u>M</u> L		Lab File ID:	S0663.D
Level: (low/med)		_		Date Received:	3/1/93
% Moisture:	_	decanted: (Y/N):	N	Date Extracted:	3/4/93
Concentrated Extract Vol	ume:	1000 (uL)		Date Analyzed:	3/11/93
njection Volume:	1.0	_(uL)		Dilution Factor:	10.0
GPC Cleanup: (Y/N)	N	рН	•		

CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	U
121-14-2	2.4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
700 <b>5</b> -72-3	4-Chlorophenyl-phenylether	10	U
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4,6-Dinitro o-Cresol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	25	
117-84-0	Di-n-octylphthalate	10	Ų
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
191-24-2	Benzo[g,h,i]perylene	10	U

CHAIN OF CUSTODY RECORD

PROJ.	1	PROJEC		4 3 4 5				CHAI	1101000	7			7		7	77					
17803.	NO.					. C-a	1000					/	/ /	/ /	/ /	/. /					
		W	951	E	NATE	e 5721	IPPER		NO.								/ /				
SAMPLE	HS: (Sign	aryie)		,	1 -				OF		/		. P	/ /	/ /						
SAMPLE	ues	Suff	Le.	nl	mcl.				CON-				>\						REMARK	S	
					)				TAINERS		\ <b>\</b>		<b>3</b>	717	y /						
STA. NO.	DATE	TIME	COMP	GRA		STATI	ON FOCUL	ION		1/	<b>6</b> /		7								
	3/22	1215	<del> </del>	X	(				3+2V,	ak K	X	入	X			1015	8		<del></del>	<del></del>	
	122			-	-						-							<del></del>			
			-	-					-		\ <del></del>		) <del></del>								
																		·	·····		
									_		-					<del></del>					
								**************************************									<del></del>		··		
								· · · · · · · · · · · · · · · · · · ·													
																· · · · · · · · · · · · · · · · · · ·					
																	<del></del>				
																				•	
				]	}																
Retinquish					Dat	e / Time	Received	by: (Signatura	1	Relin	nquist	ned by	1: (Sig	nature	)	T	Date	/Time	Received by:	(Signature)	
De Jelinguise	Hand	lace		3,	122/93	50PM	Les	lan A	llm												
3elingui <b>∳</b> K	<b>6</b> by: (:	Signature)			Date	? / Time	Regeived	by: Signature	)	Relir	quist	red by	: (Sig	nature	)		Date	/ Time	Received by	(Signature)	
													_								
Relinquish	ed by: (s	Signature			Date	: / Time	Received (Signature	for Laborator	y by:		Date	7 / Tin	ne .	Re	ernark	S			-		
							Jeff	ren And	Uma	3/	249	n C	90c								
		Distr	ibutio	on: Or	iginal Acc	ompanies S	shipment to	Coordina	tor Fire												

#### DATA REPORTING QUALIFIERS ORGANIC

For reporting results the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - When estimating a concentration for tentatively identified compounds (library search hits, where a 1:1 response is assumed.
    - When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analytes concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factors.

## CHEMTECH CONSULTING GROUP, INC.

#### 110 ROUTE 4 ENGLEWOOD, NEW JERSEY 07631

PHONE NUMBER: (201) 567-6868 FAX NUMBER: (201) 567-1333

# FAX COVER SHEET

Company: Clerchold Cherical	Date: 4/16/93 Time:
Attention: Att Duefferback Fax Number: 817-9173	
Number of Pages:  (Including this page)	Subject:
From: Duya Mehya	
If you do not receive all pages, please telephone the s	sender immediately.



## LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC.

300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

CLIENT STATION ID:

EFFLUENT

LAB #:

10158

DATE: 04/16/93

CYANIDE, TOTAL LEAD, TOTAL

ZINC

PROJECT NO. 2164

mg/L

<0,01.0,

<ô.1

LABORATORY DIRECTOR

110 Route 4 ● Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

#### DATA REPORTING QUALIFIERS ORGANIC

For reporting results the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - When estimating a concentration for tentatively identified compounds (library search hits; where a l:1 response is assumed.
    - when the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analytes concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factors.

## IA VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: CHEMTECH Contract: REICHHOLD

Project No.: 2164 Site: Location: Group:

Matrix: (soil/water) WATER Lab Sample ID: O10158

Sample wt/vol: 5 (g/mL) ML Lab File ID: V1328.D

Level: (low/med) Date Received: 3/24/93

% Moisture: not dec. 100 Date Analyzed: 3/26/93

GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS No.	Compound	Concentration Units: (ug/L or ug/Kg) ug/L	Q
74-87-3	Chloromethane MEHYL CL	10	U
74-87-9	Bromomethane	10	U
			U
75-01-4	Vinyl Chloride	10	
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	5	Ŭ
67-64-1	Acetone	12	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1,1-Dichloroethane	5	Ŭ
540-59-0	1,2-Dichloroethene (total)	5	บ
67 <b>-</b> 66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	Ŭ
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	Ŭ
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	Ū
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	Ü
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	Ŭ
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	5	Ū
108-90-7	Chlorobenzene	5	Ü
100-30-7	Ethylbenzene	1.2	<del>                                     </del>
100-42-5	Styrene	5	U

IA

SAMPLE NO.

	VOLA	TILE ORGA!	NICS ANALY	SIS DATA SHEET	EFF	LUENT
Lab Name: CHEMTE	СН		Contract:	REICHHOLD		
Project No.: 2164	Si	te:	Location:		Group:	
Matrix: (soil/water)	WATER			Lab Sample ID:	O10158	•
Sample wt/vol:	5(g/m	L) ML	-	Lab File ID:	V1328.D	•
Level: (low/med)				Date Received:	3/24/93	•
% Moisture: not dec.	100			Date Analyzed:	3/26/93	•
GC Column: DB-624		ID: 0.53	(mm)	Dilution Factor:	1.0	•
Soil Extract Volume:	(uL)			Soil Aliquot Volume:	<del></del>	(uL)
CAS No.	Compound		Concentratio		Q	
1330-20-7	m+ p-Xylenes			5	Ü	
1330-20-7	o-xylene			5	U	
		<u></u>				
	<del></del>					
						!
		<del></del>				
<del></del>	<del></del>					
		· · · · · · · · · · · · · · · · · · ·				
-						
<del></del>	·					

#### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Nama: CHEMTE	СН			Contract:	REICHHOLD	EFFLUENT
Project No.: 2085		Site:		Location:		Group:
Matrix: (soil/water)	WATER	_			Lah Sample ID:	09507
Semple wt/vol:	1000	(a/mī	МТ		Lah Fila ID	1 S0663 D

Level: (low/med) Date Received: 3/1/93 % Moisture: decanted: (Y/N): N Date Extracted: 3/4/93

1000 (uL) Date Analyzed: 3/11/93 Concentrated Extract Volume:

Injection Volume: 1.0 (uL) Dilution Factor: 10.0

GPC Cleanup: (Y/N)

		Concentration Units:			
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q		
108-95-2	Phenol	165			
111-44-4	bis(2-Chloroethyl)ether	10	U		
95-57-8	2-Chlorophenol	10	U		
	1,2-Dichlorobenzene	10	U		
541-73-1	1,3-Dichlorobenzene	10	Ų		
106-46-7	1,4-Dichlorobenzene	10	บ		
95-48-7	o-Cresol	10	Ų		
106-44-5	p-Cresol	10	U		
621-64-7	N-Nitroso-di-n-propylamine	10	Ŭ		
67-72-1	Hexachloroethane	10	U		
98-95-3	Nitrobenzene	10	U		
78-59-1	Isophorone	10	Ŭ		
88-75-5	2-Nitrophenol	10	U		
105-67-9	2,4-Dimethylphenol	10	Ų		
111-91-1	bis(2-Chloroethoxy)methane	10	U		
120-83-2	2,4-Dichlorophenol	10	บ		
120-82-1	1,2,4-Trichlorobenzene	10	U		
91-20-3	Naphthalene	10	U		
106-47-8	4-Chloroaniline	10	U		
87-68-3	Hexachlorobutadiene	10	Ŭ		
59-50-7	4-Chloro-3-methylphenol	10	U		
91-57-6	2-Methylnaphthalene	10	U		
77-47-4	Hexachlorocyclopentadiene	10	U		
88-06-2	2,4,6-Trichlorophenol	10	U		
95-95-4	2,4,5-Trichlorophenol	50	Ŭ		
91-58-7	2-Chloronaphthalene	10	Ŭ		
88-74-4	2-Nitroaniline	50	Ū		
131-11-3	Dimethylphthalate	10	U		
208-96-8	Acenaphthylene	10	U		
606-20-2	2,6-Dinitrotoluene	10	Ŭ		
99-09-2	3-Nitroaniline	50	U		
83-32-9	Acenaphthene	10	U		
51-28-5	2,4-Dinitrophenol	50	Ū		

## 1B

\$A	MP	LE	NC
-----	----	----	----

Group:

SEMIVOL	ATILEO	RGANICS	ANALYSIS DAT	'A QUEETI
351411 4 01	ALLEV	MOANICA	ANALISIS DAI	ABRELL

					EFFLUENT
Lab Name:	СНЕМТЕСН		Contract:	REICHHOLD	
Project No.:	2085	Site:	Location:		Group:

Matrix: (soil/water) WATER Lah Sample ID: 09507

Sample wt/vol: 1000 Lab File ID: S0663.D (g/mL ML

Level: (low/med) Date Received: 3/1/93

% Moisture: decanted: (Y/N): Date Extracted: 3/4/93

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 3/11/93

Injection Volume: 1.0 (uL) Dilution Factor: 10.0

GPC Cleanup: (Y/N) N pH:

CAS No.			
	Compound	(ug/L or ug/Kg) ug/L	Q
100-02-7	4-Nitrophenol	50	U
132-64-9	Dihenzofuran	10	Ū
121-14-2	2,4-Dinitrotoluene	10	Ŭ
84-66-2	Diethylphthalate	10	Ų
7005-72-3	4-Chlorophenyl-phenylether	10	U
86-73-7	Fluorene	10	Ü
100-01-6	4-Nitroaniline	50	Ū
534-52-1	4,6-Dinitro o-Cresol	50	Ŭ
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorohenzene	10	Ų
87-86-5	Pentachiorophenol	50	U
85-01-8	Phonanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	บ
85-68-7	Butylbenzylphthalate	10	Ŭ
91-94-1	3,3'-Dichlorobenzidine	10	Ŭ
56-55-3	Benzo[a]anthracene	10	Ü
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	25	
117-84-0	Di-n-octylphthalate	_10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	υ
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	Ū
	Dibenz[a,h]anthracene	10	U
53-70-3			

CHAIN OF CUSTODY RECORD

N									CHAIN	OF COS	100	431		10			<del>.,</del>			
8 bron.	NO.	PHOJEC			ATEC	Stell	p per	2.		NO.				//	//	//	/.//	//		-
SAMPLE	IIS: 15:0									OF CON-		/		J.		AR.				REMARKS
STA. NO.	DATE	TIME	COMP.	5 (		STATIO	ON LOC	ATION		TAINERS				Y	y					
`	3/22	1245		X				-		3+24A	LSX	X	\ <u>\</u>	×			10158			
<del></del>															-					
												-								
							-:-							-						
·					<del></del>															
							<del>-</del>											<del></del>		
																				-
										<b> </b> -		_	-							
Relinquish  OBJue  Relinquish				3/2		Time 50 M	L	ved by:	(Signo turo,	ll	Reli	nqvis	hed b	γ: /S	ignaturi	e)		Date	/Time	Received by: (Signature)
Relinquis	d by: i	Sign#Ivre)				/Time	Regen	Idby:	Sonature	,	Reli	nquis	hed b	y: (5:	gnaturi	:J		Date	/Time	Received by: (Signature)
Relinquish	ed by: (	Signature	<u></u>		Date	/Time	Recei (Signa		Laborator	y by:	3/		93 (		-	emark	· ·	<del></del>	1	
		Distr	ibytic	ın: Origi	nal Acco	mpanies S	hipmen	Сору	Coordina	tor Fiel										



Distribution: Original Accompanies Shipment; Copy to Coordinator Field Files

110 Boute 4 . Englewood, New Jerse

	m				400000000 - 1967	ital Servi	1011							<b>5</b> 5			. (20115)	37.GO	GO • 02 12	21255-2100 • Loc(20) 32-1003
PROJ.	NO.	PROJEC	CT N/	AME	LEICH UATE	now (	HEM TRI PP	CH ICALS EN	IAIN	OF CUS	TOD	NY	ECO /	7/	7	7/	7.//	7/	/	
AMPLE	Jeh (Sign)	Aura)	fer	la	d	<u>`</u>				OF CON-			/	//	/					REMARKS
ra. NO.	DATE	TIME	COMP.	1			ON FOC			TAINERS									······································	
	4 4 4 9 3	1000		X						5						-				
			-																	
				-   -															· · · · · · · · · · · · · · · · · · ·	
																			<del></del>	
		<u> </u>			·	<del></del>														•
elinquish			] ,	4/		/Time		ved by: (Sign	a (ura)		Relin	] nquist	ned b	y: (Sig	gnatur	re)		Date	/Time	Received by: (Signature)
elinquist	édby: 15	Signature	)		Date	/Time		ed by: (Signi	ature)		Relin	nquisl	ned by	y: (Sig	gnatur	re)		Date	/ Time	Received by: (Signature)
elinquish	ed by: (S	Signature	· ,		Date	/ Time	Receiv	red for Labo ura)	ratory	by:	1	Date	e /Tii	ne	F	Remark	:\$		<u> </u>	



## LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC.

300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

CLIENT STATION ID: EFFLUENT

PROJECT NAME: 1944

DATE: 03/02/93

LAB #:

8498

CYANIDE, TOTAL LEAD, TOTAL

ZINC, TOTAL

mg/L

<0,010,

mg/L

mg/L

<0.100. 1.62

LABORATORY DIRECTOR

#### DATA REPORTING QUALIFIERS ORGANIC

For reporting results the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compounds (library search hits, where a 1:1 response is assumed.
    - 2) When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analytes concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factors.

#### 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

**EFFLUENT** 

Lab Name: CHEMTE	CH	Contract: REICHHOLD	
Project No.: 1944	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O8498
Sample wt/vol:	5 (g/mL) ML	Lah File ID	V1132.D
Level: (low/med)		Date Received:	1/27/93
% Moisture: not dec.	100	Date Analyzed:	2/2/93
GC Column: DB-624	ID: 0.53	_(mm) Dilution Factor:	
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L ug/L	Q
74-87-3	Methyl Chloride	10	Ü
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	5	U
67-64-1	Acetone	35	
75-15-0	Carbon Disulfide	5	U
<b>—</b> 75-35-4	1,1-Dichloroethene	5	U
75-34-4	1,1-Dichloroethane	5	Ū
540-59-0	1,2-Dichloroethene (total)	5	Ū
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	Ü

Pa	ge	1	οť	2

79**-**0**0-5** 

71-43-2

75-25-2

108-10-1

591-78-6

127-18-4

79-34-5

108-88-3

108-90-7

100-41-4

100-42-5

10061-02-6

1,1,2-Trichloroethane

4-Methyl-2-Pentanone

Tetrachloroethene

Chlorobenzene

Ethylbenzene

trans-1,3-Dichloropropene

1,1,2,2-Tetrachloroethane

Benzene

Bromoform

2-Hexanone

Toluene

Styrene

5

5

5

5

10

10

5

5

5

5

5

5

U

U

U

U

U

U

U

U

U

U

U

U

## IA VOI ATII E ORGANICS ANALYSIS DATA SHEET

SAMPLE	E NO
--------	------

	VOLATILE ORGA	NICS ANALISIS DATA SHEET	EFFLUENT
Lab Name: CHEMTE	СН	Contract: REICHHOLD	EFFECS.
Project No.: 1944	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O8498
Sample wt/vol:	5 (g/mL) ML	Lab File ID	: <u>V1132.D</u>
Level: (low/med)		Date Received:	1/27/93
% Moisture: not dec.	100	Date Analyzed:	2/2/93
GC Column: DB-624	ID: 0.53	_(mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
		Concentration Units:	
CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
1330-20-7	m+ p-Xylenes	8.2	
1330-20-7	o-xylene	5	U
	1,3-Dichloropropylene	5	U
	1,2-trans-Dichloroethylene	5	U
	· · · · · · · · · · · · · · · · · · ·		
	· · · · · · · · · · · · · · · · · · ·		
1		1	i I

# IE VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SA	MF	LE	N	

**EFFLUENT** 

Lab Name: CHEMTEC	CH CH		Contract:	REICHHOLD	
Project No. 1944		Site:	_ Location:		Group:
Matrix: (soil/water)	WATER	<b></b>		Lab Sample ID:	O8498
Sample wt/vol:	5	_(g/mL) <u>ML</u>	<del>-</del>	Lab File ID:	V1132.D
Level: (low/med)		<del></del>		Date Received:	1/27/93
% Moisture: not dec.	100	_		Date Analyzed:	2/2/93
GC Column: DB-6	524	ID: <u>0.53</u>	_(mm)	Dilution Factor:	1.0
Soil Extract Volume:		_(uL)		Soil Aliquot Volume:	(uL)
			Concentratio	n Unite	

#### Concentration Units:

Number TICs found:

9

(ug/L or ug/Kg)

ug/L

CAS Number	Compound Name	RT	Est. Conc.	Q
1.	Unknown	2.72	20	J
2. 78-84-2	Propanal, 2-methyl-	6.58	17	J
3. 78-85-3	2-Propenal, 2-methyl-	7.10	80	J
4.	Unknown	15.12	<b>5</b> 0	J
5.	Unknown Hydrocarbon	25.94	15	J
6. 4291-80-9	Cyclohexane, 1-methyl-3-prop	30.24	12	J
7. 871-83-0	Nonane, 2-methyl-	30.68	88	J
8.	Unknown Hydrocarbon	31.72	23	J
9.	Unknown	32.50	16	J
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

### SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EF	'FT	111	EN	Т
10.1	L	$\mathbf{v}$	₩.	

Lab Name: CHEMTEC	СН	Contract: REICHHOL	D EFFLUENT
Project No.: 1944	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Samp	ole ID: 08498
Sample wt/vol:	(g/mL <u>ML</u>	Lab I	File ID: <u>S0442.D</u>
Level: (low/med)		Date Rec	eived:1/27/93
% Moisture: 100	decanted: (Y/N):	N Date Extr	acted: 1/29/93
Concentrated Extract Volume	ume: 1000 (uL)	Date Ana	lyzed: 2/9/93
Injection Volume:	1.0 (uL)	Dilution	Factor: 20.0
GPC Cleanup: (Y/N)	N pH:		
	(	Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug	<u>/L</u> Q
108-95-2	Phenol	7200	
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
	1,2-Dichlorobenzene	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	o-Cresol	10	U
106-44-5	p-Cresol	10	U
621-64-7	N-Nitroso-di-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	Ū
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
106-47-8	4-Chloroaniline	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	U
88-74-4	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	10	U
208-96-8	Acenaphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U

## IB SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO
-----------

		EFFLUENT
~	DELCUITOLD	

Lab Name:	СНЕМТЕС	Н		Contract:	REICHHOLD	
Project No.:	1944	_	Site:	Location:		Group:
Matrix: (so	il/water)	WATER			Lab Sample ID:	O8498
Sample wt/v	ol:	1000	(g/mL ML		Lab File ID:	S0442.D
Level: (lo	ow/med)				Date Received:	1/27/93
% Moisture:	: 100	-	decanted: (Y/N):	N	Date Extracted:	1/29/93
Concentrated	d Extract Volu	ıme:	1000 (uL)		Date Analyzed:	2/9/93
Injection Vo	olume:	1.0	(uL)		Dilution Factor:	20.0
GPC Cleanu	ip: (Y/N)	<u>N</u>	рН	[:		
				Concentration	Units:	
CA	AS No.	Compound		(ug/L or ug/Kg	g) ug/L	Q
10	0-02-7	4-Nitrophen	ol		50	U
13	2-64-9	Dibenzofura	***************************************		10	U
12	1-14-2	2,4-Dinitrot	oluene		10	U
84	-66-2	Diethylphth	alate		10	U
70	05-72-3	4-Chlorophe	enyl-phenylether		10	U
86	-73-7	Fluorene			10	U
10	0-01-6	4-Nitroanili	ne		50	U
53	4-52-1	4,6-Dinitro	o-Cresol		50	U
86	-30-6	N-Nitrosodi	phenylamine		10	U
10	1-55-3	4-Bromophe	nyl-phenylether		10	U
<u>11</u>	8-74-1	Hexachlorol	oenzene		10	U
87	-86-5	Pentachloro	phenol		50	U
85	-01-8	Phenanthren	le		10	U
12	0-12-7	Anthracene			10	U
84	-74-2	Di-n-butylpl	hthalate		10	U
20	6-44-0	Fluoranthen	e		10	U
12	9-00-0	Pyrene			10	U
85	-68-7	Butylbenzyl	phthalate		10	U
91	-94-1	3,3'-Dichlor	robenzidine		10	U
56	-55-3	Benzo[a]ant	hracene		10	U
21	8-01-9	Chrysene			10	U
11	7-81-7	bis(2-Ethylh	exyl)phthalate		10	U
11	7-84-0	Di-n-octylpl	nthalate		10	U
20	5-99-2	Benzo[b]flu	oranthene		10	U
20	7-08-9	Benzo[k]flu	oranthene		10	U
50	-32-8	Benzo[a]pyr	ene		10	U
19	3-39-5	Indeno[1,2,3	3-cd]pyrene		10	U
53	-70-3	Dibenz[a,h]	anthracene		10	U
19	1-24-2	Benzo[g,h,i	]perylene		10	Ü
-						-
<u> </u>					· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>
į.				1		1 1

COMSUL		JUP, INC.		·			CHAII	VOF CUS	TOD	YR	ECO	RD				
PROJ. N		$\omega$	STE	12)	2777	STRI	CHEMICALS TIME	NO.						) 		
AMPLEY	E. J	ef f	2 n	la	cl			OF CON-						//	REMARKS	
	DATE	TIME	COMP.	GRAB		STAT	ION LOCATION	TAINERS								
	126 p	3/19						5	4	*	X	K			8498	
											<u> </u>					
																a stranger
										<del></del>						
					· 											
							· · · · · · · · · · · · · · · · · · ·									
				-		·										
																i izitan j
						····										
chinquished Gulf	kenl	Pach			Date	/Time	Received by: (Signature)	1/27/93	Relin	nquish	ed by	/: (Sig	nature	J	Date / Time Received by: (Sig.	nature)
ilinqui bile	by: 15.	ignature)	_ •		Date	/Time	Received by: (Signature)		Refin	iquish	ed by	: (Sig	neture	,	Date / Time Received by: ISign	natura)
elinquished	l by: 15		hutio	n: Orie		/Time	Received for Laboratory (Signatura) Shipment: Copy to Coordinat			Date	/Tir	ne	Re	mark	.ss	



## LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

PROJECT NAME: 1916

DATE: 02/14/93

CLIMET STATION 1D: EFFLUENT

LAB #:

8336

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL

mg/L

<0.01

mg/L

<0.1

mg/L

2.05

LABORATORY DIRECTOR

## 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

~	A &	1 D	1 T	- N	-
	Αn	/I P	1.1	ΞN	ıv

**EFFLUENT** 

Lab Name: CHEMTECH Contract: REICHHOLD

Project No.: 1916	Site:	Location:	Group:

Matrix: (soil/water) WATER Lab Sample ID: O8336

Sample wt/vol: 5 (g/mL) ML Lab File ID: V1133.D

Level: (low/med) Date Received: 1/21/93

% Moisture: not dec. 100 Date Analyzed: 2/2/93

GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CACN		Concentration Units:	0
CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	Q
74-87-3	Methyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	Ų
75-09-2	Methylene Chloride	5	U
67-64-1	Acetone	130	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	Ų
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
78-87 <b>-</b> 5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	U
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	14	
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U

### **VOLATILE ORGANICS ANALYSIS DATA SHEET**

SAMPLE NO.

Lab Name:	СНЕМТЕСН		Contract:	REICHHOLD	EFFLUENT
Project No.:	1916	Site:	Location:		Group:

Matrix: (soil/water) WATER Lab Sample ID: O8336 Sample wt/vol: (g/mL) ML Lab File ID: V1133.D Level: (low/med) Date Received: 1/21/93 % Moisture: not dec. 100 Date Analyzed: 2/2/93

GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Aliquot Volume: \_\_\_\_ (uL) Soil Extract Volume: (uL)

	Concentration Units:				
CAS No.	Compound	(ug/L or ug/Kg)	ug/L	Q	
1330-20-7	m+ p-Xylenes	19			
1330-20-7	o-xylene	6.5			
	1,3-Dichloropropylene	5		U	
	trans-1,2-Dichloroethylene	5		U	
<del>-</del>					
				······································	

#### ۱E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SA	MF	PLE	NO	)

**EFFLUENT** 

Lab Name: CHEMTEO	CH		Contract:	REICHHOLD	
Project No. 1916	_	Site:	Location:		Group:
Matrix: (soil/water)	WATER			Lab Sample ID:	O8336
Sample wt/vol:	5	_(g/mL) <u>ML</u>	_	Lab File ID:	V1133.D
Level: (low/med)		_		Date Received:	1/21/93
% Moisture: not dec.	100			Date Analyzed:	2/2/93
GC Column: DB-	624	ID: 0.53	_(mm)	Dilution Factor:	1.0
Soil Extract Volume:		_(uL)		Soil Aliquot Volume:	(uL)
Number TICs found:	8		Concentration (ug/L or		

CAS Number	Compound Name	RT	Est. Conc.	Q
1.	Unknown	4.03	580	J
2. 67-63-0	2-Propanol	4.97	200	J
3. 1708-29-8	Furan, 2,5-dihydro-	7.10	92	J
4. 107-18-6	2-Propen-1-ol	7.61	160	J
5. 646-06-0	1,3-Dioxolane	9.46	72	J
6. 78-83-1	1-Propanol, 2-methyl-	12.78	130	J
7.	Unknown	15.09	50	J
8.	Unknown	22.84	33	J
9.			·	
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				_
21.				
22.				
23.				_
24.				
25.				
26.				
27.				
28.				
29.				
30.				

## SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

IB	SAMPLE N

Lab Name: CHEMTE	ССН		Contract:	REICHHOLD	EFFLUENT
Project No.: 1916		Site:	Location:		Group:
Matrix: (soil/water)	WATER	_		Lab Sample ID:	O8336
Sample wt/vol:	1000	_(g/mL <u>ML</u>		Lab File ID:	S0399.D
Level: (low/med)		_		Date Received:	1/21/93
% Moisture:100	_	decanted: (Y/N):	N	Date Extracted:	1/21/93
Concentrated Extract Vo	olume:	1000 (uL)		Date Analyzed:	1/21/93
njection Volume:	1.0	_(uL)		Dilution Factor:	20.0
GPC Cleanun: (Y/N)	Ν	nН	•		

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	6000	
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
	1,2-Dichlorobenzene	10	Ü
541-73-1	1,3-Dichlorobenzene	10	Ü
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	o-Cresol	10	U
106-44-5	p-Cresol	10	U
621-64-7	N-Nitroso-di-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
106-47-8	4-Chloroaniline	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	U
88-74-4	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	10	U
208-96-8	Acenaphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U

1 B

SAMPLE NO.

~						D	~
5	EM	HVOL	ATILE	ORGANICS	ANALYSIS	DATA	SHEET

		-	
- HORE	đЛ	JH)	NT

Lab Name: CHEMTEC	CH .		Contract:	REICHHOLD	
Project No.: 1916	_	Site:	Location:		Group:
Matrix: (soil/water)	WATER	_		Lab Sample ID:	O8336
Sample wt/vol:	1000	_(g/mL <u>ML</u>		Lab File ID:	S0399.D
Level: (low/med)		<u></u>		Date Received:	1/21/93
% Moisture: 100	_	decanted: (Y/N):	N	Date Extracted:	1/21/93
Concentrated Extract Vol	ume:	1000 (uL)		Date Analyzed:	1/21/93
Injection Volume:	1.0	_(uL)		Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N	nН			

CAS No.	Compound	(ug/L  or  ug/Kg) $ug/L$	. Q
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	U
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	U
534-52-1	4,6-Dinitro o-Cresol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	U
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	U
117-81-7	bis(2-Ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
191-24-2	Benzo[g,h,i]perylene	10	U

#### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO
-----------

**EFFLUENT** 

Lab Name: CHEMTE	СН			Contract:	REICHHOLD	
Project No.: 1916	_	Site:		Location:		Group:
Matrix: (soil/water)	WATER	_			Lab Sample ID:	O8336
Sample wt/vol:	1000	_(g/mL)	ML		Lab File ID:	S0399.D
Level: (low/med)		_			Date Received:	1/21/93
% Moisture: 100		decanted	d: (Y/N)	N	Date Extracted:	1/21/93
Concentrated Extract Vo	olume:	1000	(uL)		Date Analyzed:	1/21/93
Injection Volume:	1.0	_(uL)			Dilution Factor:	20.0
GPC Cleanup: (Y/N)	N	_	pH:			
Number TICs found:	4		С	oncentration		

CAS Number	Compound Name	RT	Est. Conc.	Q
1. 144-19-4	1,3-Pentanediol, 2,2,4-trime	14.69	1700	J
2. 65-85-0	Benzoic acid	15.65	570	J
3.	Unknown	17.42	100	J
4. 6738-04-1	1,1'-Biphenyl, 2-phenoxy-	26.61	1100	J
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.		T -		
27.				
28.				
29.				
30.				

Y RECORD CHAIN OF CUS PROJECT NAME PROJ. NO. SAMPLERS: (Signary) Deeplant REMARKS CON-The state of the s TAINERS STA, NO. STATION LOCATION 842894164 5 Relinquished by: (Signature) Date / Time Received by: (Signatura) Relinquished by: (Signature) Date / Time Received by: (Signature) Received by: (Signature) Date / Time Relinguished by: (Signature) Date / Time Received by: (Signature) Received for Laboratory by: Relinquished by: (Signature) Date / Time Date / Time Remarks (Signatura)

Distribution: Original Accompanies Shipment; Copy to Coordinator Field Files

Lab Name:	CHEMTEC	H		Contract:	REICHHOLD	EFFLUENT
Project No.:	1916		Site:	Location:		Group:
Matrix: (soil/	water)	WATER	_		Lab Sample ID:	O8336
Sample wt/vol	;	1000	_(g/mL <u>ML</u>		Lab File ID:	\$0399.D
Level: (low	/med)		_		Date Received:	1/21/93
% Moisture:	100		decanted: (Y/N):	<u> </u>	Date Extracted:	1/21/93
Concentrated E	sztract Volui	me:	1000 (uL)		Date Analyzed:	1/21/93
Injection Volum	me:	1.0	_(uL)		Dilution Factor:	1.0
GPC Cleanup:	(Y/N)	N	Hq	:		

		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	. Q
100-02-7	4-Nitrophenol	50	U
132-64-9	Dibenzofuran	10	Ŭ
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophenyl-phenylether	10	U
86-73-7	Fluorene	10	U
100-01-6	4-Nitroaniline	50	Ų
534-52-1	4,6-Dinitro o-Cresol	50	υ
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	Ū
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
34-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
129-00-0	Pyrene	10	U
85-68-7	Butylbenzylphthalate	10	Ŭ
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	Ü
17-81-7	bis(2-Ethylhexyl)phthalate	10	U
17-84-0	Di-n-octylphthalate	10	Ų
205-99-2	Benzo[b]fluoranthene	10	U
07-08-9	Benzo[k]fluoranthene	10	U
0-32-8	Benzo[a]pyrene	10	U
93-39-5	Indeno[1,2,3-cd]pyrene	10	Ü
3-70-3	Dibenz(a,h)anthracene	10	Ŭ
91-24-2	Benzo[g,h,i]perylene	10	U
	· · · · · · · · · · · · · · · · · · ·		

SAMPLE NO.

SEMIVOLA	TILE	RGANICS	ANALYSIS	DATA	CHEET
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	VVOVIJIC2	UI1 UF 1 212	レヘルへ	JUEEL

Lab Name:	СНЕМТЕС	н		Contract:	REICHHOLD	EFFLUENT
Project No.:	1916		Site:	Location:		Group:
Matrix: (soil	/wator)	WATER	_		Lab Sample ID:	O8336
Sample wt/vo	1:	1000	(g/mL ML		Lab File ID:	S0399.D
Level: (low	v/med)		_		Date Received:	1/21/93
% Moisture:	100		decanted: (Y/N):	N	Date Extracted:	1/21/93
Concentrated	Extract Volu	me:	_1000_(uL)		Date Analyzed:	1/21/93
Injection Volu	ıme:	1.0	(uL)		Dilution Factor:	20.0
GPC Cleanup	: (Y/N)	N	pH:			

CACN-	Compound	(us/Lesus/Vs)	/T
CAS No.	Compound	(ug/L or ug/Kg)	ug/L Q
108-95-2	Phenol	6000	
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
	1,2-Dichlorobenzene	10_	Ŭ
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	o-Cresol	10	U
106-44-5	p-Cresol	10	U
621-64-7	N-Nitroso-di-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	Ū
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	Ų
91-20-3	Naphthalene	10	Ŭ
106-47-8	4-Chloroaniline	10	Ū
87-68-3	Hexachlorobutadiene	10	Ü
59-50-7	4-Chloro-3-methylphenol	10	Ū
91-57-6	2-Methylnaphthalene	10	Ŭ
77-47-4	Hexachlorocyclopentadiene	10	Ū
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	U
88-74-4	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	10	Ū
208-96-8	Acenaphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
99-09-2	3-Nitroaniline	50	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U

## 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

SAM	PLE	NO
-----	-----	----

Lab Name: CHEMTI		_ Contract: REICHHOLD	EFFLUENT
Project No.: 1916	Site:		Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O8336
Sample wt/vol:	5 (g/mL) ML	_ Lab File ID:	V1133.D
Level: (low/med)	<u></u>	Date Received:	1/21/93
% Moisture: not dec.	100	Date Analyzed:	2/2/93
GC Column: DB-624	ID: 0.53	(mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
CAS No.	Compound	Concentration Units: (ug/L or ug/Kg) ug/L	Q
1330-20-7	m + p-Xylenes	19	
1330-20-7	o-xylene	6.5	Ū
	1,3-Dichloropropylene trans-1,2-Dichloroethylene	5	U
	trans-1,2-Diemorocaryiene		
ļ			
	<del></del>		
:			
<u></u>			
•			
	····		

## 1A VOLATILE ORGANICS ANALYS:

ATA SHEET

SAMPLE NO		SA	M	P	LE	N	0	
-----------	--	----	---	---	----	---	---	--

**EFFLUENT** 

Lab Name:	СНЕМТЕСН		Contract:	REICHHOLD	
Project No.:	1916	Site:	Location:		Group:

Matrix: (soil/water) WATER Lab Sample ID: 08336

Sample wt/vol: 5 (g/mL) ML Lab File ID: V1133.D

Level: (low/med) Date Received: 1/21/93

% Moisture: not dec. 100 Date Analyzed: 2/2/93

GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
CAS No.	Compound	(ug/L or ug/Kg) ug/L	- 4
74-87-3	Methyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	5	U
67-64-1	Acetone	130	
75-15-0	Carbon Disulfide	5	Ŭ
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	Ų
107-06-2	1,2-Dichloroethane	5	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	Ü
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	Ū
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	Ü
79-00-5	1,1,2-Trichloroethane	5	Ü
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	Ü
75-25-2	Bromoform	5	Ü
108-10-1	4-Methyl-2-Pentanone	10	Ŭ
591-78-6	2-Hexanone	10	Ŭ
127-18-4	Tetrachloroethene	5	υ
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	14	
08-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	U
100-42-5	Styrene	5	U



## LABORATORY REPORT

PROJECT NAME: 1916

DATE: 02/14/93

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC.

300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

CLIENT STATION ID: EFFLUENT

LAB #:

8336

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL mg/L

<0.01

mg/L mg/L <0,1 2.05

LABORATORY DIRECTOR

CHAIN OF CUSTODY RECORD PROJECT NAME PROJ. NO. SAMPLERS: ISING WATER SAMPLE from Strypor

SAMPLERS: ISING WATER SAMPLE from Strypor

SAMPLERS: ISING WATER SAMPLE from Strypor REMARKS CON-84289417 So TAINERS STA. NO. DATE TIME STATION LOCATION Relinquished by: (Signature) Date / Time Date / Time Received by: [Signature] Relinquished by: (Signature) Received by: /Signatures Date / Time Date / Time Received by: (Signatura) Relinquished by: (Signature) Received by: (Signatura) Date / Time Date / Time Relinquished by: (Signature) Remarks Received for Laboratory by: (Signeture) Distribution: Original Accompanies Shipment: Copy to Coordinator Field Files

# 1E VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SAM	PLE	NO.	
			-

**EFFLUENT** 

Lab Name: CHEMTECH	<u> </u>			Contract:	REICHHOLD		
Project No. 1916		Site:	···	Location:		Group:	
Matrix: (soil/water)	WATER	_			Lab Sample ID:	O8336	
Sample wt/vol:	5	_(g/mL)	ML		Lab File ID:	V1133.D	
Level: (low/med)	· · · · · · · · · · · · · · · · · · ·	-			Date Received:	1/21/93	
% Moisture: not dec.	100	_			Date Analyzed:	2/2/93	
GC Column: DB-62	4	_ ID:	0.53 (1	nm)	Dilution Factor:	1.0	
Soil Extract Volume:		_(uL)		:	Soil Aliquot Volume:		(u <b>L</b> )

#### Concentration Units:

Number	TICs	found:
--------	------	--------

8			

(ag/r or ag/rg) ag/r	(ug/L or	ug/Kg)	ug/L
----------------------	----------	--------	------

٠.		(ug/L of ug/Rg) ug/L			
CAS	Number	Compound Name	RT	Est. Conc.	Q
1.		Unknown	4.03	580	J
	67-63-0	2-Propanol	4.97	200	J
	1708-29-8	Furan, 2,5-dihydro-	7.10	92	J
	107-18-6	2-Propen-1-ol	7.61	160	J
5.	646-06-0	1,3-Dioxolane	9,46	72	J
6.	78-83-1	1-Propanol, 2-methyl-	12.78	130	J
7.		Unknown	15.09	50	J
8.		Unknown	22.84	33	J
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
21.					
22.					
23.	<u></u>				
24.					
25.					
26.					
27.					
28.					
29.					
30.					

#### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

<b>S</b> .	AN	۱r.	نلب	N	U.
		_			_

**EFFLUENT** 

Lab Name: CHEMTE	CH		Contract:	REICHHOLD	
Project No.: 1916	<del>_</del>	Site:	Location:		Group:
Matrix: (soil/water)	WATER			Lab Sample ID:	O8336
Sample wt/vol:	1000	_(g/mL) <u>ML</u>		Lab File ID	: S0399.D
Level: (low/med)		_		Date Received:	1/21/93
% Moisture: 100	_	decanted: (Y/N)	<u>N</u>	Date Extracted:	1/21/93
Concentrated Extract Vo	lume:	1000 (uL)		Date Analyzed:	1/21/93
Injection Volume:	1.0	_(uL)		Dilution Factor:	20.0
GPC Cleanup: (Y/N)	N	pH:			
		C	Concentration		
Number TICs found:	4		(ug/L or u	g/Kg) = ug/L	

CAS Number	Compound Name		Est. Conc.	Q
1. 144-19-4	1,3-Pentanediol, 2,2,4-trime	14.69	1700	J
2. 65-85-0	Benzoic acid	15.65	570	J
3.	Unknown	17.42	100	J
4. 6738-04-1	1,1'-Biphenyl, 2-phenoxy-	26.61	1100	J
5.				
6.				
7.				
8.				
9.		<del></del>		
10.				
11.				
12.		1		
13.				***************************************
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				



# LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE

NEWARK, NJ 07105-

Attn: ARTHUR DIEFFENBACH

(Page 1 of 1)

PROJECT NAME: 1916

DATE: 02/14/93

CLIENT STATION ID: EFFLUENT

LAB #:

8336

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL

mg/L mg/L <0.01 <0.1

mg/L

2.05

LABORATORY DIRECTOR

CHAIN OF CU DY RECORD PROJECT NAME PROJ. NO. SAMPLERS: ISINGTHE DECEMBER SAMPLE from Strepper
SAMPLERS: ISINGTH Delpharelack OF REMARKS CON-No. 842894174 TAINERS TIME STA, NO. STATION LOCATION Adjuguished by: (Signature) Date / Time Received by: [Signature] Relinquished by: (Signature) Date / Time Received by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received by: (Signature) Received for Laboratory by: Date / Time Relinquished by: (Signature) Date / Time Remarks (Signature) Distribution: Original Accompanies Shipment; Copy to Coordinator Field Files

Sample wt/vol:

# 1F SEMIVOLATILE ORGANICS ANALYS. DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO.	,
EFFLUENT	

Lab File ID: S0399.D

Lab Name:	CHEMTECH			Contract:	REICHHOLD	
Project No.:	1916		Site:	Location:		Group:
Matrix: (soi	l/water)	WATER			Lab Sample ID:	O8336

Level: (low/med) Date Received: 1/21/93

ML

% Moisture: 100 decanted: (Y/N) N Date Extracted: 1/21/93

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 1/21/93

Injection Volume: 1.0 (uL) Dilution Factor: 20.0

GPC Cleanup: (Y/N) N pH:

1000

Number TICs found: 4 (ug/L or ug/Kg) ug/L

(g/mL)

AS Number	Compound Name	RT	Est. Conc.	Q
1. 144-19-4	1,3-Pentanediol, 2,2,4-trime	14.69	1700	J
2. 65-85-0	Benzoic seid	15.65	570	J
3.	Unknown	17.42	100	J
4. 6738-04-1	1,1'-Biphenyl, 2-phenoxy-	26.61	1100	J
5.				
6.				
7.				
8.				
9.				
10.				
1.				
12.				
3.				
4.				
.5.				
6.				· · · · · · · · · · · · · · · · · · ·
7.				
8.				
9.				
0.				
1.				
2.				
3.				
4.				
5.				
6.				
7.		<del>                                     </del>	-	
8.		+		
9.		+		
0.	<del> </del>	+		

Concentration Units:

1B
SEMIVOLATILE ORGANICS ANALY. DATA SHEET

Lab Name: CHEM	тесн	Contract:	REICHHOLD	EFFLUENT
Project No.: 1916	Site:	Location:		Group:
Matrix: (soil/water)	WATER		Lab Sample ID:	O8336
Sample wt/vol:	1000 (g/mL ML		Lab File ID:	S0399.D
Level: (low/med)			Date Received:	1/21/93
% Moisture: 100	decanted: (Y/N):	N	Date Extracted:	1/21/93
Concentrated Extract	Volume: 1000 (uL)		Date Analyzed:	1/21/93
Injection Volume:	1.0 (uL)		Dilution Factor:	1.0
GPC Cleanup: (Y/N)	NpH			
		Concentratio	n Units:	

132-64-9 Di 121-14-2 2, 84-66-2 Di 7005-72-3 4-9 86-73-7 Fli 100-01-6 4-1 534-52-1 4, 86-30-6 N-101-55-3 4-9 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Fli 129-00-0 Py 85-68-7 Bu 91-94-1 3,2 56-55-3 Be	Nitrophenol benzofuran	50		U
121-14-2 2, 84-66-2 Di 7005-72-3 4-1 86-73-7 Floor 100-01-6 4-1 534-52-1 4, 86-30-6 N-1 101-55-3 4-1 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Floor 129-00-0 Py 85-68-7 Bu 91-94-1 3,3		10		U
84-66-2 Di 7005-72-3 4-1 86-73-7 Flant 100-01-6 4-1 534-52-1 4,1 86-30-6 N-1 101-55-3 4-1 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Flant 129-00-0 Py 85-68-7 Bu 91-94-1 3,3 56-55-3 Be		10		U
7005-72-3 4-1 86-73-7 Fli 100-01-6 4-1 534-52-1 4,4 86-30-6 N-1 101-55-3 4-1 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Fli 129-00-0 Py 85-68-7 Bu 91-94-1 3,3	4-Dinitrotoluene	10		U
86-73-7 Fli 100-01-6 4-1 534-52-1 4,4 86-30-6 N-1 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Fli 129-00-0 Py 85-68-7 Bu 91-94-1 3,3	ethylphthalate	10		Ū
100-01-6 4-1 534-52-1 4,1 86-30-6 N-1 101-55-3 4-1 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 An 84-74-2 Di 129-00-0 Py 85-68-7 Bu 91-94-1 3,3	Chlorophenyl-phenylether	10		U
534-52-1 4,0 86-30-6 N- 101-55-3 4-1 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,2 56-55-3 Be	uorene	10		Ų
86-30-6 N- 101-55-3 4-1 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,3	Nitroaniline	50		Ų
101-55-3 4-1 118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,3	6-Dinitro o-Cresol	50		Ų
118-74-1 He 87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,3	Nitrosodiphenylamine	10		Ū
87-86-5 Pe 85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,3 56-55-3 Be	Bromophenyl-phenylether	10		U
85-01-8 Ph 120-12-7 Ar 84-74-2 Di 206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,3 56-55-3 Be	xachlorobenzene	10		Ū
120-12-7 Ar 84-74-2 Di 206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,3 56-55-3 Be	ntachlorophenol	50		U
84-74-2 Di 206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,3 56-55-3 Be	enanthrene	10		U
206-44-0 Flu 129-00-0 Py 85-68-7 Bu 91-94-1 3,3 56-55-3 Be	thracene	10		U
129-00-0 Py 85-68-7 Bu 91-94-1 3,3 56-55-3 Be	-n-butylphthalate	10		Ü
85-68-7 Bu 91-94-1 3,3 56-55-3 Be	ioranthene	10		U
91-94-1 3,3 56-55-3 Be	rene	10		U
56-55-3 Be	tylbenzylphthalate	10		U
	3'-Dichlorobenzidine	10		U
218-01-9 Ch	nzo[a]anthracene	10		Ŭ
210-01-7	rysene	10		U
117-81-7 bis	(2-Ethylhexyl)phthalate	10		U
117-84-0 Di	-n-octylphthalate	10		U
205-99-2 Be	nzo[b]fluoranthene	10		U
207-08-9 Bei	nzo[k]fluoranthene	10		U
50-32-8 Ber	nzo[a]pyrene	10		U
193-39-5 Ind	leno[1,2,3-cd]pyrene	10		U
	oenz[a,h]anthracene	10		U
191-24-2 Ber	nzo[g,h,i]perylene	10		U
			-	

# SEMIVOLATILE ORGANICS ANALYSES DATA SHEET

SAMPLE NO.

		-	_	
	THE STATE OF	ш		NT
Ŀ	$\mathbf{r}$	, _		

Lab Name: CHEMTE	СН	Contract:	REICHHOLD	EFFECENT
Project No.: 1916	Site:	Location:		Group:
Matrix: (soil/water)	WATER		Lah Sample ID:	O8336
Sample wt/vol:	1000 (g/mL ML		Lab File ID:	S0399.D
Level: (low/med)			Date Received:	1/21/93
% Moisture: 100	decanted: (Y/N):	N	Date Extracted:	1/21/93
Concentrated Extract Vol	lume: 1000 (uL)		Date Analyzed:	1/21/93
Injection Volume:	1.0 (uL)		Dilution Factor:	20.0
GPC Cleanup: (Y/N)	NpH	:		

#### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	6000	
111-44-4	bis(2-Chloroethyl)ether	10	Ū
95-57-8	2-Chlorophenol	10	U
	1,2-Dichlorobenzene	10	Ų
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	o-Cresol	10	Ŭ
106-44-5	p-Cresol	10	Ŭ
621-64-7	N-Nitroso-di-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	Ü
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
106-47-8	4-Chloroaniline	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	Ų
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	50	U
91-58-7	2-Chloronaphthalene	10	U
88-74-4	2-Nitroaniline	50	U
131-11-3	Dimethylphthalate	10	U
208-96-8	Acenaphthylene	10	U
606-20-2	2,6-Dinitrotoluene	10	Ū
99-09-2	3-Nitroaniline	50	Ū
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	Ų

Number TICs found:

CAS Number

27. 28. 29.

# VOLATILE ORGANICS ANALYSIS ATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SA	MP	LE	NO
----	----	----	----

**EFFLUENT** 

Lab Name: CHEMTEC	CH	Cont	tract: REICHHOLD	
Project No. 1916		Site: Loca	ation:	Group:
Matrix: (soil/water)	WATER	-	Lab Sample ID:	O8336
Sample wt/vol:	5	(g/mL) ML	Lab File ID	: <u>V1133.D</u>
Level: (low/med)	<del></del>		Date Received:	1/21/93
% Moisture: not dec.	100	_	Date Analyzed:	2/2/93
GC Column: DB-6	524	ID: 0.53 (mm)	Dilution Factor:	1.0
Soil Extract Volume:	<del></del>	(uL)	Soil Aliquot Volume:	(uL)

Compound Name

Concentration Units:

(ug/L or ug/Kg)

ug/L

Est. Conc.

Q

RT

#### 1. Unknown 4.03 580 J 2. 67-63-0 2-Propanol 4.97 200 3. 1708-29-8 Furan, 2,5-dihydro-7.10 92 J 4. 107-18-6 2-Propen-1-ol 7.61 160 J 5. 646-06-0 1,3-Dioxolane 9.46 72 J 6. 78-83-1 1-Propanol, 2-methyl-12.78 130 J 7. Unknown 15.09 50 J 8. Unknown 22.84 33 Ţ 9, 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26.

#### 1A VOLATILE ORGANICS ANALYSIS ATA SHEET

SA	MP	LE	NO
----	----	----	----

					EFFLUENT
Lab Name:	СНЕМТЕСН		Contract:	REICHHOLD	
Project No.:	1916	Site:	Location:		Group:

Matrix:	(soil/water)	WATER	Lab Sample ID:	O8336
	(,			

Sample wt/vol: 5 (g/mL) ML Lab File ID: V1133.D

Level: (low/med) Date Received: 1/21/93

% Moisture: not dec. 100 Date Analyzed: 2/2/93

GC Column: DB-624 ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: Soil Aliquot Volume: (uL) (uL)

		Concentration Units	!	
CAS No.	Compound	(ug/L or ug/Kg)	ug/L	Q
1330-20-7	m+ p-Xylenes	1	9	
1330-20-7	o-xylene	6.	.5	
	1,3-Dichloropropylene		5	Ŭ
	trans-1,2-Dichloroethylene		5	Ų
·				<b> </b>
		·	<del></del>	
			<del></del>	
-				
<del></del>				<del>, ,,,,,,</del>
<del></del>				· · · · · · · · · · · · · · · · · · ·
				-
	· · · · · · · · · · · · · · · · · · ·			·
<del></del>				· · · · · · · · · · · · · · · · · · ·

**EFFLUENT** 

Lab Name: CHEMTEO	CH	Contract:	REICHHOLD		
Project No.: 1916	Site:	Location:		Group:	
Matrix: (soil/water)	WATER		Lab Sample ID:	O8336	
Sample wt/vol:	5 (g/mL) ML		Lab File ID:	V1133.D	
Level: (low/med)			Date Received:	1/21/93	
% Moisture: not dec.	100		Date Analyzed:	2/2/93	
GC Column: DB-624	ID: 0.53	(mm)	Dilution Factor:	1.0	
Soil Extract Volume:	(uL)		Soil Aliquot Volume:	(uL)	

### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
74-87-3	Methyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	Ŭ
75-09-2	Trichlorofluoromethane	10	U
75-09-2	Methylene Chloride	5	U_
67-64-1	Acetone	130	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	υ
75-34-4	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	U _
67-66-3	Chloroform	5	Ų
107-06-2	1,2-Dichloroethane	5	U
78 <b>-9</b> 3-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	Ų
56-23-5	Carbon Tetrachloride	5	Ŭ
75-27-4	Bromodichloromethane	5	Ū
78-87-5	1,2-Dichloropropane	5	U
10061-01-5	cis-1,3-Dichloropropene	5	Ū
79-01-6	Trichloroethene	5	Ų
124-48-1	Dibromochloromethane	5	Ŭ
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	U .
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	Ŭ
<b>5</b> 91-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	5	บ
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	14	
108-90-7	Chlorobenzene	5	U
100-41-4	Ethylbenzene	5	υ
100-42-5	Styrene	5	Ŭ

Reichhold Chemicals, Inc. Coating Polymers & Resins Division 400 Doremus Avenue Newark, NJ 07105

RECEIVED JUN 1 4 1991

## REICHHOLD

Jun \_ 9 1995

FREE OF GENERAL COUN

May 31, 1991

Passaic Valley Sewerage Commisioners 600 Wilson Avenue Newark, New Jersey 07105

ATTENTION: Mr. Carmine Perrapato

Dear Mr. Perrapato:

This is in reference to your letter dated May 15, 1991 about permit number 20406320. As per your requirement, I have filled out the items missing and have corrected the MR-1 report.

If you have any questions, please give me a call during regular business hours.

Sincerely yours,

REICHHOLD CHEMICALS, INC.

Plant Engineer

AED:cl

Dave Bright-nice Baxi-K-TAYWA

Hame reciently of themical
Mailing Address 400 DUREMYS AVE
Facility Location NEWARK, NEW JERSEY 67205
Category & Support 40 CFR 414.55 & E. Outlet \$ 2040 6320-441000-0;
Contact Official Toe POINTER MIKE BAXITelephone (201) 589-3709

L	Monitoring Period							
11	65	90	12	31	90			
Yo.	Day	Υŗ.	Mo.	Day	Yr.			
Star	Start End							
Prox	Production rate (if applicable)							

For Reporting Period

AVG MAX

Regulated flow-gal/day 6000 9000

Total Flow-gal/day 6000

Method used TANE LEVEL

Parameter	•	Mass Limit or Concentration			No. of	Sample
		Average	Maximum	Units	Samples	Comp./s
BEM ZENE	Sample measurement	<b>\langle</b> 25	<b>&lt;25</b>	49/1		Ciacal.
	Permit requirement	57	134	49/1		grab.
CARBON CHURIN	Sample measurement	<25	<25	49/1	,	grab.
Terrer creening	Permit requirement	142	380	M9/1	1	7700.
CHIORO	Sample measurement	6</td <td>&lt;10</td> <td>49/1</td> <td rowspan="2">- 1</td> <td>grub</td>	<10	49/1	- 1	grub
ben zene	Permit requirement	142	380	K9/2		,
1,2,4 TR1	Sample measurement	<10	< 10	M9/X		Composit
CHECKEUSENZEZ	Permit requirement	(96	794	MG/K		
HCXACHLU20	Sample measurement	210	<10	Myll	1	Comait
pensene	Permit requirement	196	794	49/1	1	(20, 1
1,2 DI CHLURO	Semple measurement	125	<25	49/1	,	grab
ETHITNE	Permit requirement	180	574	19/1	)	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1,1,1 Tel Gicuza		125	225	19/1	(	grab.
ETHANE	Print requirement	22	. 59	119/1	`	77 20.
Cilcoro -	Perole measurement	₹10.	210	Mals	1	Composit
どかれんど	Permit requirement	196	794	249/1		-
Chrose	Sample measurement	<25	<25	M9/1		cprato.
FURM	Permit requirement	122	59	19/1		

Name Re	76.41.4106	OCHIEMICALS INC
Mailing Address	400 Da	REMUS AVE NEWARK NT07105
Facility Location_	·	SAME
Category & Subpart		Outlet# 20406320-44100-020
Contact Offical $\mathcal{J}$	DE POINTE	Telephone # 589-3709
Monitoring Per	iod	For Reporting Period  AVG MAX
11 05 90 \$2	31 90	Regulated flow-gal/day
Mo. Day Yr. Mo. Start End		Method used
Production rate (if		

<del></del>		· · · · · · · · · · · · · · · · · · ·	·	·	·	
Parameter		Mass Limi	t or Concent	ration	No. of	Sample to
		Average	Maximum	Units	Samples	Comp./gr
1,2 DICHLORO	Sample measurement	<25	<25	169/1		a-a-l
BENZENE	Permit requirement	32	127	21912	1	grab
1,3 DICLILORO	Sample measurement	125	(25	29/2		grab.
Benzena	Permit requirement	110	295	2911	1	
1,4 Acilcaro	Sample measurement	54	54	MALX	-	grab.
BENZENCE }	Permit requirement	(()	325	MELL		7/
1,1 DICHLORO ETHYLONE	Sample measurement	210	L10	KG/L	١.	Composite
	Permit requirement	196	794	119/2		
12 TRANS DICHLORO	Sample measurement	<td><b>حا</b>اه</td> <td>49/1</td> <td>1</td> <td>- Composit</td>	<b>حا</b> اه	49/1	1	- Composit
בדאוין נפטני	Sample measurement Permit requirement	142	380	218/1	``	6009
1, 2 DICHLORD	Semole measurement	210	210	MILA		Composit
PROJECT	Permit requirement	142	380	MILL		
1,3 DKHLORU	Simple measurement	225	ر کے کے	MIGH	1	grab.
b 50 by rENG	Permit requirement	22	60	16618.	`	
DICHWIZO DICHWIZO	manurement		<25	29/1	1	grab
ETHYLENE	Permit requirement	25	66	MYK		7/
PROPANE	Sample measurement	125	225	KYL		grub
PROPARE	Permit requirement	196	794	11911	,	of or

<u>.</u>
<del>-</del>
<b>~</b>
ar. Par
<b>*-</b> -
•
- L

COLLOWING WELCH

Name REICH HOLD CHE	11 CALS Jove.
Mailing Address 400 Doremu	S ATE NEWARK NJ 07105
Facility Location SAME	
Category & Subpart	Outlet# 020-106320-44100-070
Contact Official JOE POINTEIL	Telephone # <u>589-3709</u>
Monitoring Period	For Reporting Period AVG MAX
11 05 90 12 31 90	Regulated flow-gal/day
Mo. Day Yr. Mo. Day Yr. Start End	Method used
Production rate (if applicable)	

·			•	·		<u>. · </u>
Parameter		Mass Limi Average	t or Concentr	ation Units	No. of Samples	Sample t Comp./g
1,3 DICILLINO	Sample measurement	<25	225	MIGIA		<i>i</i> (
propyrene	Permit requirement	196	794	4911	1	grab
ETHYE	Sample measurement	125	25	49(1	,	0.000
BENZENE	Permit requirement	142	386	MYIL		gras
HETHYLENE	Sample measurement	22.5	125	MYH	-	gras.
CHLORIDE	Permit requirement	36	170	ngll	)	oppag
METHYL	Sample measurement	<25	<25.	4911	1	grub
CHLURIUE	Permit requirement.	160.	295	4911	,	
HERACHLORE	Sample measurement	<10	<b>人(0</b>	4911	( -	
BUTADIENE	Permit requirement	142	380	MYL		Composi
NITRO	Semolo measurement	<1.0	<b>&lt;</b> (∘	11911		(suposit
BENZENE	Semolo messurement Permit requirement	2237	6402	regel		
2-NITRO	Smale measurement	40.	人(0	MGSL		(amposid
PHENCL.	remit requirement	65	231	21912		
4 NITZO - PHENEL	Permit requirement	450	<50	49/1	1	composit
		162	576	11911		
4,6 DINITRO	Sample measurement	<20	250	Mall		Composi
O-CRESOL	Permit requirement	178	277	Mall	`	Car

Parameter		Mass Limi	t or Concent	Mass Limit or Concentration		
		Average	Maximum	Units	Samples	Sample tyr Comp./gra
TETRA CHEORO	Sample measurement	125	Z25	49/1		grus
ETHYLLENE	Permit requirement	52	164	49/1	1 '	
TOLVENE	Sample measurement	(25	125	29/1	1	grab
	Permit requirement	28	74	M9/1	]	
PRICHLU20	Sample measurement	<25	<25°	49/1	-	grab
ETHYLENE	Permit requirement	26	9	19/1	l l	
VINY L CHERIDE	Sample measurement	752	225	119/1	(.	grab
	Permit requirement	97	172	K9/2		
TOTAL	Sample measurement	5	5	4911	(	grub
CYANIDE	Permit requirement	420	1200.	4911		
TOTAL	Semple meezurement	10	(0 -	MYCA	[ (	Composite
(1-127)	Permit requirement	320	690	14911	` `	
TUTAL L	Smale measurement	120	120	Male		comparise
ZINC.	remit requirement	1050	2610	M1/1.		ره- ۱
	Permit requirement			<del>                                     </del>		<u> </u>
	- a mre radonament					
ľ	Sample measurement			1		÷
	Permit requirement	1			i i	

PVSC Form MR-1 Rev. 4 6/87 P1

Production rate (if applicable)

Name REICHHOLD	D CIHEMICALS INC
•	MUS AVE NEWARK NJ 07105
Facility Location	SAME.
Category & Subpart	Outlet # 0204-06320-44100-0201
Contact Offical Jos Poi,	UTEL
Monitoring Period	For Reporting Period AVG MAX
11 0590 12 31 90	Regulated flow-gal/day
Mo. Day Yr. Mo. Day Yr. Start End	Method used
Production rate (if applicable)	

Parameter		Mage Limi	t or Concent	Mass Limit or Concentration		
		Average	Maximum	Units	No. of Samples	Sample typ Comp./gra
TETRA-CHLOIZO	Sample measurement	225	L25	49/1	1	and-
ETHYLENE	Permit requirement	52	164	49/1	1 /	grus
Tolvene	Sample measurement	(25	125	26961	(	0.00/-
	Permit requirement	28	74	M9/1	,	grab
TRICHLUR-O	Sample measurement	< 25	<25	M9/1	-	grab
ETTIYLENE	Permit requirement	26	69	Mg/L	l	
VINYL CHERIDE	Sample measurement	225	L25	119/1	(.	grab
	Permit requirement	97	. 172	4962		
TOTAL	Sample measurement	5	5	94911	(	grab.
CYANIDE	Permit requirement	420	1200	K9(1	`	/
TOTAL	Semple measurement	10	(0	MYCK	(	Composite
LiFX)-D	Permit requirement	320	690	MILK		
TOTA-L	Simple measurement	120	120	42/1		Cambarite
ZINC.	Permit requirement	1050	2610	MILL		Carl
_	measurement		·			
	Permit requirement	ļ		ļ		
	Sample measurement					
	Permit requirement	1		,		

Certificati	on of Non-u	se (use addition	nal sheets i	if necess	ary)		,
<del></del>	We !	reither	use	nor	discha	xvye	و <sub>،</sub> )
any	mefa	ls.					
			,	,			
		, .	·				
				· · · · · · · · · · · · · · · · · · ·			<del></del>
G 1:							
·		npliance statem		ompuuu.	Ce 20 DECATE (1	Re voormonan	sneets
		parameter use					. []
<del></del>		nadyfical - won	1 +00	<del></del>	Macicalt	1) that	- Alic
pe	weit	- Wan	in co	sup(	iance	for	all_
par	ameta	is use	ed.	<del></del>	·		·
			···				<del></del> -
				· · · · · ·			
. ·						•	
Explain Me	thod for pre	serving sample	4		_	e supp	ilied to
	Samo	lina Bo	thes	are	mepare	el 6 by	
Ford	en Ste	ting Bo	50	وام سد	s are	Lascer	far
medre	enturen			-	stored	in Ref	cregen
F. 4.0.	<del></del>	starte p					We
	ed the			or CC		<i></i>	
XE. 5( DE 5		* With	un El	Deeff	entrach		
		<b>.</b>	vature of P ve or Author	<i>U</i> • •	gent		
-				·	<u>.</u>		
•		- ARTHU	RE.DIE	FFEV	BACH		
			ANT EN		2		
		Туг	e Name a		i		,
			2/4/9	/			


Date

REICHHOLD CHEMICHUS INC. 400 DOREMUS AVENUE NEWARK. NJ. 07/05

842894189

WASTE WATER FLOW DIAGRAM

OCPSF REGULATED FLOW



other effluent

Bldy 32 + Bldy-31 + lift.

Discharge

1,597,817 gallous.



ROBERT M. BURKE, JR. THOMAS J. CIFELLI JAMES KRONE FRANK ORECHIO COMMISSIONERS



600 WILSON AVENUE NEWARK, N.J. 07105 (201) 344-1800 Fax: (201) 344-2951

May 15, 1991

ROBERT J. DAVENPORT DEPUTY EXECUTIVE DIRECTOR

GABRIEL M. AMBROSIO CHEIF COUNSEL

CARMINE T. PERRAPATO

EXECUTIVE DIRECTOR

Reichhold Chemical 300-400 Doremus Ave Newark, NJ 07105 Attn: Mr. Dieffenbach CERTIFIED RECEIPT P 718 787 777

RE: NOTICE OF VIOLATION PERMIT NO: 20406320 VIOLATION DATE: 2-4-91 SECTION VIOLATED: 403.12d

Dear Mr. Dieffenbach:

You are put on notice that your company is in violation of Section 403.12d of the General Pretreatment Regulations for failure to provide all the necessary information to demonstrate compliance with applicable pretreatment limitations. To achieve compliance with the reporting requirements, please note the deficiencies on the attached list and make the appropriate corrections.

Attach the required information to the list and return within 10 days. Failure to do so could result in fines or other penalties. As previously communicated to you under separate cover fines will be assessed if future reports on compliance are either late or incomplete. If you have any questions concerning this matter, please call Mario Graglia at (201) 817-5724.

Very truly yours,

PASSAIC VALLEY SEWERAGE COMMISSIONERS

Carmine T. Perrapato Executive Director

CTP/sl

Attachment

cc: Robert Davenport, Deputy Executive Director Frank D'Ascensio City of Newark

#### REICHHOLD CHEMICAL DEFICIENCIES

- 4b Proper compliance statement not included
- 5g Maximum and average limitations must be noted in proper place on MR-1 Form
- 7d Note pretreatment and user charge sample points must be properly identified on the flow diagram
- 7e The regulated and unregulated flow must be indicated on the flow diagram

Name Reichhold Temicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-8201
Contact Offical Robert Naujelis	Telephone# 201-589-3709
Monitoring Period	For Reporting Period
08 01 92 08 31 92 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5699 6/3:5  Total Flow-gal/day 47.1.77  Method used SEE ATTACHED
Start End Production rate (if applicable)	- SEE ALTACHED

REGULATED FLOW WAS DISCHARGED ON 10 DAYS

						<del>-,</del>
Parameter		Mass Limi	t or Concent	ration	No. of	Sample ty:
ratameter		Average	Maximum	Units	Samples	Comp./gra
		TAELERE	Maximum	UMICS	3 Inpies	Willp./gra
	Sample measurement	25	4.5	1773	-	
	Permit requirement	1		1		
BENZENE		57	134	PPB	1	GRAB
	Sample measurement	4.5	45	PPB	1	
CARBON TETRA	Permit requirement					7
CHLORIDE	1	142	380	PPB	11	GRAB
	Sample measurement	< .5	<.5	PPB	1	
CHLORO-	Permit requirement			·		
BENZENE		142	380	PPB	j <u>1</u>	GRAB
]	Sample measurement	4100	4100	PPB	/	
1,2,4, TRI	Permit requirement					
CHLOROBENZENE		196	794	PPB	11	COMPOSITE
	Sample measurement	< 100°	< 10C	PPB	j	
HEXACHLORO	Permit requirement					
RENZENE		196	794	PPB	11	COMPOSITE
	Sample measurement	<u> </u>	45	PPB	1	
11	Permit requirement					
ETHANE	<del></del>	180	574	PPB	1	GRAB
	Sample measurement	< .5 <sup>-</sup>	4.5	PPB	)	_
1,1,1, TRI	Permit requirement					
CHLOROETHANE		22	59	PPB	1	GRAB
); ;t	Sample measurement	4100	4100	PPB		
HEXACHLORO	Permit requirement			}		
ETHANE		196	794	PPB	1	COMPOSITE
	Sample measurement	1 4.5	< 5	PPB	ì	
12	Permit requirement			1		
ETHANE		22	59	PPB	1	GRAB
<u> </u>	<u> </u>				_i	

	<del>-</del>	
Vama	Paiabhald Chaminala Inc	

Mailing Address 400 Doremus Ave.

Pacility Location Newark, N.J. 07105

Category & Subpart 40 CFR 414.55 & E Outlet \$\frac{1}{20406320-44100-0201}

Contact Offical Robert Naujelis Telephone 201-589-3709

Monitoring Period

18 01 92 08 31 92

Mo. Day Yr. Mo. Day Yr.

Start End

Regulated flow-gal/day 5639 6/35
Total Plow-gal/day 406/7
Method used 5EE ATTACHED

AYG

For Reporting Period

Production rate (if applicable)

# REGULATED FLOW WAS DISCHARGED ON 10 DAYS

L						
Parameter		Mass Limi	t or Concent	ration	No. of	Semple
taramerer	į	Average	Maximum	Units	Samples	Comp./g
		Average	inazinani	OHG	Samples	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Sample measurement	<u>ئ ج</u> ٠	د5	PPB		
-,-,-,	Permit requirement	22	127	PPB		GRAB
CHLOROETHANE	Sample measurement	32			<del></del>	GRAD
Į	Permit requirement	<10	<10	1 PPB		
CHLOROETHANE	ret mit requirement	110	295	PPB	1	GRAB
	Sample measurement		2.5	1000	1	
	Permit requirement					
CHLOROFORM		111	325	PPB	1	GRAB
	Sample measurement	2100	2100	PPB		
	Permit requirement	100				COMPOSITI
BENZENE		196	794	PPB	1 1	COMPOSITE
1	Sample measurement	1 < 100	1 4100	PPB	1	_
1,3, DICHLORO	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	4100	2100	PPR	l i	
1,4, DICHLORO	Permit requirement					
BENZENE		142	380	PPB	1	COMPOSITE
	Sample measurement	4.5	4.5	1793		
	Permit requirement	22	60	PPB	,	GRAB
ETHYLENE	0				+	GRAD
I I 1 2 TOANS DT.	Sample measurement	25	2.5	PPB	+/	<del>-</del>
CHLOROETHYLENE	Permit requirement	25	66	PPB	1	GRAB
	Sample measurement		25	PPB	1	
1,2, DICHLORO	Permit requirement		<del>                                     </del>	1	1	
PROPANE		196	794	PPB	1	GRAB

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	· · · · · · · · · · · · · · · · · · ·
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
Contact Offical Robert Naujelis	Telephone
Monitoring Peri∞d	For Reporting Period  AVG MAX
03 01 92 08 31 92 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 5687 6135 Total Flow-gal/day 40617 Method used SEE ATTACHED
Production rate (if applicable)	

REGULATED FLOW WAS DISCHARGED ON 10 DAYS

<del></del>	<del></del>					-;
		1				
Parameter	1	Mass Limi	it or Concent	ration	No. of	Sample ty
	1	Average	Maximum	Units	Samples	Comp./gra
	<u> </u>					
	Sample measurement	45	45	PPR		
	Permit requirement	1			]	7
PROPYLENE		196	794	PPB	1	GRAB
ŗ	Sample measurement	47	47	PPB	<u>j</u>	
	Permit requirement	1				
ETHYL BENZENI		142	380	PPB	1	GRAB
<u> </u>	Sample measurement	45	<.5	1 P1213		_
METHYLENE	Permit requirement			•		
CHLORIDE	<u> </u>	36	170	PPB	1	GRAB
į	Sample measurement	< 10	410	PPB	i	
METHYL	Permit requirement	T				
CHLORIDE	<u> </u>	110	295	PPB	<del></del>	GRAB
	Sample measurement	2100	4100	PPB		!
HEXACHLORO	Permit requirement	1	222	1 222	,	COMPOSITE
BUTADIENE	<del></del>	142	380	PPB	1	COMPOSITE
	Sample measurement	4100	< 100°	PPB		
	Permit requirement	2227	- 100	1		
NITROBENZENE		2237	6402	PPB	1	COMPOSITE
1	Sample measurement	L100	2100	PPB		_1
2-NITRO	Permit requirement	-	021	1 222	,	COMPOSITE
PHENOL		65	231	PPB		COMPOSITE
d d d / NITTO	Sample measurement	4500	< 500	BAG	<del></del>	<b>→</b>
4-NITRO	Permit requirement	162	1 - 7 -		,	COMPOSITE
PHENOL		162	576	PPB	1	COMPOSITE
/ C DEVITEDO	Sample measurement	4500	4500	PP13		
4,6, DINITRO	Permit requirement	1		4	}	}
_ O- CRESOL		78	277	PPB	1	COMPOSITE

-	
Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Pacility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet# 20406320-44100-0201
Contact Offical Robert Naujelis	Telephone
Manitoring Period	Por Reporting Period

Monitoring Period					
					İ
20	$\alpha$	92	28	771	92
0 3	Dair	v.	340		~
08 01 92 08 31 92 Mo Day Yr. Mo. Day Yr.					
Start End					

Regulated flow-gal/day 5689 6/35

Total Plow-gal/day 40617.

Method used 5FE ATTACHED


Production rate (if applicable)


				<del></del>		
Parameter	į (	Mass Limi	it or Concent	ration	No. of	Semple ty
		Average	Maximum	Units	Samples	Comp./gr
	Sample measurement	8,3	803	P.P.B		
TETRACHLORO ETHYLENE	Permit requirement	52	164	PPB	1	GRAB
	Sample measurement	11	11	PPB	1	
TOLUENE	Permit requirement	28	74	PPB	1	GRAB
	Sample measurement		< 5	PPB	i	
TRICHLORO ETHYLENE	Permit requirement	26	69	PPB	1	GRAB
<del></del>	Sample measurement	L16	< 10	1773	1	1
VINYL CHLORIDE	Permit requirement	9.7	172	PPB	1	GRAB
	Sample measurement	43	43	PPB	1	
TOTAL CYANIDE	Permit requirement	420	1200	PPB	1	GRAB
	Sample measurement	<100	2160	PPB	1	
LEAU	Permit requirement	320	690	PPB	1	COMPOSITE
7 ·	Dample measurement	530	530	PPB	j	
TOTAL ZINC	Permit requirement	1050	2610	PPB	1	COMPOSITE
<del></del>	Sample measurement					
	Permit requirement					
	Sample measurement					
(	Permit requirement		•			

# PRETREATMENT MONITORING REPORT

Certification of Non-use if applicable (use additional sheets)
NOT APPLICABLE
·
Compliance or non compliance statement with compliance schedule (use additional sheets
if necessary) for every parameter used.
Test samples for 2-Nitro Phenol, 4-Nitro Phenol and 4.6 Dinitro O-Cresol had to
be diluted for injection into column. These materials are not used at this facility
and we do not believe these parameters to be out of compliance. We will request
samples to be re-tested without dilution. Explain Method for preserving samples
See_explanation_attached
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaulate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  403.6(aX2Xii) revised by 53 FR 40610, October 17, 1988  Executive or Authorized Agent
SITE MANAGER Type Name and Title
9/14/92 RCI-001-10592

842894196





RCI-001-10593

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

## USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC

PERIOD FROM: AC	G. 1, 1992 TO: AUG. 31, 1992
WATER USED @ 390 DOREMUS AVE.	
WATER USED @ 400 DOREMUS AVE.	176,190 cu. ft.
TOTAL WATER USED AT THE PLANT	177,190
CONVERSION FACTOR	X 7.48 GAL/CU. FT.
WATER USAGE	/325,38/ GALLONS.
5% EVAPORATION	x 0.95
NET WATER USAGE	/259/12 GALLONS.
PROCESS WATER RECEIVED FROM ALBERT AVE. PLANT	56,889 GALLONS.
TOTAL WATER INTO DOREMUS AVE.	1,316,00/ GALLONS.

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments From Reichhold, Albert Ave.

July 29, 1992 to August 31, 1992

Dat	e of Shipment	Lbs. of Water	Gallons of Water
1.	7/29/92	47,400	5,704
2 .	8/3/92	44,760	5,386
3.	8/7/92	50,980	6,135
4.	8/10/92	44,640	5,372
5.	8/13/92	47,700	5,740
6.	8/17/92	46,840	5,637
7.	8/20/92	48,000	5,776
8.	8/24/92	46,960	5,651
9.	8/27/92	47,640	5,733
<u>10.</u>	8/31/92	47,820	5,755
Tot	al Gallons Recie	eved From Albert Ave.:	56,889

RCI-001-10595

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

## Log of OCPSF Pretreatment Unit Operation

### August 1992

1.	Days unit operated during the month:	10
2 .	Average volume processed per day:	5,689 gal.
3.	Volume recieved from Albert Ave. plant:	56,889 gal
4.	Volume generated at Doremus Ave. plant:	0 gal
5.	Total water treated during the month:	56.889 gal

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES:

2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

100-41-4

100-42-5

Ethylbenzene

Styrene

#### 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name:	CHEMTEC	CH			Contract:	REICHHOLD	EFFI	LUENT
Project No.:	1416	_	Site:		Location:		Group:	
Matrix: (soil	/water)	WATER	_			Lab Sample ID:	02713	
Sample wt/vo	ol:	5	_(g/mL) _	ML	_	Lab File ID:	V0592.D	
Level: (lov	w/med)		-			Date Received:	8/14/92	
% Moisture:	not d∞.	100	_			Date Analyzed:	8/17/92	
GC Column:	DB-624		ID:	0.53	(mm)	Dilution Factor:	1.0	
Soil Extract V	Volume:		(uL)			Soil Aliquot Volume:		(uL)

#### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	Ü
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	Ŭ
75-09-2	Trichlorofluoromethane	10	Ū
75-09-2	Methylene Chloride	5	U
67-64-1	Acetone	25	
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethene	5	U
75-34-4	1,1-Dichloroethane	5	U
540-59-0	1,2-Dichloroethene (total)	5	Ū
67-66-3	Chloroform	5	U
107-06-2	1,2-Dichloroethane	5	υ
78-9 <b>3-3</b>	2-Butanone	10	Ŭ
71-55-6	1,1,1-Trichloroethane	5	U
56-23 <b>-5</b>	Carbon Tetrachloride	5	U
75-27-4	Bromodichloromethane	5	U
78-87 <b>-5</b>	1,2-Dichloropropane	5	Ū
10061-01-5	cis-1,3-Dichloropropene	5	U
79-01-6	Trichloroethene	5	U
124-48-1	Dibromochloromethane	5	Ū .
79-00-5	1,1,2-Trichloroethane	5	Ū
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	Ŭ
75-25-2	Вготобогт	5	U
108-10-1	4-Methyl-2-Pentanone	. 10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	8.3	
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	11	RCI-001-10598
108-90-7	Chlorobenzene	5	U
		·	<del></del>

842894203	<b></b>		÷			
	VOLATILE	la ORGANIC		SIS DATA SHEET	SAMPI	E NO.
Lab Name: CHEMTE	СН		Contract:	REICHHOLD	EFFI	LUENT
Project No.: 1416	Site: _		Location:		Group:	
Matrix: (soil/water)	WATER			Lab Sample ID:	02713	_
Sample wt/vol:	5 (g/mL)	ML		Lab File ID:	V0592.D	_
Level: (low/med)				Date Received:	8/14/92	_
% Moisture: not dec.	100			Date Analyzed:	8/17/92	_
GC Column: DB-624	ID: _	0.53 (m	<b>m</b> )	Dilution Factor:	1.0	•
Soil Extract Volume:	(uL)			Soil Aliquot Volume:		(uL)
		c	oncentratio	n Units:		
CAS No.	Compound	(u	ig/L or ug/	Kg) ug/L	Q	
1330-20-7	m+ p-Xylenes			130		
1330-20-7	o-xylene			36		
				<del></del>		

RCI-001-10599

18						
EMIVOI ATTI	F	ORGANICS	ANAT	YSIS.	DATA	SHEET

SAMPLE NO.

<b>EFFLUENT</b>
-----------------

Lab Name: CHEMTECI	H		Contract:	REICHHOLD	EFFLUENT
Project No.: 1416		Site:	Location:		Group:
Matrix: (soil/water)	WATER	_		Lab Sample ID:	02713
Sample wt/vol:	1000	(g/mL ML	-	Lab File ID:	S0220.D
Level: (low/med)				Date Received:	8/14/92
% Moisture: 100		decanted: (Y/N):	N	Date Extracted:	8/16/92
Concentrated Extract Volu	me:	_1000_(uL)		Date Analyzed:	8/28/92
Injection Volume:	1.0	(uL)		Dilution Factor:	10.0
GPC Cleanup: (Y/N)	И	рН	:		

#### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg)	ug/L	Q	
100-02-7	4-Nitrophenol	500		UD	
132-64-9	Dibenzofuran	100		Œ	
121-14-2	2,4-Dinitrotoluene	100		Œ	·
84-66-2	Diethylphthalate	100		Œ	]
7005-72-3	4-Chlorophenyl-phenylether	100		UD	
86-73-7	Fluorene	100		UD	
100-01-6	4-Nitroaniline	500		ΩD	
534-52-1	4,6-Dinitro-2-methylphenol	500		Œ	
86-30-6	N-Nitrosodiphenylamine	100		æ	
101-55-3	4-Bromophenyl-phenylether	100		Œ	
118-74-1	Hexachlorobenzene	100		സ	
87-86 <b>-5</b>	Pentachlorophenol	500		UD	
85-01-8	Phenanthrene	100		νD	
120-12-7	Anthracene	100		ŰD	
84-74-2	Di-n-butylphthalate	100		ŰD	
206-44-0	Fluoranthene	100		UD	
129-00-0	Pyrene	100		W	
85-68-7	Butylbenzylphthalate	100		UD	
91-94-1 📆	3,3'-Dichlorobenzidine	100		W	
56-55 <b>-3</b>	Benzo[a]anthracene	100		ŰD	
218-01-9	Chrysene	100		UD	
117-81-7	bis(2-Ethylhexyl)phthalate	100		UD	
117-84-0	Di-n-octylphthalate	100		UD	
205-99-2	Benzo[b]fluoranthene	100		מט	
207-08-9	Benzo[k]fluoranthene	100		שט	
50-32-8	Benzo[a]pyrene	100		שט	
193-39-5	Indeno[1,2,3-cd]pyrene	100		עט	
53-70-3	Dibenz(a,h)anthracene	100		ŨD	
191-24-2	Benzo[g,h,i]perylene	100		UD	
				RC 1 -	{ 001 - 10600

83-32-9

51-28-5

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

Lab Name: CHEMTEC	Н		Contract:	REICHHOLD_	EFFLUENT
Project No.: 1416	,	Site:	Location:		Group:
Matrix: (soil/water)	WATER	_		Lab Sample ID:	02713
Sample wt/vol:	1000	_(g/mL ML		Lab File ID:	S0220.D
Level: (low/med)		_		Date Received:	8/14/92
% Moisture: 100		decanted: (Y/N):	N	Date Extracted:	8/16/92
Concentrated Extract Volu	me:	1000 (uL)		Date Analyzed:	8/28/92
Injection Volume:	1.0	_(uL)		Dilution Factor:	10.0
GPC Cleanup: (Y/N)	N	pH	:	•	
Gree Cleanup. (1714)		- hii	·		

#### Concentration Units:

CAS No.	Compound	(ug/L or ug/Kg) ug/I	<u> </u>
108-95-2	Phenol	100	מט
111-44-4	bis(2-Chloroethyl)ether	100	UD
95-57-8	2-Chlorophenol	100	UD
0	1,2-Dichlorobenzene	100	UD
541-73-1	1,3-Dichlorobenzene	100	UD
106-46-7	1,4-Dichlorobenzene	100	UD
95-48-7	2-Methylphenol	100	UD
106-44-5	4-Methylphenol	100	סט
621-64-7	N-Nitroso-di-n-propylamine	100	סט
67-72-1	Hexachloroethane	100	עט
98-95-3	Nitrobenzene	100	UD
78-59-1	Isophorone	100	UD
88-75-5	2-Nitrophenol	100	UD
105-67-9	2,4-Dimethylphenol	100	UD
111-91-1	bis(2-Chloroethoxy)methane	100	UD
120-83-2	2,4-Dichlorophenol	100	UD
120-82-1	1,2,4-Trichlorobenzene	100	סט
91-20-3	Naphthalene	100	עס
106-47-8	4-Chloroaniline	100	UD
87-68-3	Hexachlorobutadiene	100	UD
59-50-7	4-Chloro-3-methylphenol	100	UD
91-57-6	2-Methylnaphthalene	100	מט
77-47-4	Hexachlorocyclopentadiene	100	UD
88-06-2	2,4,6-Trichlorophenol	100	שט
95-95-4	2,4,5-Trichlorophenol	500	UD
91-58-7	2-Chloronaphthalene	100	UD
88-74-4	2-Nitroaniline	500	מט
131-11-3	Dimethylphthalate	100	UD
208-96-8	Acenaphthylene	100	UD
606-20-2	2,6-Dinitrotoluene	100	UD RC
99-09-2	3-Nitroaniline	500	UD

PRC I -001 - 10601

Acenaphthene 100 UD 2,4-Dinitrophenol 500

### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO.

**EFFLUENT** 

10602

Lab Name: CHEMTEC	<u>H</u>		Contract:	REICHHOLD	
Project No.: 1416		Site:	Location:		Group:
Matrix: (soil/water)	WATER	_	-	Lab Sample ID:	02713
Sample wt/vol:	1000	(g/mL) ML		Lab File ID	S0220.D
Level: (low/med)		_		Date Received:	8/14/92
% Moisture: 100		decanted: (Y/N)	N	Date Extracted:	8/16/92
Concentrated Extract Volu	me:	1000(uL)		Date Analyzed:	8/28/92
Injection Volume:	1.0	_(uL)		Dilution Factor:	10.0
GPC Cleanup: (Y/N)	N	pH: _			
		c	oncentration	Units:	
Number TICs found:	15		(ug/L or ug	/Kg) ug/L	

CAS Number	Compound Name	RT	Est. Con	c. Q
1. 57-55-6	1,2-Propanediol	4.09	490	J
2. 111-76-2	Ethanol, 2-butoxy-	7.93	1500	J
3. 126-30-7	1,3-Propanediol, 2,2-dimethy	8.60	500	J
4. 126-30-7	1,3-Propanediol, 2,2-dimethy	9.37	2700	J
5. 126-30-7	1,3-Propanediol, 2,2-dimethy	9.55	700	J
6. 144-19-4	1,3-Pentanediol, 2,2,4-trime	13.35	40	J
7. 144-19-4	1,3-Pentanediol, 2,2,4-trime	13.82	400	J
8. 85-44-9	Phthalic anhydride	16.63	950	J
9. 144-19-4	1,3-Pentanediol, 2,2,4-trime	17.52	810	J
10. 1077-58-3	4-tert-Butylbenzoic acid	19.78	340	J
11. 18272-84-9	Benzene, 1-butyl-4-methoxy-	20.77	460	1
12. 10348-47-7	Pentanoic acid, 2-hydroxy-4-	21.33	280	1
13. 57-10-3	Hexadecanoic acid	26.27	450	1
14. 56196-06-6	Cyclopropaneoctanal, 2-octyl	28.61	3800	J
15. 29053-04-1	Cyclopentane, 1-methyl-3-(2-	30.68	380	J
. 16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.		1		
25.				
26.				
27.				
28.				RCI-001
29.				110 4 ==
30.	·		·	

#### PESTICIDE ORGANICS ANALYSIS DATA SHEET

				EFFUENT	
Lab Name: CHEMTECH	[	Contract:	REICHHOLD	1	
Lab Code: 1416	Case No.:	SAS No.:	-	SDG No.:	
Matrix: (soil/wate	WATER		Lab Sample ID:	1416-2713	
Sample wt/vol:	(g/mL)	<u>wr</u>	Lab File ID:	P0091.CHR	
% Moisture 100	decanted: (Y/N)	N	Date Received:	08/14/92	
Extraction: (SepF/	Cont/Sonc)		Date Extracted	08/16/92	
Concentrated Extra	ct Volum 10000	(uL)	Date Analyzed:	08/28/92	
Injection Volume:	(uL)		Dilution Facto	1	
GPC Cleanup: (Y/N	N pH:		Sulfur Cleanup	: (Y/N)	N
		CONCENTRA	TION UNITS:		
CAS NO.	COMPOUND	(ug/L or	ug/Kg)	UG/L	. Q
1319-84-6	alpha=BHC		1	0.05	 
1319-85-7	-		<del></del>	0.05	
319-86-8					
•		>	<u> </u>	0.05	
58-89-9		ne)		0.05	
76-44-8	=			0.05	
1309-00-2			<del></del>	0.05	
1024-57-3		ie	!	0.05	
1959-98-8				0.05	
60-57-1			<u> </u>	0.1	
72-55-9	4,4'-DDE		<u> </u>	0.1	
172-20-8	Endrin		 	0.1	
133213-65-9	Endosulfan II		<u> </u>	0.1	
72-54-8	4,4'-DDD			0.1	
1031-07-8	Endosulfan sulfat	te		0.1	
50-29-3	4,4'-DDT		! !	0.1	
72-43-5	Methoxychlor		l 	0.5	ט
153494-70-5	Endrin ketone		l	0.1	ט
17421-36-3	Endrin aldehyde		i	0.1	ប
5103-71-9	alpha-Chlordane			0.05	บ
5103-74-2	gamma-Chlordane		1	0.05	บ
8001-35-2	Toxaphene		l	5	บ
12674-11-2	Aroclor-1016		!	1	U
111104-28-2	Aroclor-1221		I		U
111141-16-5	Aroclor-1232		RCI-001-10	603	ט
53469-21-9	Aroclor-1242				U

			•	
	1/ VOLATILE ORGANI	-	CIC DATA CHEET	S
	VOLATILE ORGANIC	LS ANAL I	DIS DATA SHEET	
ab Name: CHEMTE	CH	Contract:	REICHHOLD	
Project No.: 1416	Site:	Location:		Gr <sub>1</sub>
Matrix: (soil/water)	WATER		Lab Sample ID:	02714
Sample wt/vol:	5 (g/mL) ML		Lab File ID:	V0591.1
Level: (low/med)	***************************************		Date Received:	8/14/9
% Moisture: not dec.	100		Date Analyzed:	8/17/92
GC Column: DB-624	ID: 0.53 (r	nm)	Dilution Factor:	1.0
Soil Extract Volume:	(uL)		Soil Aliquot Volume:	
		7 <del></del>	- TT-ie	
CAS No.		Concentration ug/L or ug/I		0
CAS 140.	Compound	agric or agri	(g) ug/L	Q 
74-87-3	Chloromethane		10	Ŭ
74-83-9	Bromomethane		10	ט
75-01-4	Vinyl Chloride		10	U
75-00-3	Chloroethane	<u> </u>	10	U
75-09-2	Trichlorofluoromethane	ļ	10	Ŭ
75-09-2	Methylene Chloride	ļ	15	
67-64-1	Acetone	ļ	10	U
75-15-0	Carbon Disulfide		5	Ŭ
75-35-4	1,1-Dichloroethene	1	5	Ŭ
75-34-4	1,1-Dichloroethane		5	U
540-59-0	1,2-Dichloroethene (total)	<u> </u>	5	Ŭ
67-66-3	Chloroform		5	Ŭ
107-06-2	1,2-Dichloroethane		5	Ŭ
78-93-3	2-Butanone		10	U
71-55-6	1,1,1-Trichloroethane		5	U
56-23-5	Carbon Tetrachloride		5	U
75-27-4	Bromodichloromethane		5	U
78-87-5	1,2-Dichloropropane		5	ប
10061-01-5	cis-1,3-Dichloropropene		. 5	U
79-01-6	Trichloroethene		5	U
124-48-1	Dibromochloromethane		5	U
79-00-5	1,1,2-Trichloroethane		5	Ŭ
71-43-2	Benzene		5	Ŭ
10061-02-6	trans-1,3-Dichloropropene		5	U
75-25-2	Bromoform		5	U
108-10-1	4-Methyl-2-Pentanone		10	U
591-78-6	2-Hexanone		10	U
127-18-4	Tetrachloroethene	,	12	
79-34-5	1,1,2,2-Tetrachloroethane		5	U
108-88-3	Toluene		5	ប
108-90-7	Chlorobenzene		5	Ŭ
100-41-4	Ethylbenzene	ำกรกน	5	U
100-42-5	Styrene RCI - 001	י טטט י	· 5	

	-	V	DLATILE	E ORGA	1A NICS ANALY:	SIS DATA SHEET	SAM
Lab Nam	e: CHEMTEC	•			Contract:	REICHHOLD	7
	To.: 1416		Site:		Location:		Group:
	(soil/water)	- WATER	•	·	-	Lab Sample ID:	_
Sample w			(g/mL)	ML		Lab File ID:	
-	(low/med)	<del></del>			<del></del>		8/14/92
	ire: not dec.	100	•			Date Analyzed:	
	mn: DB-624		ID:	0.53	(mm)	Dilution Factor:	
	act Volume:		(uL)		_(/	Soil Aliquot Volume:	<del></del>
			()		Concentration	- -	
	CAS No.	Compound			(ug/L or ug/I		Q
{	1330-20-7	m+ p-Xyle	nes			5	Ū
,	1330-20-7	o-xylene				5	U
	<del>,</del>			<del></del>			
	<del> </del>	<del></del>	<del></del>				<del> </del>
İ							
					<u> </u>		
	<del></del>						·
}	<del> </del>						<del></del>
Ì		<del></del>			<del></del>		
į							
		<del></del>	<del></del>				
		· · · · · · · · · · · · · · · · · · ·		<del></del>			
	<del></del>	<del> </del>	<del></del>				
Ì							
				<del></del>			
}							
	<del></del>	<del></del>	<del></del>				
		·				· · · · · · · · · · · · · · · · · · ·	
	 	<u></u>	<del></del>			RCI -001	-10605



Four ournent of Services, See 1967

Distribution: Original Accompanies Shipment; Copy to Coordinator Field Files

4.10 Houte 4 • Loglowood, New Jackey 0.7601 (2011):567 (BBSH+0.2020):557-100+Lox (2011):677-0

CHAIN OF CUSTODY RECORD

PRO.1, 1					CHEN	10 MS	20	<i>.</i> .		MG.			/5		7/	7/			/		842
SAMPLE	13: 17	y"(i) Diefs	l) e	ml	hack					CON- OI,				//		/ 1/				REMARKS	842894210
\$14,110.	DATE		9K:S3	8460		STATIO	N LOCA	V110N		TAINEIS	6	<u> </u>		3/6							, 0
	Slinki	2 31.5/34		X	T. B					6	V	<u>し</u>	ر ا	ν -	υ 		2713				
											Mark Strategy Strateg									,	
		-																			
		-																			
		-																			
		-																			
Helinquist		Signature		5	Date /14/42	Time	Rec	ived by	_ (Signature	14/92	Reli	nquis	hed b	ογ: <i>(S</i> :	ignatu	re)		Date /	/ Time	Received by: (Sig	mature)
Relinquist					Oate	/Time	Recei	ived by:	: (Signature		Reli	nquis	hed b	iy: (Si	gnatu	ie)		Date	/ Time	Received by: (Sig	ma (ur <b>e)</b>
Relinquis	hed by:	(Signature	1		Date	 / Time 	Sign		Laborato	ry by:	8/	Dat	0 /Ti	iine 4:3	- 1	Remai	rks		l	RC I - 001 -	10606



# LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE NEWARK NI 07105-

NEWARK, NJ 07105-Attn: MR. NAUJELIS

(Page 1 of 1)

PROJECT NAME: 1416

DATE: 09/10/92

CLIENT STATION ID:

EFFLUENT

LAB #:

2713

CYANIDE, TOTAL LEAD, TOTAL ZINC, TOTAL mg/L mg/L mg/L 0.043

0.53

LABORATORY DIRECTOR



110 Route 4 • Englewood, New Jersey 07631 Phone: (201) 567-6868 Fax: (201) 567-1333

#### DATA REPORTING QUALIFIERS ORGANIC

For reporting results the following "Results Qualifiers" are used:

- VALUE If the result is a value greater than or equal to the detection limit, report the value.
  - U Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, "10U". This is not necessarily the instrument detection limit. The figure represents the minimum detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
  - J Indicates an estimated value. This flag is used:
    - 1) When estimating a concentration for tentatively identified compounds (library search hits) where a 1:1 response is assumed.
    - 2) When the mass spectral data indicated the identification criteria, however, the result was less than the specified detection limit but greater than zero. If the detection limit was 10 ug/L and a concentration of 3 ug/L was calculated, report as "3J".
  - B Indicates the analyte was found in the blank as well as the sample; report as "12B".
  - E Indicates the analytes concentration exceeds the calibrated range of the GC/MS instrument for that specific analysis.
  - D This flag identifies all compounds identified in an analysis at a secondary dilution factors.

The state of the s	04.5 // 52.4	.:		
FROM REICHHOLD CHEMICALS,	ALTAWAN, N.J. ★ (908	s) 556-3000		
ROUTE 46 ALBERT AVENUE	Delivery Address*  {*To be filled in a	inly when shipper desire Is provide for delivery th	HS 200	<del> </del>
CONSIGNED TO THE PART OF THE P		S provide lar desirety (in	44400	
REICHHOLD CHEMICALS 400 DOREMUS AVENUE NEWARK, N.J. 07105		OR EXPO	OLVING SPI SURE, CA IIGHT	CALEMERGILL, LEAK, FLL TOLL FI
the applicable meter carrier classification or card if this is	In a model (common and consists on of contents of packages effects, which have claimer the word canner be my understood looking past with one of the proposing understood looking past with one of the proposing understood looking past with one of the past one of the past		•	
Cn2.	T. ORDER NO. SH. DATE	CAR INITIALS & NO		無る。 東京
PPEDINA A A				
	DESCRIPTION AND CLASSIFICATION nipping Name and Class per 49 CFR 172,101)	GROSS	NET	PROD. CODE
AVEE BECTA	EATTO MATTETAL		4-17726	
EMIT C.D. TO: DORESS	NOTE— V/here the /ate is dependent on value, shippers arrequired to state specifically in writing the lighted or declare		Amt. S	1 - 10609

tis is to certify that the above-named maracials roperly classified, described, packaged, marked theled and are in proper condition for transports. eccording to the applicable regulations of the Ament of Trensportation

NOTE: Withere the rate is dependent on value, ships required to state specifically in writing the agreed or divalue of the property. The agreed or destreed value of the property is specifically stated by the shipper to be not exceeding.

Subject to Section 7 of the conditions, if this shipment is to be detivered the consignee without recourse on the consigner, the consigner shall sign tollowing statement. The carrier shall not make delivery of this shipment writtout beyond freight and all other lawful changes.

TOTAL CHARGES:

FREIGHT CHARGES

(Signature M Consign x

fy that the above-named meterials iffed, described, psakaged, marked re in proper condition for trensportsto the applicable regulations of the tment of Transportation.

D. TO:

NOTE— Where the rate is dependent on value, shipper's are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is nereby specifically stated by the shipper to be not exceeding.

COD

Amt. \$ Subject to Section 7 of the conditions, if this shipment is to be define consigner without recourse on the consigner, the consigner shall following statement.

The carrier shall not make delivery of this shipment without per freight and all other lawful charges.

C.O.D. FEE: PREPAID COLLECT

TOTAL

CHARGES

FREIGHT CHARGES FREIGHT PREPAID except when box at night is checked. are to

CHHOLD CHEMICALS, INC., Shipper,

INITIAL

CARRIER:		CAR OR VEHICLE INITIALS AND NO.	
RECEIVED, subject to the classifications and tariffs in FROM REICHHOLD CHEMICALS	, INC. at		
46 ALBERT AVENUE	Delivery Address* ("To be filled #	n grily when shapper desires and	
CONSIGNED TO THE STATE OF	governing (a	units provide for delivery thereat.)	
REICHHOLD CHEMICALS LOO DOREMUS AVENUE NEWARK, N.J. 07105		OR EXPOSURE DAY OR NIGHT	
		CHEMTREC:	800-424-9300
and reverse to discursions, and a site of Africanty at any times to operations of the control of the control of the control of the times as set fronth (1) in Uniform Fronth Class (inclination of effect on the paper and in the copy), adding the control of the copy), adding motion control of their site of the copy of t	f which governs the Consportation of this shipment, and the power and according forth, mostly and has assugers.		
the state of the same	ST. ORDER NO. SH. DATE	W-202	The Marie of the Control of the Cont
SHIPPED VIA: NAPP	And the second second	*****	
NO./TYPE PACKAGES 7: (Proper S	DESCRIPTION AND CLASSIFICATION Shipping Name and Class per 49 CFR 172,101)	GROSS	NET PROD. CODE
WASTE PROCES NON DOT REGI	HATER MATERIAL		
REMIT C.O.D. TO: ADDRESS  This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in propagar condition for transportation according to the applicable regulations of the	NOTE— Where the rate is dependent on value, shippers indused to state specifically in writing the agreed or declar value of the property.  The agreed or declared value of the property is here specifically stated by the shipper to be not exceeding.	COD  An Subject to Section 7 of the consigning without recourse following statements	PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061  PRCI -001 - 1061

P.O. BOX 13582
RESEARCH TRIANGLE PARK, NC. 27709

INITIAL \_\_\_\_

17

	agknowingment that a Bill of Ladi py or duplicate, covering the sea	has been issued or emed harein, and	id is not the Origina is intended salety f	CAR OR VEHICLE	-		
elichhold Chei	end to the date of	of the issue of thi	s Bill of Lading.	INITIALS AND NO.			
46 ALBERT AVE				m only when shaper desires a onlis provide for delivery there			
REICHHOLD CHEM 400 DOREMUS AV NEWAPK, N.J. O	ICALS ENUE			CIES INVO OR EXPOS DAY OR NI	LVING SP SURE, CA GHT	CALEMERGER ILL. LEAK, FIR ILL TOLL FRI 0-424-930	RE
inknown), marked, conserved, and der through house their contrict as an enumeral to cause to it cause the contrict of ments or and delicitation if it emittable. It had deprive to destination, and as the sal to performed hereunder shall be subject to the performed hereunder shall be subject to the upper contrict of the first first first first first the upper color more countries shall be subject that upper before certains a facilitation of the performance of the contrict of the top for Supper here to certain subject to the con-	uned as understandightens which hand conve- prential not composition of our ray more. Otherwise land de interfaces, of our ray more. Otherwise hand to the converse of our land as the land of the converse of our land of the converse land our land our land of the converse of the land our land our land of the converse of the land our land of the converse of the converse on our land of the converse of the converse on our land of the converse of the converse on our land of the converse of the converse on our land of the converse of the converse on the converse of the conve	this would current being un property under the carba- tra deliver to another cam- and property over 10 on my o said property. That every a soft Come on Straight (III) and or a sub-matter physical t. It is said bit of Ladding rectual, to said of the thingerty of the sport of the said bit of Ladding rectual.	Serviced U system If an the often of Errica to If Lading or (2) in Ing those and the		-		
i i fina menangganggan i i i i Tengga sasarah	CUST ORDER NO.	SH.	DATE	2 CAR INSTIALS 6 NO.		and the second s	
SHIPPEO VIA:		·	ATTICKENS OF THE	ti Place Ellis V			
NO./TYPE PACKAGES	QESCRIPTION AND (Proper Shipping Name and C		101)	GROSS	NET	PROD. CODE	

MASTE PROCEIS WATER NON DOT REGULATED MATERIAL (MATER RESIN ETEX)

RCI-001-10613

REMIT			C.O.D.
C.O.D. TO:			PREPA
ADDRESS		COD Amt. S	COLLE
	NOTE- Where the rate is dependent on varie impoers are		
This is to certify that the shove-named materials	required to state specifically. * writing the agreed or declared value of the property.	the consignee without recourse on the consignor, the consignor shall sign the lollowing statement.	CHAR

and labeled and are in proper condition for transportation scaording to the applicable regulations of the Department of Transportation.

REICHHOLD CHEMICALS, INC., Shipper,

P.O. BOX 13582

Carrier dentities that the contains shipment is a proper continue to mimodifies named on this Bill

	LADING-SHOR	IT FORM-	inal—Not Negotia		CAR OR VEHICLE			
,	e tipseifications and tariffs in a		the izzue of this Bill of Lading		INITIALS AND NO		<del></del> .	
/	HOLD CHEMICALS,	INC. at	Delivery Address					
/	LBERT AVENUE		("To be i	illed in an	ily when shipper desires grounde for delivery the			
วริศอิเ	TO (Mod or Surest Addition of Carriagness Print)	Pursases of Nooneanan Om						
. /	HOLD CHEMICALS			•	FOR HELP	IN CHEMIC	CALEMERGE ILL, LEAK, FI	N- RE
/	REMUS AVENUE				OR EXPO	SURE, CA	LL TOLL FR	EE
NEWARK	I, N.J. 07105			I	DAY OR N			
the property	described below, in apparent good order, except	an moved (contents and cond	ition at contents of packages	ر ـــــ ا	CHEMTR	EC: 80	0-424-930	10
gadamani, m Geranghanat I W Larry W Had Water IV Had	serburd, copen-greed, and destrated an understated has has contract as researcing any general or compactive in sameli phase of deforcing at said destination, of o destinations, it is recursively reserved, as to a set Car	ithe, which this carrier (the o on an passacration of the prope on als routs, differents to de most of all or are of said bros	risti Caster Being undrittodil Ny undritika compacti agrees I etr to another cumar on the erts over all os are borbon of					
eand route to be performed and furth(1) o	destination, and so to each party at any time of I hereunder shull be subject to all the territe and is United freight Classification as others on the	corested in all or any of each o companies of the Unitern De date Percot, if this is a rail or	roperty, that every service of mostic Straight Bill of Lading a rail-watte shipment, or (2) at					[
Shapper Au day the back o	n manne custom chabarie, mageriel unit et ting al a l ereby certifies that he is familiar with all the term thereof, and timth on the characteristic party of the confirmation and have be seen to the real above.	resour carrier in pinem. The and conditiones of the said frails governs the transports to one are control for himself a	bil of lading including those non of this singment, and the nothin staining.			·		-
					_			
	CUST.	OR REGRO	SH. DATE		CAR INITIALS 3 NO.			
			8 13 97	_ 9	てひりかご	3	· · · · · · · · · · · · · · · · · · ·	
PPED VIA:								ALL
NO./TYPE		ESCRIPTION AND CLASS			GROSS	NET	PROD. CODE	<del></del>
PACXAGES	Proper San	3517 Name 2nd Class	per 49 CFR 172,101)					+
	WASTE PROCESS		77 T . T		•	1770		1
	NON DOT REGUI			,		17/11		ĺ
	(ARIBE HEOLE)	C.	/ # Am	•				
			$\nearrow \gamma$					1
					1			1
					:			
					:			
					í			
							 	រំពត់រា
						· ·	KLI - UU I	, 55 .
							1	1
EMIT		, <del></del>			T		J	C.O.C
O.D. TO: DORESS					COD	Amt. S		COLL
This is to certify that	the above-named materials	required to state spec	ite is dependent on value, ship illically in criting the agreed or		174 consigned withou	7 of the conditions, if it recourse on the cons	this shipment is to be delive ignar, the consignar shell si	gn the CHAI
re properly classified, d nd labeled and are in pro	escribed, packaged, marked oper condition for transporta-		clared raise of the property in the shipper to be not exceeding.	s hereby	'C-duving statement. The carrier shall n freight and all other le		ne shipment without paym	
en according to the ac epartment of Transporta	policable regulations of the line.	s	34°		<u> </u>	Semanura of Com	<b></b>	PREMAP PACADE V PIGNI IS C
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				***************************************		<del></del>	

REICHHOLD CHEMICALS, INC., Shipper,

CAR OR VEHICLE 21 CHHOLD CHEMICALS, INC. at Delivery
Agaress\*
If a perform anily when singler desires and
quartiting tariffs growed for delivery therees, ROUTE 46 ALBERT AVERUE - CONSIGNED'TO FOR HELP IN CHEMICAL EMERGEN REICHROLD CHEMICALS CIES INVOLVING SPILL, LEAK, FIRE 400 DOREMUS AVERTUE OR EXPOSURE, CALL TOLL FREE NEWARK, N.J. 07105 DAY OR NIGHT CHEMTREC: 800-424-9300 ٥ CUST. GROER NO. CAR INITIALS & NO 200 SHIPPED VIA DESCRIPTION AND CLASSIFICATION
(Proper Shipping Name and Class per 49 CFR 172.101) NO./TYPE **GROSS** NET PROD. CODE WASTE PROCESS WATER 44760 NON DOT REGULATED MAVERIAL (WACER RESIN STEX) RCI-001-10615 REMIT C.O.D. 1 C.O.D. TO: PREPAI COD ADDRESS COLLE Subject to Section 7 of the co NOTE— Where the rate is required to state specifical value of the property. TOTAL CHARG ere properly classified, described, peakeged, marked FR FREIGHT P except who right is che and labeled and are in proper sandition for transporta-tion according to the applicable regulations of the Department of Transportation. Carrier certifies that the contains shoment is a proper contained commopoles named on this Bill is REICHHOLD CHEMICALS, INC., Shipper,

P.O. BOX 13582

RESEARCH TRIANGLE PARK, NC 27709

lu Hon-Agent\_

Agent\_

RESEARCH TRIANGLE PARK, NC 27709

-	,	Regouso		and the second of the second of		
andress to the steerifications on	d tends in effect on the date o	i ida-facus of this Bill of Loging.	CA ONA SLATTER			
FROM REICHHOLD CHEM		Garrer,	•		1 <b>8</b> 428	94221
NEWARK, N.J. O	7105		un sally when shaper dysires conffs provide for didlicery sher		0720	
REICHHOLD CHEMI 400 DOREMUS AVE NEWARK, N.J. 07	NUE	•	OR EXPOS DAY OR NI	LVING SPII SURE, CAL GHT	ALEMERGEN LL, LEAK, FIF L TOLL FRE	Ri EE
sections of sections of consequences and description of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the contro	CUST, ORDER NO.	comed current bearing understanding programming the contract of programming the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the current of the c	CAR INTIALS & NO.			<u> </u>
	COST. OFFICE FOR	07 39 92	1602			
-dva: ACHG N	PP;		The same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the sa	ter a p	· .	<u> </u>
NOUTYPE HAY	DESCRIPTION AND CL (Preper Shipping Name and Clas	ASSIFICATION Is per 49 CPR 172.101)	GROSS	NET	PROD. CODE	
NON DOT	ROCESS WATER REGULATED MAI RESIN BTEX)	TERIAL		42040		
					•	•
					RC I -001	- 10617
EMIT O.D. TO:				<u> </u>		C.O.D. FEE:
DORESS	NOTE- Where the	rezo is dependent on value, shepper	COD	Armt. S	s shipment is to be delivere	PREPAID COLLECT
This is to cortify that the above-named me e properly placefied, described, postaged, in disbeled and are in proper condition for trans in according to the applicable regulations partition of Transportation.	terials recuired to state sast value of the property. The agreed or dispersion stated by	scrically in writing the agreed or deci	ared the consigned without loflowing statement.	recourse on the schaig: Cimake delivers of this	not the consignor shall sign shipment without paymen	CHARGES:
HEHHOLD CHEMICALS			Carrier hereby acknowledge required placards for the haza of Lading.	s that the shizzer pro- ridous materials street (	on this Bill   shipment is a	s that the container supplied 2: proper container for the transcr amed on this Bill of Lading.
P	D. BOX 13582 SEARCH TRIANGLE	PARK, NC 27709	Agent	appr		

BESTALL LIED NO

Name Rei	chhold Chemicals Inc	<u> </u>		
Mailing Addr	ess 400 Doremus	Ave.		·
Facility Locs	ition Newark, N.J.	07105		
Category & S	Subpart 40 CFR 414.5	5 & EO	utlet# 20406320-44	4100-0201
Contact Offi	cal Robert Naujelis	Tele	phone # 201-589-1	3709
/O / 93 Mo Day Yr.	Mo. Day Ir.	्रह्माया है। संस्कृतिस्कृतिकारिक	or Reporting Period flow-gal/day 5.8 gal/day 42,766	AVG <u>MAX</u> 11/ 6.099
Parameter	A	Mass Limit or Conce Average Maximur		o. of Sample typ
	Sample measurement	45 45	PPB	1
1	Permit requirement	i i	1	

57 134 PPB GRAB BENZENE Sample measurement PPB CARBON TETRA Permit requirement CHLORIDE 142 380 PPB GRAB 25 Sample measurement PPB Permit requirement CHLORO-142 380 PPB GRAB BENZENE 410 Sample measurement L10 PPB Permit requirement 1,2,4, TRI 196 794 PPB COMPOSITE CHLOROBENZEN Sample measurement 4 10 PPB Permit requirement HEXACHLORO 794 196 PPB COMPOSITE RENZENE PPB Sample measurement 25 1,2, DICHLORO Permit requirement 180 ETHANE 574 PPB 1 GRAB Sample measurement PPB 1,1,1, TRI Permit requirement 22 59 PPB CHLOROETHANE GRAB Sample measurement 210 ~ 10 PPB HEXACHLORO Permit requirement ETHANE 196 794 PPB 1 COMPOSITE Sample measurement PPB 1,1, DICHLORO Permit requirement 22 59 PPB 1 GRAB ETHANE

# PRETERATMY T MONTTORING PORT

Name Reichhold Chemicals Inc.	
Mailing Address 400 Doremus Ave.	
Facility Location Newark, N.J. 07105	
Category & Subpart 40 CFR 414.55 & E	Outlet 20406320-44100-0201
Contact Offical Robert Naujelis	Telephone
Monitoring Period	For Reporting Period
10 1 92 10 31 92 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day <u>S//</u> <u>MAX</u> Total Flow-gal/day <u>42.766</u> Method used
Start End Production rate (if applicable)	

L						
,		1				
Parameter		Mass Limi	t or Concentr	ration	No. of	Sample typ
1	ı	Average	Maximum	Units	Samples	Comp./grat
	Sample measurement	4.5	45	PPB		
1,3, DICHLORO PROPYLENE	Permit requirement	196	794	PPB	1	GRAB
	Sample measurement		25	PPB	<del>+                                    </del>	
	Permit requirement	1				
ETHYL BENZENI		142	380	PPB	1	GRAB /
	Sample measurement	25	25	PPB	1	
METHYLENE CHLORIDE	Permit requirement	36	170	PPB	1	GRAB
	Sample measurement		4 10	PPB	1	
METHYL	Permit requirement					
CHLORIDE	<u> </u>	110	295	PPB	11	GRAB
	Sample measurement	210	210	PPB		_
HEXACHLORO BUTADIENE	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	210	210	PPB		
NITROBENZENE	Permit requirement	2237	6402	PPB	1	COMPOSITE
	Sample measurement	210	410	PPB	1	
2-NITRO PHENOL	Permit requirement	65	231	PPB	1	COMPOSITE
	Sample measurement	450	250	PPB	1 /	
4-NITRO PHENOL	Permit requirement	162	576	PPB	1	COMPOSITE
	Sample measurement	450	450	PPB	+-,	
4,6, DINITRO	Permit requirement				<del></del>	
OHECRESOL		78	277	PPB	1	COMPOSITE

### PRETERATM T MONTTORING TEPORT

Name Reichhold Chemicals Inc.						
Mailing Address 400 Doremus Ave.						
Pacility Location Newark, N.J. 07105						
Category & Subpart 40 CFR 414.55 & E	Category & Subpart 40 CFR 414.55 & E Outlet # 20406320-44100-0201					
Contact Offical Robert Naujelis	Telephone # 201-589-3709					
Monitoring Period	For Reporting Period					
10 1 92 10 31 92	Regulated flow-gal/day 58// 6099					
Mo. Day Yr. Mo. Day Yr. Method used  Total Flow-gal/day 42, 766  Method used						
Start End						

Parameter		Mass Limi	t or Concent	ration	No. of	Sample ty
		Average	Maximum	Units	Samples	Comp./gr.
	Sample measurement	45	< 5	PPB	1	
1,1,2, TRI- CHLOROETHANE	Permit requirement	32	127	PPB	1	GRAB
0	Sample measurement		210	PPB	1	
CHLOROETHANE	Permit requirement	110	295	PPB	1	GRAB
CHECKOBINETE	Sample measurement	<del></del>	4.5	PPB	Ī	
CHLOROFORM	Permit requirement	111	325	PPB	1	GRAB
CHLOROFORM	Sample measurement		4 10	PPB	<del>                                     </del>	GIGIE
1,2, DICHLORO BENZENE	Permit requirement	196	794	PPB	1	COMPOSITE
DENGENO	Sample measurement		2 10	PPB	<del>                                     </del>	
1,3, DICHLORO	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	2 10	L 10	PPB	1	
1,4, DICHLORO BENZENE	Permit requirement	142	380	PPB	1	COMPOSITE
	Sample measurement	25	4.5	PPB	1	
1,1, DICHLORO ETHYLENE	Permit requirement	22	60	PPB	1	GRAB
	Sample measurement	45	<5	PPB	1	
1,2, TRANS DI- CHLOROETHYLENE	Permit requirement	25	66	PPB	1	GRAB
	Sample measurement	45	< 5	PPB		
1,2, DICHLORO PROPANE	Permit requirement	196	794	PPB	1	GRAB

### PRETERATM T MONTTORING EPORT

Name Reichhold Chemicals Inc.						
Mailing Address 400 Doremus Ave.						
Facility Location Newark, N.J. 07105						
Category & Subpart 40 CFR 414.55 & E Outlet \$ 20406320-44100-0201						
Contact Offical Robert Naujelis	Telephone # 201-589-3709					
Monitoring Period	For Reporting Period					
10 1 92 10 31 92 Mo. Day Yr. Mo. Day Yr.	Regulated flow-gal/day 58// 6099  Total Flow-gal/day 42,766  Method used					
Start End Production rate (if applicable)						

			<del></del>		<del></del>	<del></del>
Parameter	1	Mass Limi	t or Concent	ration	No. of	Sample ty
		Average	Maximum	Units	Samples	Comp./gra
	Sample measurement	45	25	PPB		
TETRACHLORO	Permit requirement			, ,		
ETHYLENE		52	164	PPB	1	GRAB
	Sample measurement	25	4.5	PPB	1	
	Permit requirement		1			27.17
TOLUENE		28	74	PPB	1	GRAB
	Sample measurement	< 5	< 5	PPB	1	_
TRICHLORO	Permit requirement			`	1.	02:2
ETHYLENE		26	69	PPB	1	GRAB
	Sample measurement	210	210	PPB	+/-	_
VINYL	Permit requirement	07	1,70	DDD	,	CDAD
CHLORIDE	1	97	172	PPB	1	GRAB
	Sample measurement	140	140	PPB	+	-
TOTAL	Permit requirement	420	1200	DDP	1	GRAB
CYANIDE	<del> </del>	420	1200	PPB	1	- GRAD
mom : T	Sample measurement	80	80	PPB	1	
TOTAL	Permit requirement	320	690	PPB	1	COMPOSITE
LEAD	Sample manariament		_1	_1	+	
TOTAL	Sample measurement	1090	1990	PPB		-
ZINC	Permit requirement	1050	2610	PPB	1	COMPOSITE
2110	Sample measurement		+	+	+	
<del>i</del> :	Permit requirement		<del></del>	+	+	
1	r er mit Ledantement					
	Sample measurement	+	-	+	<del></del>	
	Permit requirement	<del>-                                    </del>	<del></del>	<del>                                     </del>		$\dashv$
!	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		<u>'</u>	1	- [	
<u></u>		<u></u>	1	1		

# RETREATMEN IONITORING R. )RT

Certification of Non-u	se if applicable (use additional sheets)
NOT	REQUIRED
Compliance or non con	npliance statement with compliance schedule (use additional sheets
if necessary) for every	parameter used.
NOT	REQUIRED
Explain Method for pre	scanuing camples
•	TTACHED
under my direction or qualified personnel pro inquiry of the person responsible for gatheria knowledge and belief	y of law that this document and all attachments were prepared supervision in accordance with a system designed to assure that perly gather and evaulate the information submitted. Based on my or persons who manage the system, or those persons directly ng the information, the information submitted is, to the best of my, true, accurate, and complete. I am aware that there are or submitting false information, including the possibility of fine and ring violations.
403.6(a)(2)(ii) revised b	y 53 FR 40610, October 17, 1988
:	R Mail
	Signature of Principal
	Executive or Authorized Agent
-	ROBERT NAUJELIS
	SITE MGR
•	SITE MGR Type Name and Title
	11/20/97
•	Data

Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

WASTE WATER FLOW DIAGRAM - OCPSF REGULATED FOR MONTH OF: OCTOBER 1992 REGULATED FLOW FROM REGULATED FLOW FROM 42,766 GAL. 0 GAL. ALBERT AVENUE DOREMUS AVENUE DOREMUS AVE. NONTOCPSF FLOW PROCESS WATER, OCPSF 290,870 GALLONS REGULATED WATER 42 766 GALLONS PH MONITORING AND PRE TREATMENT SYSTEM SAMPLING POINT USER CHARGES PRETREATMENT SAMPLING POINT FOR OCPSF DISCHARGE OCPSF EFFLUENT PLANT DISCHARGE TO PVSC LIFT OCPSF REGULATED FLOW: 42,766 GAL. STATION 1,290,876 GAL. NON-OCPSF FLOW: 1325,743 GAL. TOTAL FLOW: DATE:

RCI-001-10568

#### SAMPLE PRESERVATION METHOD

FOR METALS:

2 ML OF 1+1 HNO WAS ADDED TO THE 1 LITER

BOTTLE.

FOR CYANIDES: 2 ML OF 10 N NAOH WAS ADDED TO THE 1 LITER

GLASS BOTTLE.

( - \

FOR A/B/N:

NO PRESERVATIVE REQUIRED. A ONE LITER GLASS

BOTTLE WITH TEFLON LINED CAP WAS USED.

FOR VOA:

25 MILLIGRAMS OF ASCORBIC ACID AND 3 DROPS OF

1+1 HCL WAS ADDED TO A PRE-CLEANED VIAL WITH

TEFLON SEPTUM.

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

OCPSF Process Water Shipments From Reichhold, Albert Ave.

October 1, 1992 to October 31, 1992

Date of Shipment	Lbs. of Water	Gallons of Water
1. 10/5/92	48,167	5,796
2. 10/10/92	48,380	5,822
3. 10/16/92	50,680	6,099
4. 10/21/92	48,880	5,882
5. 10/27/92	47,260	5,687
6. 10/30/92	46,380	5,581

Total Gallons Recieved From Albert Ave.: 34,867

#### Reichhold Chemicals Inc. 400 Doremus Ave. Newark, N.J. 07105

## Log of OCPSF Pretreatment Unit Operation

# October 1992

1.	Days unit operated during the month:	6
2.	Average volume processed per day:	5,811 gal.
3.	Volume recieved from Albert Ave. plant:	34,867 gal.
4.	Volume generated at Doremus Ave. plant:	0 gal.
5.	Total water treated during the month:	34,867 gal.

REICHHOLD CHEMICALS INC. 400 DOREMUS AVE. NEWARK, N.J. 07105 PERMIT# 20406320 - 44100 - 0201

#### USER SELF MONITOR REPORT WORKSHEET FOR NET DISCHARGE TO PVSC



# LABORATORY REPORT

#### REPORT OF ANALYSES

REICHHOLD CHEMICAL, INC. 300-400 DOREMUS AVENUE NEWARK, NJ 07105-Attn: MR. NAUJELIS

DATE: 11/23/92

(Page 1 of 1)

CLIENT STATION ID: EFFLUENT LAB #: 5444

 CYANIDE, TOTAL
 mg/L
 0.14

 COPPER, TOTAL
 mg/L
 0.09

 LEAD, TOTAL
 mg/L
 0.08

 ZINC, TOTAL
 mg/L
 1.09

LABORATORY DIRECTOR

RCI-001-10573

## 1A VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

THE WHITE	UENT
	I PARTI

Lab Name: CHEMTEC	H	Contract:	REICHHOLD CHEM.
Project No.: 1649	Site:	Location:	Group:
Matrix: (soil/water)	WATER		Lab Sample ID: 05444
Sample wt/vol:	5 (g/mL) ML		Lab File ID: V0751.D
Level: (low/med)			Date Received: 11/2/92
% Moisture: not dec.	100		Date Analyzed: 11/3/92
GC Column: DB-624	ID: 0.53 (	mm)	Dilution Factor: 1.0
Soil Extract Volume:	(uL)		Soil Aliquot Volume: (uL)

#### Concentration Units:

		Concentration on the	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	. Q
74-87-3	Methyl Chloride	10	Ŭ
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	ប
75-09-2	Trichiorofluoromethane	10	U
75 <b>-09-</b> 2	Methylene Chloride	5	U
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	5	U
75-35-4	1,1-Dichloroethylone	5	Ū
75-34-4	1,1-Dichloroethane	5	Ŭ
540-59-0	1,2-Dichloroethene (total)	5	U
67-66-3	Chloroform	5	บ
107-06-2	1,2-Dichloroethane	5	U
78 <del>-9</del> 3-3	2-Butanone	10	ŭ
71-55-6	1,1,1-Trichloroethane	5	U
56-23-5	Carbon Tetrachloride	5	Ū
75-27-4	Bromodichloromethane	5	U
78-87-5	1,2-Dichloropropane	5	Ū
10061-01-5	cis-1,3-Dichloropropene	5	Ū
79-01-6	Trichloroethylene	5	U
124-48-1	Dibromochloromethane	5	U
79-00-5	1,1,2-Trichloroethane	5	U
71-43-2	Benzene	5	U
10061-02-6	trans-1,3-Dichloropropene	5	Ŭ
75-25-2	Bromoform	5	U
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethylene	5	U
79-34-5	1,1,2,2-Tetrachloroethane	5	U
108-88-3	Toluene	. 5	U
108-90-7	Chlorobenzene	5	Ü
100-41-4	Ethylbenzens	5	U
100-42-5	Styrene	5	U

842894235		1A	SAMPLE NO.
042001200	VOLATILE ORGA	INICS ANALYSIS DATA SHEET	EFFLUENT
Lab Name: CHEMTE	СН	Contract: REICHHOLD CHE	A
Project No.: 1649	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	05444
Sample wt/vol:	5 (g/mL) ML	Lab File ID	V0751.D
Lovel: (low/med)		Date Received:	11/2/92
% Moisture: not dec.	100	Date Analyzed:	11/3/92
GC Column: DB-624	ID: 0.53	(mm) Dilution Factor:	1.0
Soil Extract Volume:	(uL)	Soil Aliquot Volume:	(uL)
		Concentration Units:	•
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
1330-20-7	m+ p-Xylenes	5	U
1330-20-7	o-xylene	5	Ū
/	1,3-Dichloropropylene	5	Ū
*	1,2-trans-Dichloroethylene	5	Ü
<u> </u>			
<u> </u>	<del></del>		
inches and a W	<del></del>		
<del> </del>			
i		i	ı t

# 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: CHEMTE		NICS ANALYSIS DATA SHEET  Contract: REICHHOLD CHI	EFFLUENT
Project No.: 1649	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	05444
,		•	
Sample wt/vol:	1000 (g/mL ML	Lab File ID	30350.D
Level: (low/med)		Date Received:	11/2/92
% Moisture: 100	decented: (Y/N):	N Date Extracted:	11/6/92
Concentrated Extract Vo	lume: 1000 (uL)	Date Analyzed:	11/16/92
Injection Volume:	1.0 (uL)	Dilution Factor:	20.0
GPC Cleanup: (Y/N)	N pH	<u></u>	. , *
		Concentration Units:	
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
108-95-2	Phenol	9600	
111-44-4	bis(2-Chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
. 0	1,2-Dichlorobenzens	10	U
• 541-73-1	1,3-Dichlorobenzene	10	Ŭ
- 106-46-7	1,4-Dichlorobenzene	10	U
95-48-7	2-Methylphenol	10	U
106-44-5	4-Methylphenol	10	U
621-64-7	N-Nitroso-di-n-propylamine	10	Ü
a 67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
• 88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	bis(2-Chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalone	10	Ŭ
106-47-8	4-Chlorosniline	10	U
<i>•</i> 87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

95-95-4

91-58-7

88-74-4

131-11-3

208-96-8

606-20-2

99-09-2

83-32-9

51-28-5

2,4,5-Trichlorophenol

2-Chioronaphthalene

2-Nitroaniline

Dimethylphthalate

2,6-Dinitrotoluene

2,4-Dinitrophenol

Acenaphthylene

3-Nitroaniline Accomphthene U

Ū

U

U U

U

U

U

50

10

50

10

10

10

50

10 50

# 1B SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EFFLUEN	Γ

Lab Name: CHEMTECH	<u> </u>	Contract: REICHHOLD CHE	м
Project No.: 1649	Site:	Location:	Group:
Matrix: (soil/water)	WATER	Lab Sample ID:	O5444
Sample wt/vol:	1000 (g/mL ML	Lab File ID:	S0350.D
Level: (low/med)		Date Received:	11/2/92
% Moisture: 100	decented: (Y/N):	N Date Extracted:	11/6/92
Concentrated Extract Volume	me: 1000_(uL)	Date Analyzed:	11/16/92
Injection Volume:	1.0 (uL)	Dilution Factor:	20.0
GPC Cleanup: (Y/N)	N pH:		· . ·

#### Concentration Units:

CARNE	Commonad	Concentration Units:	^
CAS No.	Compound	(ug/L or ug/Kg) ug/L	Q
100-02-7	4-Nitrophenol	50	Ŭ
132-64-9	Dibenzofuran	10	ע
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7005-72-3	4-Chlorophonyl-phenylether	10	ע
86-73-7	Fluorene	10	U
100-01-6	4-Nitrosniline	50	U
534-52-1	4,6-Dinitro-2-methylphenol	50	บ
86-30-6	N-Nitrosodiphenylamine	10	U
101-55-3	4-Bromophenyl-phenylether	10	U
118-74-1	Haxachlorobenzene	10	Ŭ
87-86-5	Pentachlorophenol	50	ប
85-01-8	Phonanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	Ŭ
129-00-0	Pyrone	10	Ū
85-68-7	Butylbenzylphthalate	10	ប
91-94-1	3,3'-Dichlorobenzidine	10	U
56-55-3	Benzo[a]anthracene	10	U
218-01-9	Chrysene	10	Ū
117-81-7	bis(2-Ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthelate	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
50-32-8	Benzo[a]pyrene	10	U
193-39-5	Indeno[1,2,3-cd]pyrene	10	U
53-70-3	Dibenz(a,h]anthracene	10	Ū
191-24-2	Benzo[g,h,i]perylene	10	ט

842894238

# VOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

Q A	MI	TR	NO
34	W		NU

EFFL	LIENT

Lab Name:	CHEMTECH	<u> </u>			Contract:	REICHHOLD CHE	M	
Project No.	1649		Site	÷	Location:		Group:	
Matrix: (soi	1/water)	WATER	•••			Lab Sample ID:	05444	
Sample wt/ve	ol:	5	_(g/mL)	ML	•	Lab File ID:	V0751.D	
Lovel: (lo	w/med)		<del></del>			Date Received:	11/2/92	•
% Moisture:	not dec.	100	_			Date Analyzed:	11/3/92	
GC Column:	DB-62	<u> </u>	_ 10	); <u>0.53</u>	(mm)	Dilution Factor:	1.0	•
Soil Extract	Volume:		_(uL)			Soil Aliquot Volume:		(uL)
		*				<b></b> ,	•	

#### Concentration Units:

Number TICs found:	6	(ug/L or ug/Kg)	ug/L
--------------------	---	-----------------	------

1. Unknown 3.67 89 I 2. 78-84-2 Propanal, 2-methyl- 6.09 34 J 3. 78-85-3 2-Propanal, 2-methyl- 6.57 210 J 4. Unknown 6.99 37 J 5. 1115-11-3 2-Butenal, 2-methyl- 13.31 50 J 6. Unknown 28.07 71 J 7. 8. 9. 10. 11. 12. 13. 15. 11. 15. 16. 17. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19							
2. 78-84-2 Propanal, 2-methyl- 3. 78-85-3 2-Propanal, 2-methyl- 4. Unknown 6.99 37 J 5. 1115-11-3 2-Butenal, 2-methyl- 13. 31 50 J 6. Unknown 28.07 71 J 7.	CAS Number	Compound Name	RT	Bst. Conc.	Q		
3. 78-85-3	1.	Unknown	3.67	89	J		
4. Unknown 6.99 37 J 5. 1115-11-3 2-Butenal, 2-mothyl- 13.31 50 J 6. Unknown 28.07 71 J 7.	2. 78-84-2	Propanal, 2-methyl-	6.09	34	J		
5. 1115-11-3       2-Butenal, 2-mothyl-       13.31       50       J         6.       Unknown       28.07       71       J         7.       8.       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9        9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9       9	3. 78-85-3	2-Propensi, 2-methyl-	6.57	210	J		
6.       Unknown       28.07       71       J         7.       8.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.        9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.       9.	4.	Unknown	6.99	37	J		
7.       8.         9.       10.         11.       11.         12.       13.         13.       14.         15.       16.         17.       18.         19.       20.         21.       22.         23.       24.         25.       26.         27.       28.         29.       10.	5. 1115-11-3		13.31	50	J		
8.       9.         10.       11.         11.       12.         13.       14.         15.       16.         17.       18.         19.       20.         21.       22.         23.       24.         25.       26.         27.       28.         29.       9.	6.	Unknown	28.07	71	J		
9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29.							
10.         11.         12.         13.         14.         15.         16.         17.         18.         19.         20.         21.         22.         23.         24.         25.         26.         27.         28.         29.							
11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28.							
12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28.							
13.         14.         15.         16.         17.         18.         19.         20.         21.         22.         23.         24.         25.         26.         27.         28.         29.							
14.       15.         16.          17.          18.          19.          20.          21.          22.          23.          24.          25.          26.          27.          28.          29.	12.						
15.	13.						
16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28.	14.						
17.         18.         19.         20.         21.         22.         23.         24.         25.         26.         27.         28.         29.	15.						
18.         19.         20.         21.         22.         23.         24.         25.         26.         27.         28.         29.	16.						
19. 20. 21. 22. 23. 24. 25. 26. 27. 28.	17.						
20.       21.         22.       22.         23.       24.         25.       26.         27.       28.         29.       29.	18.						
21.       22.         23.       3.         24.       3.         25.       3.         26.       3.         27.       3.         28.       3.         29.       3.	19.						
22.         23.         24.         25.         26.         27.         28.         29.	20.						
23.       24.         25.       25.         26.       27.         28.       29.	21.						
24.       25.         25.       26.         27.       28.         29.       29.	22.						
25.       26.         27.       28.         29.       29.							
26.          27.          28.          29.							
27.       28.       29.							
28.       29.							
29.	27.						
	28.						
30	29.						
JV,	30.						

RCI-001-10578

#### 1F SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET TENTATIVELY IDENTIFIED COMPOUNDS

SAMPLE NO.

EFFLUENT

Lab Namo: CHEMTEC	CH			Contract:	REICHHOLD CH	EM
Project No.: 1649	_	Site	):	Location:		Group:
Matrix: (soil/water)	WATER	_			Lab Sample ID:	05444
Sample wt/vol:	1000	_(g/mL)	ML		Lab File ID	: 80350.D
Level: (low/med)					Date Received:	11/2/92
% Moisture: 100	-	decant	od: (Y/N)	N	Date Extracted:	11/6/92
Concentrated Extract Vol	ume:	1000	_(uL)		Date Analyzed:	11/16/92
Injection Volume:	1.0	_(uL)			Dilution Factor:	1.0
GPC Cleanup: (Y/N)	N		pH:	<u>, </u>		
Number TICs found	12		C	Concentration		

CAS Number	Compound Name	RT	Est. Conc.	Q
1.	Unknown	7.82	3000	J
2. 126-30-7	1,3-Propanediol, 2,2-dimethy	9.09	540	1
3. 112-50-5	Ethanol, 2-[2-(2-ethoxyethox	10.28	820	J
4.	Unknown	10.58	940	J
5. 144-19-4	1,3-Pentanedial, 2,2,4-trime	13.64	800	1
6.	Unknown	14.33	152	J
7.	Unknown	16.90	3600	J
8.	Unknown	17.28	7400	J
9.	Unknown	17.49	6000	J
10.	Unknown	21.32	4000	J
11. 1761-71-3	Cyclohexanamine, 4,4'-methyl	24.54	800	5
12.	Unknown	24.69	800	J
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.	· ·	<u> </u>		
27.				
28.				
29.				
30.				